	GE(GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	ECONNAISSANCE &	and MAINTENAI	NCE REPO	RT	STATION:	BOOBERO	10:	No.: 1059	05
Description:		Note	Note: Cross out word or words which do not apply	vords which do n	not apply	\	MAP SHEET SCALE 1:250 000	100	CARGELLIGO		,,,
1. Cleared by lane	Cleared by lanes bearingfrom Trig. Mast		***************************************	from Trig.	. Mast	/	INSPECTED BY:	Y: G.C.HANNA	NNA	DATE: 25/5/79	54/
2. Mast & Vanes h	Mast & Vanes have been painted white &	& black respectively.		\	\ \	\	AUTHORITY:	? Z		FIELD BOOK:	
3. The station/pill.	The station/pillar was unpiled/not unpiled/constructed on19	led/constructed on	19	, dimensions no	ow being:	•	330	340 360	360 10	/ 20/	30
Description of r	Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	uld be explicit, e.g., S.	/Steel Pillar Plate, S&	sel plug, Breass pli	lug, Bolt, G.		Station Diagram	gram	North	Not to Scale	
Height of mark.	Height of markm. m. below rock/concrete;		Mark ism. about	abow G.L.		/					
Height of Top	Height of Top Vanes to Top Mark/Pillar	r plate	/	Diameter of Vanes (vertical)m.	:al)	Ė	/ 0				
Height of Cairn	Height of Cairn	Diameter of Cairn,		Name Plate found/not found/placed.	/not found/	placed.	16 ,				
Length of Mast	Length of Mastm.	(approximate if not unpiled)	npiled)	12.			008				
4. A	Aset in ponc/rock best placed/found, bearing" M from Mast/Plug/Pillar	ck bes been placed/for	und, bearing	°M from Mast/F	Plug/Pillar		£ / 0				
5. A	Aset in concinct has been placed/found, bearing	ck has been placed/for	und, bearing	°M from Mast/Plug/Pillar	Plug/Pillar	<u> </u>	06 z /				
6. A		ck has been placed/for	und, bearing	°M from Mast/F	Plug/Pillar		082				
7. A	set in conc/rock has been placed/found, bearingset in conc/rock has been placed/found, bearingset	ick has been placed/for	und, bearing	°M from Mast/F	Plug/Pillar		042		+		
Action required	8. Action required.					.)	092				
STANDPOINT:			STANDPOINT:			`	0				
Mark	Direction Horiz.	Height Difference	Mark	Direction	Horiz. He	Height Difference	/ șe				
		above standpt.				above below standpt.	540				
		ahove standpt.				above below standpt.					
		above standpt.				above below standpt.	2 30				
		above standpt.				above standpt,					
		above standpt.									
		above standpt.				above standpt.	şsé				
		ahove standpt.				above standpt.	/ 210 /	200 / 190	180	170 160	55
Drongrad hu-	0011-100			Moto	Motod on II Till Card	Jared		Charles	200		

2733–2 D. West, Government Printer	STATION B	B00BER01 1059
Beacon Diagram Not to Scale		
	Owner's Name:	Current Occupant:
	Address:	Address:

	Phone:	Phone:
	ACCESS	
	Access Report of 25/2.7.197. Was found suitable/unsuitable.	
	Carry mast & vanes seen from road to S.W.	
	Mast & vancs leaning slightly.	
	Passible drive to	
	No clearing required.	
	Previously visited in 1972	
	7	
	The second secon	
	See Kiacatoo 8231-N	
This section to be completed by officer constructing pillar.		
Original sension moule forted fore farred		
Ciginal station final Notice for the control of the		
Description of mark:		
Original beacon found/not found.		-
Description of beacon:		of Caratan
	Date Hecc	Record of Station
Height Top of Vanes to Top Mark		
Height of mark below rock/concm below	***************************************	
Diameter of Vanes		
Original Beacon has/has not been destroyed by me.		