Deportment of Lands RECONNAISSANCE and	Integratio. rvey of N.S.W. RECONNAISSANCE and MAINTENANCE REPORT	STATION TS 10794 (MMXW/ELL)
This Trig. Station has been:-		CO.CLIMBERLAND PR.ST. LUKE
1. Completely cleared to permit 360° vision to surrounding Trigs.		Map Sheet: FAIRF/ILD 1/10000 No. 9/45 Inspected by J KAIRS/I/CA Date: 1/2/83
2. Cleared by lanes bearing	from Trig. Mast	Authority SLIRVEY CONTROL BR. Field Book:
3. Trig. Mast & Vanes have been painted white & black respectively.		Beacon Diagram Not to Scale
4. The Trig. was unpiled/not unpiled, dimensions now being: Description of mark R & LHS SMOKESTACK should be explicit, e.g. Steel plug, Brass plug, Bolt, Concrete Pillar	g, Brass plug, Bolt, Concrete Pillar	
Height of mark	m above G.L.	
Height of Cairn m. Diameter of Chira	s (vertical)m.	
m. (approximate if not unpiled)		
5. Aset in conc/rock has been placed/fdm, bearing	aM from Trig, Mast/pillar	
6. Aset in conc/soil has been placed/fdm. bearing	M from Trig. Mast/pillar	
7. Aset in conc/soil has been placed'fdm. bearing	M from Trig. Mast/pillar	
8. Aset in conc/rack has been placed/fdm. bearing	M from Trig. Mast/pillar	
9. Connectiontoto		
10. Connectionto;		
11. Connection		Date
12. Connection	-11	
13. Diff. Ht		
14. Diff. Ht. is the object of below		
15. Diff. Ht. is. m. debve below	11	
16. Diff. Ht. m. deve promote the following the property of th		
1 Constant		

