			STATION:	100 N Y Y	2 30	
		SSANCE and MAINTENANCE REPORT 10962		and a second second second second	7	10.1 10.4 P.
Description:	Note: Cross out v	t word or words which do not apply	MAP SHEET SCALE 1:250 DOP	ç		
1. Cieared by lanes b	Cieared by lanes bearing	trom Trig. Mast	INSPECTED BY:	N Krahi	70	DATE: 16 11 35
2. Mast & Vanes have	Mast & Vanes have been painted white & black respectively.		AUTHORITY:	1.11	11 11.	FIELD BOOK:
3. The station/pillar v	The station/pillar was unpiled/not unpiled/constructed on	19, dimensions now being:	330 3	340 350 360	- <u>6</u>	20 / 30
Description of mar	Description of markshould be explicit, e.g., S/Steel Pillar	Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	Station Diagram	am North	5	Not to Scale
Height of mark	Height of markm. ^{above} rock/concrete; Mark is	m. ^{above} G.L.				
Height of Top Var	Height of Top Vanes to Top Mark/Pillar platem	Diameter of Vanes (vertical)m.	0			_ ` _
Height of Cairn	m. Diameter of Cairn	m. Name Plate found/not found/placed	١٤			
Length of Mast	Length of Mastm. (approximate if not unpiled)		OUE			
4. A.	set in conc/rock has been placed/found, bearing	gc [.] M from Mast/Plug/Pillar	2 / 0			<u> </u>
5. A	AA. Bearing	g ^c M from Mast/Plug/Pillar	62			
6. A	set in conc/rock has been placed/found, bearing	g6M from Mast/Plug/Pillar	580			- - •
7. A	Aa. been placed/found, bearing	geM from Mast/Plug/Pillar	5,0	÷.	,	L
8. Action required:	Action required:		560			-d
STANDPOINT:	STANDPOINT	DINT:	05			
Mark	Direction Horiz. Height Difference Mark	c Direction Houlz. Height Difference	7-7			(a d
	above standpt below	above	above standpt. N			
	anove standpt. below	above below	above below.star.dpt.			2
	acove standpr. below	above Motion	standpt 8			-£
	above standpt. below	above below	standpt			
	above standpt. beicw	above below	standpt.			da-
	2:00% standpt.	above beicw	above standpt			
	anove standpr.	above	standpt. 210 /	200 / 190 / 18	180 170	160 150
Frepared by:	Cnecked;	Noted on U.T.M. Card		Checked		

V 000 000
V 000 000 000 000 000 000 000 000 0
V V V
C weep = x + 50
· · · · · · · · · · · · · · · · · · ·
v v v
C w e + ∞ - 3 €
· · · · · · · · · · · · · · · · · · ·
∽ − − − − − − −
 C uc. + ~
v
ound/not found.

LAND INFORMATION CENTRE	CTION CENTRE		r
·	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT 10962	STATION: KANGOS RES	No.: 10962
Description:	Nate: Crass out word or words which do not apply	MAP SHEET SCALE 1:250 DOM	
1. Cleared by lane	Cleared by lanes bearingfrom Trig. Mast	INSPECTED BY: N Krake	DATE: 16 17 45
2. Mast & Vanes h	Mast & Vanes have been painted white & black respectively.		FIELD BOOK:
3. The station/pil	The station/pillar was unpiled/not unpiled/constructed on19	330 340 350 350 10 20	io' / 30' /
Description of	Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I., Pipe	Station Diagram North North	Not to Scale
Height of mark	Height of markm. ^{ebove} rock/concrete; Mark ism. ^{ebove} G.L.		N. N
Height of Top	Height of Top Vanes to Top Mark/Pillar platem	0	
Height of Cairr	Height of Cairnm. Diameter of Cairnm. Diameter of Cairnm.		20
Length of Masi	Length of Mast	7	<u>75</u>
4. A	set in conc/rock has been placed/found, bearing	-/ 0	2 \
5. A	set in conc/rock has been placed/found, bearing	62 /	<u>}</u> b /
6. A.	set in conc/rock has been placed/found, bearing°M from Mast/Piug/Pillar	530	ξυ
7. A.	A	+.	90
8. Action required	Action required:	560 /	1.11 1.11
STANDPOINT:	STANDPOINT:		<u> </u>
Merk	Direction Horiz. Height Difference Mark Direction Distance Height Difference		<u> 50 /</u>
		240	129
	above standpt. below stardpt.		Ζ
	above standpt. beicon standpt.	530	130
	above standpt. above standpt.		/
	above standpt. Beicow standpt.		·
	above standpL below standpL	ολεζ	140
	atiove standpt. above tandpt. below	210 200 190 180 170 160	60 1 150
Frepared by:	Checked: Noted on U.T.M. Card	Checked	
St 2735-1			1

TS10962 | Print Date: 31/05/2022 18:47 | No Of Pages: 4 | Property of DFSI – Spatial Services

Marrie Date Rate Monte Rate Monte Rate Anter and an anter and a state of the	
officer constructing pilitar.	
officer constructing pilitar.	ne: Avstrahing Leven to Limited Current Occupant:
officer constructing pilitar.	
officer constructing pilitar.	
officer constructing pilitar.	
officer constructing piliar.	
officer constructing piliar.	ACCESS
officer constructing piliar.	nt of//10
officer constructing pilitar.	
office: constructing pilitar.	L Offices
officer constructing pilitar.	Pass there is Roma Fate-head in SW difether
office: constructing piliar.	
officer constructing piliar.	I JON LETT EVER FULL CLESSING LENTINUE IN C.S. HIRCHIGN
officer constructing pilitar.	Up rise to the back of the tactory
officer constructing pilitar.	Turn left and tellew roud around brack of buildings
officer constructing pilitar.	Take cubb Perk
officer constructing piliar.	
officer constructing pilitar.	lake concrete front Which heads in an Easterly Amertion
found. found. k	Howing a tence on your left
officer constructing pilitar. found: km. hound: c.	Také left fork off tumrete read
officer constructing pilitar. found. d. k. rock/conc	Puss mine conthe RHS
officer constructing piliar. found. d. rk	Tues left off read onto track - then through note
found. č. k	Tale the left fork heading in a westeria heading
.с. с. К	tourned contrary
с. К	
с. 	Reservoir - TS hable - a roct top fullar
rack/concт. above G.L.	Key Available From Rylstone Shire,
rick/concт. above G.L.	-' (Master A)
rk	Record of Station
rock/concm. above G.L.	
E	
Original Beacon has/has not been destroyed by me.	

a 2020 - M

1

l