LOCALITY SKETCH PLAN		
Local Government Area BICNL	New South Wales Government	
Town/Suburb/Locality Dould Shotch +	Courds (from Adj)	Office Use - Barcode Including Number Inserted Here
Approx MGA Coordinate: Zone	Description of Mark	
E:		
N:		
		2 2 9
NUL 2015	3	
	Rm3	2. 20 - 6.0 2.75
* *		S-2
	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	
5	mct. B. 30 Mg	
	2	400
	× 200	
	\$2°	*
20 (25a)	(Total)	
288 12.5	13 m (105)	cas
RM2 (	to Mul 35, GNSS 22.68	- ton
274	35.10	30 53 solle!
•	×	TÌ RMI
GNSS 544405.074 64	59871,724	
RMI 426.29236	869-56558	
RM2 392.28245	877.48 458	
RM3 404.98079	8911.98 454	
#	<b>7</b> ,	
	9	. E
	, 1	
Please use black ink only	) vv	
SURVEYING REGULATION	Measurements are in metres	certify that the mark has been placed/found
MARK AHD SOURCE DATE	-PM- TS 12144	and numbered as detailed hereon.
HEIGHT DETERMINED BY - DIFF. LEVELLING	• •••	Signed
(Specify) - TRIG HEIGHTING ADOPTED MARKS - GPS	<del>-66</del>	Name: Organisation
ADOPTED MARKS		Organisation placing mark:

Replaces

Date mark placed/found:



## LOCALITY SKETCH PLAN

1,2,3 (TS12144)

544405 MGA E:

6459877 MGA N:

Zone: 54/<del>55/56/57/58</del>

Coordinates determined by: (AUSPOS / RTK / Handheld GNSS / TRAV)

Other: ADJUSTMENT


Replaces PM/SS

Datum: MGA94 / MGA2020

Mark to Ground Level:

ABOVE GROUND )

Height determined by: (Diff Levelling / AUSPOS / RTK / Trig Heighting / Handheld GNSS) Other:



Distances shown are in metres

(Refer to Surveyor-General's Direction No. 2 - Preparation of Locality Sketch Plans.)

Town/Suburb/Locality: BROKEN HILL

Monument Description: SS PIN IN ROCK

I certify that the mark has been placed/found

Name of Organisation SPATIAL SERVICES

and numbered as detailed hereon.

placing mark;

Surveyor's Ref:

NEW SKETCH

Date mark placed/found:

Name:

Signed:

LOCALITY SKETCH PLAN		
Local Government Area BICNL	New South Wales Government	
Town/Suburb/Locality Dould Shotch +	Courds (from Adj)	Office Use - Barcode Including Number Inserted Here
Approx MGA Coordinate: Zone	Description of Mark	
E:		
N:		
		2 2 9
NUL 2015	3	
	Rm3	2. 20 - 6.0 2.75
* *		S-2
	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	
5	mct. B. 30 Mg	
	2	400
	× 200	
	\$2°	*
20 (25a)	(Total)	
288 12.5	13 m (105)	cas
RM2 (	to Mul 35, GNSS 22.68	- ton
274	35.10	30 53 solle!
•	×	TÌ RMI
GNSS 544405.074 64	59871,724	
RMI 426.29236	869-56558	
RM2 392.28245	877.48 458	
RM3 404.98079	8911.98 454	
#	<b>7</b> ,	
	9	. E
	, 1	
Please use black ink only	) vv	
SURVEYING REGULATION	Measurements are in metres	certify that the mark has been placed/found
MARK AHD SOURCE DATE	-PM- TS 12144	and numbered as detailed hereon.
HEIGHT DETERMINED BY - DIFF. LEVELLING	• •••	Signed
(Specify) - TRIG HEIGHTING ADOPTED MARKS - GPS	<del>-66</del>	Name: Organisation
ADOPTED MARKS		Organisation placing mark:

Replaces

Date mark placed/found: