LOCALITY SKETCH PLAN		(
Local Government Area NBRK	New South Wides Government	
Town/Suburb/Locality Draft Slat	ch + Coords (from 14)	Office Use - Barcode Including Number Inserted Here
Approx MGA Coordinate: Zone	Description of Mark	
, E: N:		
		8 8
		4 4 ₉
Cabinet		
	Š140	a a
es and med	3020 35m	Ti II
= 0 0 m	A stor	
S 139 45 E	3700	2 2 x
Rm3 (16")		s
Rm3 (16°)	280°/970	***
14	99m	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0) 17 500	
-	(1) 763 1131	RMI
	CLUSS	/
4		/
	138 128 128 128 128 128 128 128 128 128 12	
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
CNSS 385243.73 6716348.6		
Rm 1 261.12257 398 3 Rm2 244.57 622 383	17 384 035 H	
RM2 244.54 622 383 9	W 519 RMZ	*
	UME	(4)
RM2 244.37 020 345.3		
	· 1	
Please use black ink only		
SURVEYING REGULATION		
MARK AHD SOURCE DATE	Measurements are in metres	I certify that the mark has been placed/found and numbered as detailed hereon.
UFICUT DESCRIPTION	-PM- TS 12207	Signed:
HEIGHT DETERMINED BY - DIFF. LEVELLING (Specify) - TRIG HEIGHTING	-66-	Name:
ADOPTED MARKS - GPS	DM.	Organisation placing mark:
	PM Replaces	Date mark placed/found:
	SS	a store store with republication is at



LOCALITY SKETCH PLAN

RM 1, 2, 3SS (TS 12207)

MGA E: 385243

Datum: MGA94 / MGA2920-

6716398 MGA N:

Zone: 54/55/56/57/58


Coordinates determined by: (AUSPOS / RTK / Handheld GNSS / TRAV)

Other: ADJUSTMENT

Replaces PM/SS

Mark to Ground Level:

 $\label{thm:lemma$



Please use black ink only Distances shown are in metres

(Refer to Surveyor-General's Direction No. 2 - Preparation of Locality Sketch Plans.)

Town/Suburb/Locality: NORTH BOURKE

I certify that the mark has been placed/found

and numbered as detailed hereon.

Date mark placed/found:

Name:

Monument Description: SS PIN IN ROCK

Name of Organisation

placing mark:

SPATIAL SERVICES

Surveyor's Ref:

NEW SKETCH

Signed:

LOCALITY SKETCH PLAN		(
Local Government Area NBRK	New South Wides Government	
Town/Suburb/Locality Draft Slat	ch + Coords (from 14)	Office Use - Barcode Including Number Inserted Here
Approx MGA Coordinate: Zone	Description of Mark	
, E: N:		
		8 8
		4 4 ₉
Cabinet		
	Š140	a a
es and med	3020 35m	Ti II
= 0 0 m	A stor	
S 139 85 E	3700	2 2 x
Rm3 (16")		s
Rm3 (16°)	280°/970	***
14	99m	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0) 17 500	
-	(1) 763 1131	RMI
	CLUSS	/
4		/
	138 128 128 128 128 128 128 128 128 128 12	
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
CNSS 385243.73 6716348.6		
Rm 1 261.12257 398 3 Rm2 244.57 622 383	17 384 035 H	
RM2 244.54 622 383 9	W 519 RMZ	
	UME	(4)
RM2 244.37 020 345.3		
	· 1	
Please use black ink only		
SURVEYING REGULATION		
MARK AHD SOURCE DATE	Measurements are in metres	I certify that the mark has been placed/found and numbered as detailed hereon.
UFICUT DESCRIPTION	-PM- TS 12207	Signed:
HEIGHT DETERMINED BY - DIFF. LEVELLING (Specify) - TRIG HEIGHTING	-66-	Name:
ADOPTED MARKS - GPS	DM.	Organisation placing mark:
	PM Replaces	Date mark placed/found:
	SS	a store store with republication is at