

CENTRAL MAPPING AUTHORITY GEODETTIC SURVEY OF M.S.W. GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT No.: 1245

STATION: **BULLENBALONG NORTH**

MAP SHEET SCALE 1:250 000 **BEGA**

INSPECTED BY: **G. KEEP** DATE: **12/3/80**

AUTHORITY: FIELD BOOK:

Station Diagram

Not to Scale

Description:

- Cleared by lanes bearing 350° vision. *Note: Cross out word or words which do not apply*
- ~~Mast & Vanes have been painted white & black respectively.~~
- The station/pillar was unpiled/not unpiled/constructed on 19 dimensions now being:
- Description of mark. *Pillar, spigot* should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
- Height of mark m. ^{above} rock/concrete; Mark is m. ^{above} G.L.
- Height of Top Vanes to Top Mark/Pillar plate m. Diameter of Vanes (vertical) m.
- Height of Cairn m. Diameter of Cairn m. Name Plate found/not found/placed.
- Length of Mast m. (approximate if not unpiled)
- A. ~~Brass Plate~~ set in conc/rock has been placed/found, bearing 360° M from Mast/Plug/Pillar (4.425 m)
- A. set in conc/rock has been placed/found, bearing M from Mast/Plug/Pillar
- A. set in conc/rock has been placed/found, bearing M from Mast/Plug/Pillar
- A. set in conc/rock has been placed/found, bearing M from Mast/Plug/Pillar
- Action required: *Timber wrapped and vanes need painting*

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt

Prepared by: **G. Keep 12/6/80** Checked: Noted on U.T.M. Card

Checked

