

7-2-08

Trigonometrical Survey of N.S.W.

CENTRAL MAPPING AUTHORITY

Department of Lands

RECONNAISSANCE and MAINTENANCE REPORT

STATION

BULLIO

1253

This Trig. Station has been:-

Note: Cross out word or words which do not apply

- 1. Completely cleared to permit 360° vision to surrounding Trigs. YES
- 2. Cleared by lanes bearing..... from Trig. Mast
- 3. Trig. Mast & Vanes have been painted white & black respectively. YES
- 4. The Trig. was ~~unpiled~~/not unpiled, dimensions now being:


Description of mark..... should be explicit, eg: Street plug, Brass plug, Bolt, G.I. Pipe

Height of mark..... m above rock/concrete..... m below G.L.
 Height of Top Vanes to Top Mark..... m Diameter of Vanes (vertical) 1.0 m.

Height of Cairn 1.4 m. Diameter of Cairn 2.0 m.
 1.4 m above cairn to bottom vanes

Length of Mast..... m. (approximate if not unpiled)

- 5. A...S.I.B.E...set in conc/rock has been placed 4.63 m. bearing 76 mag.°M from Trig. Mast
- 6. A...S.S.M. (no number)...set in conc/soil has been placed 5.35 m. bearing 34 f mag.°M from Trig. Mast
- 7. A.....set in conc/soil has been placed..... m. bearing.....°M from Trig. Mast
- 8. A.....set in conc/rock has been placed..... m. bearing.....°M from Trig. Mast
- 9. Connection.....to..... m. bearing.....°M
- 10. Connection.....to..... m. bearing.....°M
- 11. Connection.....to..... m. bearing.....°M
- 12. Connection.....to..... m. bearing.....°M
- 13. Diff. Ht. is..... m. above below
- 14. Diff. Ht. is..... m. above below
- 15. Diff. Ht. is..... m. above below
- 16. Diff. Ht. is..... m. above below



Beacon Diagram Not to Scale

Co: CAMDEN Ph: BULLIO

Map Sheet: BARRALLIER No: 8429-III-N

Inspected by: P. ETCELL Date: 30.7.75

Authority: A.T.C. Field Book:

Date

Record of Station

Prepared by: P. Etcell Checked: P. Etcell 23.8.75

Noted on U.T.M. Card

GEODETTIC SURVEY OF N.S.W.

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: **BULLIO** No.: **253**

MAP SHEET SCALE 1:250 000 **Wollongong**


INSPECTED BY: **A. Sivertsen** DATE: **23-11-78**

AUTHORITY: **CMA** FIELD BOOK: **—**

- Description: *Note: Cross out word or words which do not apply*
1. Cleared by lanes bearing..... from Trig. Mast
 2. Mast & Vanes have been painted white & black respectively.
 3. The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being: Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe Height of mark.....m. ^{above} rock/concrete; Mark/s.....m. ^{above} G.L.
 4. A.....m. Diameter of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
 5. A.....m. Diameter of Cairn.....m. Name Plate found/not found/placed.
 6. Length of Mast.....m. (approximate if not unpiled)
 7. A.....set in conc./rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 8. A.....set in conc./rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 9. A.....set in conc./rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 10. A.....set in conc./rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 11. Action required:..... **BARRALLIER**

STANDPOINT: **1:25,000**

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below



Prepared by: *Checked:*

Noted on U.T.M. Card

