

CENTRAL MAPPING AUTHORITY


GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: SMA 0103 No.: 13

MAP SHEET SCALE 1:250 000 BEGA

INSPECTED BY: G. KEEP DATE: 16/4/80

AUTHORITY: FIELD BOOK:



- Description:
- Cleared by lanes bearing..... Note: Cross out word or words which do not apply
 - Mast & Vanes have been painted white & black respectively.
 - The station/pillar was unpiled/not unpiled/constructed on.....19....., dimensions now being:
 - Description of mark..... should be explicit, e.g. S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 - Height of mark.....m. above rock/concrete; Mark is.....m. above G.L.
 - Height of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
 - Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/not found/placed.
 - Length of Mast.....m. (approximate if not unpiled)
 - A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
 - Action required:.....

STANDPOINT:			
Mark	Direction	Horiz. Distance	Height Difference
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.

Prepared by: G. Keep 24/7/80 Checked: Noted on U.T.M. Card

GS

<p>St 2733-2 D. West. Government Printer</p> <p>Beacon Diagram</p> <div style="border: 1px solid black; width: 100%; height: 150px; display: flex; align-items: center; justify-content: center;"> <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Not to Scale</p> </div>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-right: 1px solid black;"> <p style="text-align: center;">STATION SMA 0103 TS 13</p> <p>Owner's Name: Address: Phone:</p> <p style="text-align: center;"><u>ACCESS</u></p> <p>Access Report of...../19.....was found suitable/unsuitable. Station not seen due to high tree line in area traversed. Condition of station unknown. Suitable for geodetic station</p> </td> <td style="width: 50%;"> <p>Current Occupant: Address: Phone:</p> </td> </tr> </table>	<p style="text-align: center;">STATION SMA 0103 TS 13</p> <p>Owner's Name: Address: Phone:</p> <p style="text-align: center;"><u>ACCESS</u></p> <p>Access Report of...../19.....was found suitable/unsuitable. Station not seen due to high tree line in area traversed. Condition of station unknown. Suitable for geodetic station</p>	<p>Current Occupant: Address: Phone:</p>						
<p style="text-align: center;">STATION SMA 0103 TS 13</p> <p>Owner's Name: Address: Phone:</p> <p style="text-align: center;"><u>ACCESS</u></p> <p>Access Report of...../19.....was found suitable/unsuitable. Station not seen due to high tree line in area traversed. Condition of station unknown. Suitable for geodetic station</p>	<p>Current Occupant: Address: Phone:</p>								
<p>This section to be completed by officer constructing pillar.</p> <p>Original station mark found/not found.</p> <p>Description of mark:</p> <p>Original beacon found/not found.</p> <p>Description of beacon:</p> <p>Height Top of Vanes to Top Mark.....m. above rock/conc.....m. below G.L. Height of mark.....m. below</p> <p>Diameter of Vanesm. Height of Cairnm.</p> <p>Original Beacon has/has not been destroyed by me.</p>									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">Date</td> <td style="width: 50%; text-align: center;">Record of Station</td> </tr> <tr> <td style="height: 40px;"> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>		Date	Record of Station						
Date	Record of Station								

CENTRAL MAPPING AUTHORITY
 Department of Lands
 RECONNAISSANCE and MAINTENANCE REPORT

Trigonometrical Survey of N.S.W.


7.4-28

STATION SMA1018 (Pinnacle) TS 13
 Co: Salwayn Ph: Wallace

This Trig. Station has been:-
 Note: Cross out word or words which do not apply

1. Completely cleared to permit 360° vision to surrounding Triggs.
 2. Cleared by lanes bearing 53°M, 133°M, 154°M from Trig. Mast
 3. Trig. Mast & Vanes have been painted white & black respectively.
 4. The Trig. was unpiled/not unpiled, dimensions now being: Vertical Station Mark found / not found
- Description of mark: Brass Plug should be explicit, e.g. Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark: m above, m below, m above, m below, G.I.
 Height of Top Vanes to Top Mark: 4.35 m Diameter of Vanes (vertical): 0.65 m.
 Height of Cairn: m Diameter of Cairn: m.

Map Sheet: Yarrango billy No: 8526
 Inspected by: N. D. Berge Date: 26th January 1977
 Authority: Central Mapping Field Book: 8526-11-N



Date	Record of Station

5. A. set in conc/rock has been placed..... m. bearing.....°M from Trig. Mast
6. A. set in conc/soil has been placed..... m. bearing.....°M from Trig. Mast
7. A. set in conc/soil has been placed..... m. bearing.....°M from Trig. Mast
8. A. set in conc/rock has been placed..... m. bearing.....°M from Trig. Mast
9. Connection to..... m. bearing.....°M
10. Connection to..... m. bearing.....°M
11. Connection to..... m. bearing.....°M
12. Connection to..... m. bearing.....°M
13. Diff. Ht. is..... m. above below.....°M
14. Diff. Ht. is..... m. above below.....°M
15. Diff. Ht. is..... m. above below.....°M
16. Diff. Ht. is..... m. above below.....°M

Prepared by: N. D. Berge Checked: G. W. ... Noted on U.T.M. Card Checked

STATION SMA 1018 (PITCHGUT) TS 13


Owners Name.....
 Current Occupant.....

Address.....
 Address.....

Access Refer to Ravine 8526-11-N 1:25000
 26-1-1977

Not to Scale

Station Diagram



List of Observed Directions:-

Standpoint:		Standpoint:	
Station	Direction	Station	Direction

