	V: CARLYON 1511	MAP SHEET SCALE 1:250 000 Wellongong	INSPECTED BY: A. Sivertsen DATE: 23-11-78	RITY: CMA FIELD BOOK:	340 350 350 10 20 30	Station Diagram North Not to Scale	As per J. Stokes report 13 OCT 1969.	5	H.G. Helsham's GIPipe placed 11 Apr. 1972	is CP tot BURRAGORANG SOUTH	E 233 303.7 m N 6200 007.4 m	720	80	+	100		310 /	120		130			46	250 190 180 170 160 150	Checked
	STATION:	MAP SH SCALE	NSPEC	AUTHORITY:	330	ozé	,	9	. ,	<b>/ 0</b> 01	00	<del>ž</del> /	0\$Z	οζz	Se0	\0:	Se Se	240		230 db:	dpt.	dpt.	350	dpt. / 210	
	PORT				22	G.I. Pipe		a	nd/placed.		<u>1</u>	<b>.</b>	<u>.</u>	ī	ALLIER	000,621	Height Difference	above below standpt.	above standpt.	above below standpt.	above standpt.	above standpt.	above standpt.	above standpt.	M. Card
	ANCE RE	o not apply	ig. Mast		now being	plug, Bolt,		tical}	nd/not fou		t/Plug/Pille	from Mast/Plug/Pillar	from Mast/Plug/Pillar	from Mast/Plug/Pillar	BARR	2.1	Horiz. Distance								Noted on U.T.M. Card
EY OF N.S.W.	d MAINTEN	Note: Cross aut ward or words which do not apply	from Trig. Mast		, dimensions	el plug, Brass	ow G.L.	Diameter of Vanes (vertical)m.	Name Plate found/not found/placed.		M from Mas			M from Mas			Direction								Ne
GEODETIC SURVEY OF N.S.W.	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT		1	\		Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I., Pipe	Mark ism. below G.L.			npiled)	As been placed/found, bearing"M from Mast/Plug/Pillar	has been placed/found, bearing"M	Aset in copc/rock has been placed/found, bearing"M	7. Aset in conc/rock has been placed/found, bearing	BARRALLIER	STANDPOINT:	Mark		ACC 2010 CO 1010 CO						
	DETIC STATION R		***************************************	black respectively.	3. The station/pillar was unpiled/not unpiled/constructed on	ıld be explicit, e.g., S		plate	Diampter of Cairnm.	Length of Mastm. (approximate if not unpiled)	k kas been placed/for		k has been placed/for	k has been placed/for	***************************************		Height Difference	above below standpt	above standpt.	above standpt.	above standpt.	above standpt.	above standpt.	above standpt.	Checked:
≽	GEO			ted white &	/not unpile	noys	above below rock/	//ark/Pillar	n.		in conc/rac	in conc/rg6	in conc/roc	in conc/roc			Horiz. Distance						1	X	1
NG AUTHORIT			bearing	ve been paint	r was unpiled	ark	Ü	anes to Top N			set	set	set ī	set i			Direction								M. A.
CENTRAL MAPPING AUTHORITY		Description:	1. Cleared by lanes bearing	2. Mast & Vanes have been painted white & black respectively.	3. The station/pilla	Description of m	Height of markm. m. below rock/concrete;	Height of Top Vanes to Top Mark/Pillar p	Height of Cairnm.	Length of Mast	4. Aset in conc/rock	5. Aset in conc/rock	6. A	7. A	8. Action required:	STANDPOINT:	Mark								Prepared by:

STATION CARLYON TS 14-11	nt:	Phone:	ACCESS	to B Note: All gostes shown on oacess 13.10.69 over 6001000	P. P.	Mombayan Caves Road	11.3				Date (Tacord of Station				
St 2733—2 D. West, Government Printer	Beacon Diagram Nor to Scale						Cheedmans Fan	This section to be completed by officer constructing pillar.	Original station mark found/not found. Description of mark:	Original beacon found/not found.	Description of beacon:	Height Top of Vanes to Top Markm.	Height of markm. below rock/conem. below G.L.	Diameter of Vanesm. Height of Cairnm.	Original Beacon has/has not been destroyed by me.