	GEODE	ETIC STATION F	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	and MAINTENA	NCE REPO	ORT	STATION:	CAVENDISH	IDISH		No.: 1442	45
	Description:	Note	Note: Cross out word or words which do not apply	words which do	not apply		MAP SHEET SCALE 1:250 000		NAKROMINE			8
-	Cleared by lanes bearingfrom Trig. Mast			from Trig	y, Mast	•	INSPECTED BY:	J	C.HANNA	DATE:	31/6/92 :	31,
6	Mast & Vanes have been painted white & bl	black respectively.					AUTHORITY:	C.M.A	1. A .	FIEL	FIELD BOOK:	
က်	The station/pillar was unpiled/not unpiled/constructed on	'constructed on	19	, dimensions n	ow being:		330	340   3	350 360	10 / 2	20/ 30	
	Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	be explicit, e.g.,	3/Steel Pillar Plate, S1	eel plug, Brass p	ilug, Bolt, G	3.1. Pipe	Station Diagram	ram	North		Not to Scale	`41
	Height of markm		Mark ism. above G.L.	above G.L.			, ,					δ ,
	Height of Top Vanes to Top Mark/Pillar plate	ateπ		Diameter of Vanes (vertical)m.	cal)	Ë	<b>7</b> 0,					
	Height of Cairnm.	Diameter of Cairnm.		Name Plate found/not found/placed.	d/not foun	d/placed.	έ/					io,
	Length of Mastm. (approximate if not unpiled)	proximate if not u	(palidur				00£					/ è6
4	Aset in conc/rock has been placed/found, bearing M from Mast/Plug/Pillar	has been placed/fo	ound, bearing	.°M from Mast/	/Plug/Pillar		/ 04					
2	Aset in conc/rock has been placed/found, bearing	has been placed/fo	ound, bearing	°M from Mast/Plug/Pillar	/Plug/Pillar		sź /					· γ /
6.	Aset in conc/rock has been placed/found, bearings	has been placed/fo	ound, bearing	"M from Mast/	/Plug/Pillar	<del>'</del>	ośz					80
7.	A Aset in conc/rock has been placed/found, bearing	has been placed/fo	ound, bearing	.°M from Mast/Plug/Pillar	/Plug/Pillar		0/2		+			90
ထ်	Action required:					***************************************	500					100
S	STANDPOINT:		STANDPOINT:				05					
	Mark Direction Distance He	Height Difference	Mark	Direction	Horiz. Distance	Height Difference	z \					10 /
		above standpt				above standpt.	540					720
		above standpt.				above below standpt.						_
		above standpt.				above below standpt.	) Sac					130
		above standpt.				above standpt.						_
		above standpt.				above standpt.	c					_2
		above standpt.				above standpt.	izę					46
		above standpt.				above standpt.	2,10 / 2	/ opź	190   180	1,00,1	160	180
	Prepared by:	Checked:		Not	Noted on U.T.M. Card	. Card		G	Checked			

STATION LAVENUISH TS 1442	Current Occupant:	Address	200.000	**************************************	rhone:	ACCESS	-	Rock Court and 200 to the court			itig is tompletely overgrown			No.		T Complery	Narromine	0.0 km		# TULLAMORE	Record of Station				(1)
	Scale Owner's Name:	Address		Discourse Discou	TIMILE TO THE TAXABLE	Acces	Access Report of #2,		Dirt trait	7		\ \ <del> </del>			Kernwah (2.6km	/ 	2 4	Not to Scale	Measurements approximate 100%	(0)	Date				
6) III III III III III III III III III I	Not to Scale														his saction to be completed by offices construction will a	sted by officer constructing pinar.	Original station mark found/not found.	Description of mark:	Original beacon found/not found,		Coordinate of Co	deight Top of Vanes to Top Markm.	leight of markm. below rock/concm. below	Diameter of Vanesm. Height of Cairnm.	Driginal Beacon has/has not been destroyed by me.