

GEODETTIC SURVEY OF M.S.M.

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

1. Cleared by lances bearing..... (least of 360°)..... from Trig. Mast
Note: Cross out word or words which do not apply
2. ~~Mast & Vanes have been painted white & black respectively.~~
3. The station/pillar was unpiled/not unpiled/constructed on..... 19..... dimensions now being:
 Description of mark..... should be explicit, e.g. S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark..... m. ^{above} rock/concrete; Mark is..... m. ^{above} G.L.
 Height of Top Vanes to Top Mark/Pillar Plate..... m. Diameter of Vanes (vertical)..... m.
 Height of Cairn..... m. Diameter of Cairn..... m. Name Plate found/not found/placed.
 Length of Mast..... m. (approx. (plate if not unpiled))
4. A..... set in conc./rock has been placed/found, bearing..... M from Mast/Plug/Pillar
5. A..... set in conc./rock has been placed/found, bearing..... M from Mast/Plug/Pillar
6. A..... set in conc./rock has been placed/found, bearing..... M from Mast/Plug/Pillar
7. A..... set in conc./rock has been placed/found, bearing..... M from Mast/Plug/Pillar
8. Action required:..... Suggested..... Crossed out..... is..... relegated.....

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below

Prepared by: *Arundel Knott 29/1/22* Checked: *Arundel Knott 29/1/22* Noted on U.T.M. Chart

S:2733-1

STATION: **CRUWEN G.S.** TS No.: **1706**

MAP SHEET SCALE 1:250 000 **SATHWEST**

INSPECTED BY: **N LOAHE** DATE: **28-11-78**

AUTHORITY: **CMA** FIELD BOOK: **—**

Station Diagram

North

Not to Scale

No record of station available. Observations were made to Crown by intersecting the rock in 1878. The highest point on the hill is on top of a large boulder which would not be climbed safely without the use of ropes and experience in rock climbing. A mast of 61 pipe was seen on top of the boulder but it was not possible to see if it was erected over a mark or if it was in the centre of the boulder, or if it was something of flag pole. Because of the difficulty involved in climbing the boulder it is recommended that Crowns not be considered for any further action.

Checked

