CENTRAL MAPPING AUTHORITY	Trigonometrical Survey of N.S.W.		
Department of Lands	RECONNAISSANCE and MAINTENANCE REPORT	STATION FLAT TOP	TOP 15 2067
This Trig. Station has been:-	Note: Gross out word or words which do not apply	Co: Goulburn	Ph: Cookardinia
1. Completely cleared to permit 360° vision to surrounding Trigs.	rrrounding Trigs.	Inspected by: G. Hanna	Date: 21/9/76
Cleared by lanes bearing	from Trig, Mast	Authority	Field Book:
Trig. Mast & Vanes have been painted white & black respectively.	k black respectively.	Beacon Diagram	Not to Scale
The Trig. was unpiled/not unpiled, dimensions now being: Description of mark	mensions now being: ু ুনুহও হৈলেলে Mark found /not হিমান should be explicit, e.g. Seel plug, Brass plug, Both, G.I. Pree		
	m dange rock/concrete G.L.		
Height of Top Vanes to Top Mark	Diamete		
Height of Cairn	Diameter of Cairn		
	(approximate if not unpiled)		
set in conc/rock has been placed	100		
Aset in conc/soil has been placed	d. C		
set in conc/soil has been placed	d		
Aset in concéréde has been placedm. bearing	dm. bearingwM from Trig. Mast		
Connection	m. bearing		
10. Connection	. : m. bearing9M		
Connection	m. bearing	Date Rec	Record of Station
Соппестіол10	. : m. bearing9M		
Diff. Ht. is m.	bolow		
Diff. Ht is	oved ,	2	
Diff. Ht. is	above halow		
16. Diff. Ht. is			
Prenared by: Checked:	Noted on U.T.M. Card	Checked	

