

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

- Description: *Note: Cross out word or words which do not apply*
1. Cleared by lanes bearing..... from Trig. Mast
 2. Mast & Vanes have been painted white & black respectively.
 3. The station/pillar was unpiled/not unpiled/constructed on....., dimensions now being:
 - Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 - Height of mark.....m. ^{above}/_{below} rock/concrete; Mark is.....m. ^{above}/_{below} G.L.
 - Height of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
 - Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/not found/placed.
 - Length of Mast.....m. (approximate if not unpiled)
 4. A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 5. A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 6. A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 7. A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 8. Action required:.....

STANDPOINT:


Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below

Prepared by *[Signature]* 13/6/20

Checked: *[Signature]* Noted on U.T.M. Card

SI: 2733-1

STATION: *SUNDIBINDYAL G.S.* No.: *2367*
 MAP SHEET SCALE 1:250 000 *COOTA MUNDARA*
 INSPECTED BY: *MJ Morrison* DATE: *11/8/20*
 AUTHORITY: *CMA* FIELD BOOK: *1532*



Checked

GEODETIC SURVEY OF M.S.W.

CENTRAL MAPPING AUTHORITY

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

1. Cleared by lances bearing *1 lance to target 352°M* *Note: Cross out word or words which do not apply* from Trig. Mast
2. Mast & Vanes have been painted white & black respectively.
3. The station *pillar was replaced/not unpiled/constructed on 18-5-1987*, dimensions now being: Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
Height of mark.....m. ^{above} rock/concrete; Mark is.....m. ^{above} G.L.
Height of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
Height of Cairn.....m. Diameter of Cairn. / **6** ~~None-Plate found/not found/Placed.~~
Length of Mast.....m. (approximate if not unpiled)
4. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
5. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
6. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
7. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
8. Action required: *A. Conc. Pillar + Base. Conc. to be built if track is same as top. (2 hours)*

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.
			above standpt. below				above standpt. below standpt.

Prepared by: *[Signature]*

Checked: *[Signature]*

Noted on U.T.M. Card *[Signature]*

SI 3753-1

STATION: *GUNDIBINDYAL GS.* No.: *2367*
 MAP SHEET SCALE 1:280 000
 INSPECTED BY: *G. FORD* DATE: *15/5/87*
 AUTHORITY: *C. M. A.* FIELD BOOK: *1943*

Station Diagram
North
Not to Scale

