CENTRAL MAPPING AUTHORITY	יוייס דוסט סעוז											
	) <u>3</u> 5	ODETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	d MAINTENA	NCE REPO	)RT	STATION:	SMA 0303	303		No.: 238	00
Description:		Noi	Note: Cross out word or words which do not apply	ords which do r	not apply		MAP SHEET SCALE 1:250 000		BEGA			
<ol> <li>Cleared by lanes</li> </ol>	Cleared by lanes bearing		from Trig. Mast	from Trig.	. Mast		INSPECTED BY:		G. KEEP	DATE:	DATE: 22/2/80	
2. Mast & Vanes ha	Mast & Vanes have been painted white & black respectively.	& black respectively.	ls:				AUTHORITY:	7.		FIELD BOOK:	300K:	1
3. The station/pills	The station/pillar was unpiled/not unpiled/constructed on	led/constructed on	19	., dimensions n	ow being:		330	340	350 360	10 / 20	/ 30/	1
Description of n	Description of markshould		be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	ei plug, Brass pl	lug, Bolt, G	.I. Pipe	Station	Station Diagram	North	2	Not to Scale	
Height of mark.	Height of markm. above rock/concrete;		Mark ism. above G.L.	ove G.L.	6		-					_
Height of Top V	Height of Top Vanes to Top Mark/Pillar platem.	r platen		Diameter of Vanes (vertical)m.	cal)	m.						_
Height of Cairn.	Height of Cairnm.	Diameter of Ca	Diameter of Cairnm. Na	Name Plate found/not found/placed.	J/not found	//placed.	16 /					
Length of Mast.	Length of Mast	(approximate if not	unpiled)				000					/ 6
4. A	Aset in conc/rock	ock has been placed/f	nas been placed/found, bearing"M from Mast/Plug/Pillar	M from Mast/I	Plug/Pillar		: / 0					
5, A	Aset in conc/rock h	ock has been placed/1	nas been placed/found, bearing <sup>o</sup> M from Mast/Plug/Pillar	M from Mast/I	Plug/Pillar		gź /					}p \
6, A	Aset in conc/rock has been placed/found, bearing	ick has been placed/f	ound, bearing	M from Mast/I	Plug/Pillar		zèo					ġο
Α	7. Aset in conc/rock has been placed/found, bearing"M from Mast/Plug/Pillar	ick has been placed/f	ound, bearing	M from Mast/I	Plug/Pillar		oźz		+			аģ
Action required:	8. Action required:						092					10
STANDPOINT:			STANDPOINT:				0					
Mark	Direction Distance	Height Difference	Mark	Direction	Horiz. P	Height Difference	iz \					10 /
		above standpt.				above standpt.	obz.					720
		above standat.				above below stancpt.	_					_
		above standpr.				above below standpt	) 230					130
		above standpt.				above standpt,	_					
		above standpt.				above standpt,						
		above standpt.				above standpt.	)szć					146
		above standpt.				above standpt.	1 310 /	/ 2002	190 180	170 \ 160	oś!	
Out the first	4 11 10			Alak	L -0 11 -1 11	7						

	0000	
Bovernment Printer	STATION O'N'IL	55 15 238
Beacon Diagram Not to Scale	Owner's Name:	Current Occupant:
		Address:
		Phone
	ACCESS	
	Access Report of/19was found suitable/unsuitable.	
	Station not seen condition untroun.	•••
		2
This section to be completed by officer constructing pillar,		
Original station mark found/not found.		
Description of mark:		
Original baacon found/not found.		
Description of beacon:	Date Record of Station	rion
Height Top of Varies to Top Markm.		
Height of markn below rock/concm. below G.L.		THE PROPERTY OF THE PROPERTY O
Diameter of Vanesm. Height of Cairnm.		
Original Beacon has/has not been destroyed by me.		