

GEODETTIC SURVEY OF N.S.I.K

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: **SMA 0110** No.: **24**
 MAP SHEET SCALE 1:250 000 **BEGGA**
 INSPECTED BY: **G. KEEP** DATE: **23/4/80**
 AUTHORITY: FIELD BOOK:

Description:
 1. Cleared by lanes bearing. *Note: Cross out word or words which do not apply*
 2. ~~Mast & Vanes have been painted white & black respectively.~~
 3. The station/pillar was unpiled/not unpiled/constructed on 19 dimensions now being:
 Description of mark should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark m. ^{above} _{below} rock/concrete; Mark is m. ^{above} _{below} G.I.L.
 Height of Top Vanes to Top Mark/Pillar plate m. Diameter of Vanes (vertical) m.
 Height of Cairn m. Diameter of Cairn m. Name Plate found/not found/placed.
 Length of Mast m. (approximate if not unpiled)

4. A set in conc/rock has been placed/found, bearing ° M from Mast/Plug/Pillar
 5. A set in conc/rock has been placed/found, bearing ° M from Mast/Plug/Pillar
 6. A set in conc/rock has been placed/found, bearing ° M from Mast/Plug/Pillar
 7. A set in conc/rock has been placed/found, bearing ° M from Mast/Plug/Pillar
 8. Action required: *Needs painting black and white. Some clearing needed.*

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below

Prepared by: **G. Keep 12/6/80** Checked: *[Signature]*
 Noted on U.T.M. Card

