								CONTROL OF THE PARTY OF THE PAR		
)EE	ODETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	IN MAINTEN	INCE REP	ORT	STATION: HA	HARRISONS PEAK	PEAK No.: 2422
Description:		9	No	Note: Cross aut word or words which do not apply	ords which do	not apply		MAP SHEET SCALE 1:250 000	CANBERRA	A
 Cleared by lane. 	s bearing	9	90°	Cleared by lanes bearingfrom Trig. Mast	from Tri	j. Mast		INSPECTED BY:	WMILLER	DATE: 24.11.78
, Mast & Vanes h	lave been paint	ed white	2. Mast & Vanes have been painted white & black respectively.	Į.				AUTHORITY:	D.F.D	FIELD BOOK:
. The station/pill.	er was u mpiled ,	/not unpil	led/constructed on	3. The station/piller was unpiled/not unpiled/constructed on19 dimensions now being:	., dimensions r	ow being:		330 340	950 360	/úr / / óz / ot
Description of markshould	mark	ous		be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	el plug, Brass p	lug, Bolt,	G.I. Pipe	Station Diagram	m North	Not to Scale
Height of markm. below rock/concrete;		above below rock		Mark is Below G.L.	ove G.L.					
Height of Top \	Vanes to Top N	fark/Pillar	Height of Top Vanes to Top Mark/Pillar plate		Diameter of Vanes (vertical)m.	cal)	Ë	<u> </u>		
Height of Cairn	Heapo	F. Cont	S Diameter of Ca	Ë	Name Plate found/not found/placed.	d/not four	nd/placed.	ļέ		
Length of Mast	□		Length of Mast5m. (approximate if not unpiled)	t unpiled)				/ que		
4. A	i tesset i	n conc/ro	ick has been placed/	Aset in conc/rock has been placed/found, bearing8	M from Mast,	/Plug/Pilla		: /0		
Aset in conc/rock	set i	n conc/ro	ock has been placed/	has been placed/found, bearing"M	M from Mast/Plug/Pillar	Plug/Pilla	3.5-2	6ź /		
6. A	set i	n conc/ro	ck has been placed/	set in conc/rock has been placed/found, bearing	M from Mast,	/Plug/Pilla		08Z		
7. A	. set i	п сопс/го	ock has been placed/	AA from Mast/Plug/Pillar A	M from Mast,	Plug/Pilla		570	+	
Action required	I			8. Action required:				seo		
STANDPOINT:				STANDPOINT:				0		
Mark	Direction	Horiz, Distance	Height Difference	Mark	Direction	Horiz, Distance	Height Difference	, se		
			obove standpt.				above below standpt.	540		
		9	3				above below standpt.	1		
			above standpt.				above below standpt.	530		
			above standpt.				above standpt, below			
W 20072 W 20070			above below standpt.				sbove standpt.			
			above standpt.				sbove standpt.	izz		
6.			above standpt.				above standpt.	1 216 / 200	061 / 061	051 091 0/1

Sovernment Printer	STATION HARRISONS PEAK 15 2422
Beacon Diagram Not to Scale	Owner's Name:
Dhe of weke	ACCESS
This is Vaus on ground. Sim long steel invist	ELECTOR PER LETT
	1 4 20 4
This section to be completed by officer constructing pillar.	
Original station mark found/not found. Description of mark:	30-5
Original beacon foundinot found.	
Description of bacon:	Date Record of Station
Height Top of Vanes to Top Mark	24.11 16. Visited LAMil.
Diameter of Vanusm	