	GE	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	CONNAISSANCE and M	AINTENANCE REF	ORT	STATION:	HILLCREST	No.: 2484	24
Description:		Note: C	Note: Cross out word or words which do not apply	which do not apply		MAP SHEET SCALE 1:250 000	NARRANDERA	ERA	
Cleared by lanes bearing			from Trig. Mast	from Trig. Mast	l	INSPECTED BY:	P.N. Sylow.	DATE: 3.11.77	11
k Vanes have been	painted white	Mast & Vanes have been painted white & black respectively,			-	AUTHORITY:	C.M.D.	FIELD BOOK:	
ation/ <del>pilla</del> r was un	<del>spiled</del> /not unp	The station/pitler was unpited/not unpiled/conservated on	3. 11. 19.7.7, dir	nensions now being		330 340	350 360	10 / 20 / 30	
Description of markshould	ųs		be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	ug, Brass plug, Bolt,	G.I. Pipe	Station Diagram	n North	Not to Scale	
Height of markm, m. below rock/concrete;	m. above roc		Mark is	3.L.		€ /			<b>\$</b> Q
of Top Vanes to	Top Mark/Pilk	Height of Top Vanes to Top Mark/Pillar plate	Diameter of V	Diameter of Vanes (vertical)m.	Ě	7 9			
Height of Cairnm.		Diameter of Cairnm.		Name Plate found/not found/placed.	nd/placed.	18 /			š0.
of Mast	.E	Length of Mastm. (approximate if not unpiled)	iled}			7 008			\ 60
	set in conc/r	A	nd, bearing	rom Mast/Plug/Pilla		: /0			6 /
	set in conc/r	A A. from Mast/Plug/Pillar A	d, bearingW	rom Mast/Plug/Pilla	, , ,	6ź /			<i>γ</i> ρ \
	set in conc/ห	Aset in conc/rock has been placed/found, bearing	id, bearing"M	rom Mast/Plug/Pilla		DSZ			80
Aset in conc/rock l	set in conc/r	ock has been placed/foun	nas been placed/found, bearing" M from Mast/Plug/Pillar	rom Mast/Plug/Pilla		0/z	+		90
required:s	STATION	8. Action required: STATTON 15. SULTABLE FOR CONC. PICLAR	ومر دمر	DICLAR		seo			100
STANDPOINT:			STANDPOINT:		\	\0			2/_
Mark Direction	tion Distance	Height Difference	Mark	Direction Horiz.	Height Difference	, ze			<u> 110 /</u>
		above standpt.			above standpt.	740 240			720
		above standpt.			above below standpt.	_			_
		above standpt.			above below standpt	Şâu			130
		ahove standpt. below			above below standpt,				
		above standpt.			above helow standpt,				
		above standpt.			above standpt.	ìzz			46
		above standpt.			above below standpt	002 / 012 /	) 19to   18to	1,70   160	190
Pranarod hu	1/11	Of the Character of							

St 2733-2 D. West, Government Printer	STATION	M/24CKES/ TS 2484
Beacon Diagram Nor to Scale	Owner's Name:Address:	Current Occupant: ************************************
	50	Phone:
CAIRN ONLY FOUND	Access Report of A.A.A. 196. Liwas found suitable unsuitable. HARRANDERA 1.250,000 Map Reference	
Minney Classing only required to	443/79/	
3600 vision from 5/2/on	- John J	0 ments
T.V. Town of Bridge G.S. 15 VSIAC	2	Party Control of the same
	Loys Roed Grand.	Wallbox Scour St. Mark.
		Khuse Banbe
This section to be completed by officer constructing pillar.		P.S. Nawman.
Original station mark found/not found.	churg	181
Description of mark:	7 <u>9</u>	2112
Original beacon found/not found.	7	
Description of beacon:	Date Record of Station	tion
Height Top of Vanes to Top Mark		
Height of markn. below rock/concn. below G.L.		
Diameter of Vanesm. Height of Cairn		
Original Beacon has/has not been destroyed by me.		and the second s