			ODETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	nd MAINTEN	ANCE RE	PORT	STATION:	SMA 0335	35	No.: 252	N
Description:			Wo	Note: Cross out word or words which do not apply	vords which do	not appl		MAP SHEET SCALE 1:250 000	17 250 DDΩ ΒΕ6Α			
1. Cleared by lan	Cleared by lanes bearing				from Trig. Mast	g. Mast		INSPECTED BY:	dby: G. Keep	еер	DATE: 18 31	80
2. <del>Mast &amp; Vanas</del>	hava been paint	<del>od whito</del>	<del>Mast &amp; Vanus have been painted white &amp; black respectively.</del>					AUTHORITY:	тч:		FIELD BOOK:	
3. The station/pil	llar was unpiled,	/not unpi	led/constructed on	The station/pillar was unpiled/not unpiled/constructed on19	dimensions I	now heinę		330	340 350	360	10 / 20 / 30	
Description of	mark	shcshc	ould be explicit, e.g.,	Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	eel plug, Brass p	olug, Bolt	G.I. Pipe	Station	Station Diagram	North	Not to Scale	
Height of mar	Height of markm. betow rock/concrete;	above befow rock	<td>Mark is</td> <td>bove G.L.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Mark is	bove G.L.							
Height of Top	Height of Top Vanes to Top Mark/Pillar	1ark/Pilla	r platem.		Diameter of Vanes (vertical)m.	ical)	B.	0				
Height of Cair	Height of Cairnm.	.ш.	Diameter of Cairn	.m.	Name Plate found/not found/placed.	Id/not for	nd/placed.	16				
Length of Mas	Length of Mastm.	Ë	(approximate if not unpiled)	unpiled)				006				
Α	set i	n conc/rc	ck has been placed/	A	<sup>o</sup> M from Mast	/Plug/Pill	r					
А	i set i	n conc/rc	ock has been placed/	on placed/found, bearing	<sup>o</sup> M from Mast/Plug/Pillar	/Plug/Pill	ar	6ź /				
A	i set i	n conc/rc	sck has been placed/	A	<sup>o</sup> M from Mast/Plug/Pillar	/Plug/Pill	ar	580				
А	i set i	n conc/rc	ock has been placed/i	7. A	<sup>o</sup> M from Mast/Plug/Pillar	/Plug/Pill	ır	042		+		
Action require	8. Action required:				***********			560				
STANDPOINT:				STANDPOINT:				10				
Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference					
			above standpt. below				above standpt.	540				
			above standpt. halow				above below standpt,					
			above standpt.				above below standpt	530				
			above standpt. below				above standpt.	/				
			above standpt.				above standpt, below					
			above standpt. below				below standpt	ÌZĘ				
			above standpt.				above standpt.	2,10	/ 200 / 190	0 180	170 160 1	150
Barnettin P V allala.		. 1.										

· · · ·	
St 2733–2 D. West, Government Printer	STATION SMA 0335 TS 252
Beacon Disgram Not to Scale	
	Owner's Name:
	Address:
	FIGUE:
	ACCESS
	Access Report of/
	Reaction and search further of the
	the second statistics of the unknown
	Not suitable for geodetic station.
	i.
This section to be completed by officer constructing piller.	
Original station mark found/not found.	
Description of mark:	
Original bascon found/not found.	
Description of beacon:	Date Record of Station
Height Top of Varies to Top Mark	
Height of mark	
Diameter of Vanesmm. Height of Cairnm.	
Original Beacon has/has not been destroyed by me.	

GS