			ì	1000	0	100000000000000000000000000000000000000	F 141 × 141	1		14012	10	7			
			GEUD	ODELICSTAL	ION RECL	ETICSTATION RECONNAISSANCE and MAINTENANCE REPORT	AN MAINIEN	ANCE REP	ORT	STALION:	INDI	16		No.: C36C	79
Desci	Description:				Note: Cr	Nate: Cross aut word or words which do not apply	ords which do	not apply	20	MAP SHEET SCALE 1:250 000	10 00u	GRAFTON	TON		
1. Clear	ed by lanes t	Cleared by lanes bearing				from Trig. Mast	from Tri	g. Mast		INSPECTED	BY: GREC	INSPECTED BY: GREG DICKSON		DATE: 28 - 11	-79
2. Mast	& Vanes hav	re been painte	d white {	Mast & Vanes have been painted white & black respectively.	ively.					AUTHORITY:	Y: (M	M A		FIELD BOOK: 1804	0.
3. The	station/pillar	/palidun sew	not unpil	ed/constructed	on	The station/pillar was unpiled/not unpiled/constructed on19, dimensions now being:	., dimensions	naw being:		330	340		- 2	20 / 30	(
Desc	ription of ma	Description of markshould	.ous		e.g., S/Ste	be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	el plug, Brass p	ilug, Bolt,	G.I. Pipe	Station Diagram	Disgram	Narth		Not to Scale	
Heig	1 t o f mark	Height of markm. m. selow rock/concrete;	bove rock	/concrete;	Mark	Mark ism. below G.L.	ove G.L.				VEW MAS	NEW MAST NEEDED -	ſ.	SUITMBLE TIMBER	40
Heigl	nt of Top Va	nes to Top Ma	ark/Pillar	Height of Top Vanes to Top Mark/Pillar plate	Ë	Diameter	Diameter of Vanes (vertical)	ical}	.ш.ш.	. ,-		מישור שייני			
Heig	nt of Caim	Height of Caim	Ë	Diameter (of Cairn	Diameter of Cairn	Name Plete found/ not found/placed	d/ not fou /p	nd/placed.	ię /	NOT PIL	PILLARAGLE.			50,
Leng	th of Mast		E	Length of Mastmm (approximate if not unpiled)	f not unpil	(pa				ons					6
4. A		Aset in conc/rock I	1 conc/roa	ck has been pla	ced/found	has been placed/found, bearing" M from Mast/Plug/Pillar	M from Mast,	/Plug/Pilla			enten	WRITEN PERMISSION TO CLEME	To ceem		
5. A		set in	conc/ro	ck has been pla	ced/found	Aset in conc/rock has been placed/found, bearing	M from Mast,	/Plug/Pilla		- 6¢ /	OBTAINED	remere on fue 55/11/537	on File	153/11/5	70 \
6. A		set in	опс/го	ck has been pla	ced/found	Aset in conc/rock has been placed/found, bearing"M from Mast/Plug/Pillar	M from Mast	/Piug/Pilla		08s 3	777 275	WITH SPECIAL REQUESTS	ver 75.		ėo O
. A		set in	αν/conc/rα	ck has been pla	ced/found	7. A	M from Mast.	/Ptug/Pilla		ozz		+			90
8. Actic	on required:	ESTIMATE	/ WEE	K DEPENDINA	ל מין דו	Action required: ESTIMATE / NEEK DRPENDING ON LANES MASTLY UNTOUCHED	VH TOVEHED		***************************************	seo /					100
STANDPOINT	POINT:			SCRU8.	ν, 6	STANDPOINT:				\0					, ,
Mark	¥	Direction	Horiz. Distance	Height Difference	ಕ	Mark	Direction	Horiz. Distance	Height Difference	gs /					310 /
				above standpt.	ndpt				above below standpt.	540					720
				above standpt.	ndpt.				shove below standpt.	$\overline{\lambda}$					_
			2.00	above standpt.	ndpt.				above below standpt.) हेट्					130
				above standpt.	ndpt.				above below standpr,	_					
				above standpt.	ndþt.				above standpt, below						
				above standpt, below	ndpt.	0.0000.00000			above standpt,)डर्					40
			()	above standpt.	ndpt.				above standpt.	210	200 /	190 180	170	160 150	
Pre	Prepared by:	Gray Luis	or or	Checked;	d;		No.	Noted on U.T.M. Card	M. Card			Checked		0000	6

STATION IRBY, 15 2562	Owner's Name: Stemen CHRESS WARNINGS Owner's Name: Stemen CHRESS WARNINGS Owner's Name: Stemen Occupant: Ste		(fo dex 243 Terrestricts) Phone: 067,367769 Phone:	ACCESS	Access Report of 23-11./1979, was found suitable/unsuitable.	O.O. P.O. TENTELEGIED TIMME SOUTH TOWARD CLEW MAR?,	19.1 CHOSS BLUFF CREPK.	TURN PUBLIC OFF HIMMY GPPOSITE SKIN STEEP BEELL!	14.65 LADU ATTE - THAN CATE AND HOND HIM, TO GASK OF BURE OF KICKT.	70124	1 POST -	HATS NEST TETMEN A DIRTED THEES POLLON BLATER HARR	17.75 STOP VEHICLE AT ALALES. WALK UP KIDLE TO VOLY STOWN MICH	UP THE NEST PINEM AND SOUTH MENNE FOR TO THEN.				Data Barond of Chatina		and the contract of the contra		
	Beacon Diagram Not to Scale	800		+										This continuta he normalisted has a filture annotamentine e illure	Original station mark found/not found.	Description of mark:	Original beacon found/not found,	Description of beacon:	Height Top of Vanes to Top Mark	Height of markm. below rock/concm. below G.L.	ght of Cairnm.	Original Beacon has/has not been destroyed by me.

CENTRAL MAPP	CENTRAL MAPPING AUTHORITY		GEODETIC SURVEY OF M.S.W.	IVEY OF N.S.W.		2.					
	GEOD	ODETIC STATION	ETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	and MAINTENAN	ICE REPOR	Τ	STATION:	IRBY	y GS		No.: 2562
Description:		No	Note: Cross out word or words which do not apply	words which do no	ot apply		MAP SHEET SCALE 1:250 00n		GRAFTON		
 Cleared by lane 	1. Cleared by Janes bearing 12	-169 215-28	0 241-250 288	. ? from Trig.	Mast	•	INSPECTED BY:		6.1. FORD	DATE: 12	08-6-21
2. Mast & Vanes h	2. Mast & Vanes have been painted white & black respectively. V	& black respectively	7				AUTHORITY:	CM	В	FIELD BOOK: 1810	0181:
3. The station/pills	The station/ pillar was unpiled/ act unpiled/constructed on/ 72	ilod/constructed on	12 - 2 - 19 6	, dimensions no	w being:		330 340	350	360 10	/ 20/) óc
Description of n	Description of mark ////////////////////////////////////	ould be explicit, e.g.,	, S/ Steel Pillar Plate, St	eel plug, Brass plu	B, Bolt, G.L	Pipe	Station Diagram	E	North	Not to Scale	1001
Height of mark.	Height of mark m. _{balow} mack/concrete;	k/concrete;	Mark is G.L.	thouse G.L.							Q T
Height of Top \	Height of Top Vanes to Top Mark/ Riller plate 36.00m.	3.600 I		Diameter of Vanes (vertical)	0.915	`` Ė					
Height of Cairn.	Height of Cairn		Diameter of Cairn. L. 4.89.m.	Name Plate found/not found/placed.	/punot tou	laced.	ر ۱٤				50
Length of Mast	Length of Mast36.0.0m. (approximate if not unpiled)	(approximate if not	t unpiled)				Z oʻoʻi	<	GI PIPE		è
4. A.CORPER.	4. A. CORRER MAHset in concluses	*** has been placed/	has been placed/feered, bearing	°M from Mast/P	terg/Piller	-	-/-	S	(@		<u> </u>
5. A GI PIP	5. A. G.I	welk has been placed/	has been placed/ rouns , bearing. 3.4.4°M from Mast/ Russ/Pillar	M from Mast/P	tony Pillar	<u></u>	oęź /	9	4		† 0 \
6. A	Aset in conc/rock	ock has been placed/	has been placed/found, bearing"M from Mast/Plug/Pillar	°M from Mast/Pl	lug/Pillar	1	280	153	3430	, ġ	<u> 80</u>
7. A	7. Aset in conc/rack	nck has been placed/	has been placed/found, bearing"M from Mast/Plug/Pillar	°M from Mast/Pl	lug/Pillar		CART	CARTRIDGE CASE		COFFER	90
8. Action required	8. Action required:	***************************************	***************************************	***************************************			095	1 (J) 37	1	9	107 NAN
STANDPOINT:	CARTRIDGE CASE	<i>3</i> 51	STANDPOINT:	COPPER	NAIL	Ì	A STATE OF THE STA) -	/	D)	<u>., </u>
Mark	Direction Distance	Height Difference	Mark	Direction Di	Horiz. Heigh	Height Difference	1 25	· ·		/	160 /
SANDY P.	00 00 0	above standpt befow	SAMBY (P)	0 00 00		above below standpt.	12.55 0+4	۳ <u>۰</u>		,	720
PERU (P)	75 29 00'	below standpt.	PERU (P)	\$5 29 10		below standpt.	, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			AND	
A NNANDALE (P)	99 02 20	above standpt.	A NNAN DAKE (P)	99 01 50		above below standpt.) DEZ			The The	130
GI PIPE	197 44 40 3.130	O.O.8 below standpt.	CARTRIDGE CASE	144 32 20 3 528	528 0.066	bove standpt.					
COPPER NAIL				169 23 20 5.957	957 0.082	above standpt,					_/
***		above standpt.	13			above standpt.)zz(146
		above standpt.				above standpt,	210 / 200	190	180	091 041	30
Prepared by: A L'fand	A Lyand	Checked:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	To Moted on U.T.M. Card	ton U.T.M. C.	ırd		Checked	g		
St 2733-1		i									

STATION I R BY 6'S TS 2562	Owner's Name: Stather, Charles WAGTHARY Address: Bluff Rach Will TENTERFELD Phone: Charles Race South TownRDS GLEN INNES ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ALM RACE SOUTH TOWNRDS GLEN INNES CROSS CANWAY I TURN RICH THEN OFF KING STEEP DECENT S TAKN ROCHT THEN OLD FRNICE SIGN STEEP DECENT S TAKN ROCHT THEN OLD FRNICE IN TOWNRHER WITH MININ O'R ROCE TO PASS UNDER FOUNDER LING S TAKN ROCHT THEN OLD FRNICE IN TOWNRHER WITH MININ O'R ROCE TO VERY STEEP PINCH THEN OLD FRNICE WITH RINGE TIMES ACCESSING STOP VEHICLE AT SLAZES (DRIVE FUNTHER WITH MININ O'R ROCE TO VERY STEEP PINCH THEN OLD FRNICE HIND WITH A TRACKS HOUND CASTERN SHOOLE UP THE NEXT PINCH AND SOUTH HOME TOP TO TOTAL SHOOLE UP THE NEXT PINCH AND SOUTH HOME TOP TO TOTAL SHOOLE UP THE NEXT PINCH AND SOUTH HOME TOP TO TOTAL	Date Record of Station
64 2733 - 2 D. Wast, Government Printer Betson Diagram Not to Scale	Owner Addres O. C. C. P. AC 7. AC	