

GEODETTIC SURVEY OF N.S.W.

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: **KAOARADA GS (P)** No.: **2664**

MAP SHEET: **HASTINGS**

INSPECTED BY: **P. ROHNER** DATE: **22-2-79**

AUTHORITY: **CMA** FIELD BOOK: **---**

Description: *Note: Cross out word or words which do not apply*

1. Cleared by lanes bearing..... from Trig, Mast
2. Mast & Vanes have been painted white & black respectively.
3. The station/pillar was unpiled/not unpiled/constructed on.....19....., dimensions now being:
Description of mark.....should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
Height of mark.....m. ^{above} _{below} rock/concrete; Mark is.....m. ^{above} _{below} G.I.L.
Height of Top Vanes to Top Mark/Pillar platem. Diameter of Vanes (vertical).....m.
Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/not found/placed.
Length of Mast.....m. (approximate if not unpiled)
4. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
5. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
6. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
7. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
8. Action required:.....

STANDPOINT:


Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below

Prepared by:

Checked:

612733-1

Noted on U.T.M. Card



CENTRAL MAPPING AUTHORITY

GEODETIC SURVEY OF N.S.W.

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

- Description: *Note: Cross out word or words which do not apply*
- Cleared by lanes bearing..... from Trig. Mast
 - Mast & Vanes have been painted white & black respectively.
INVESTIGATED BY: WINSY REFUSED TO BE CONTACTED ON 19/5/22, dimensions now being:
 - The station/pillar was ~~replaced~~ *replaced* on ~~19/5/22~~ *19/5/22*, dimensions now being:
 Description of mark *S/S Pillar* should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark *1.375* m. above ~~rock/concrete~~ *rock/concrete*; Mark is *AT* m. above G.L.
 Height of Top Vanes to Top ~~Mark/Pillar plate~~ *4.3* m. Diameter of Vanes (vertical) *0.15* m.
 Height of Cairn *0.3* m. Diameter of Cairn *0.3* m. Name Plate found/not found/placed.
 Length of Mast *1.530* m. (~~approximate-if not measured~~)
 - A. *set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar*
 - A. *set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar*
 - A. *set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar*
 - A. *set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar*
 - Action required:.....

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below
			above standpt				above standpt
			below				below

Prepared by: D. KAIN

Checked: *W*

Note on U.T.M. Card

STATION: KANGARUA CONC. PILLAR No. 2664
 MAP SHEETS SCALE 1:250 000 HASTINGS
 INSPECTED BY: D. J. KAIN. DATE: 7. 3. 22
 AUTHORITY: C.M.A. FIELD BOOK: 1457


Station Diagram

Checked: *W*

STATION **KARARAOA Concrete Pillar 2664**

Owner's Name:
 Address:
 Phone:

Current Occupant:
 Address:
 Phone:
ACCESS
 Access Report of/19.....was found suitable/unsuitable.



This section to be completed by officer constructing pillar.

Original station mark found/not found.

Description of mark:

Original beacon found/not found.

Description of beacon:

Height Top of Vanes to Top Markm.

Height of markm. above G.L. below

Diameter of Vanesm.

Original Beacon has/has not been destroyed by me.

Date

Record of Station