LAND INFORMATION CENTRE	NTRE		GEODETICSU	GEODETIC SURVEY OF N.S.W.					:
	GEO	DETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	and MAINTEN	ANCE REPORT	STATION:	KIKA	GS.	TS No.: 2832
Description: 1. Cleared by Janes bearing	S. Will.	NO SCRUBBY TREE	Note: Cross out word or	word or words which do not apply Coc. W.P from Trig. Mast	o not apply ig. Mast	MAP SHEET SCALE 1:250 000 INSPECTED BY:	ENWGONIA		DATE: 7/11/90
2. Mast & Vanes have been painted white & black respectively.	n painted white &	black respectively	7			AUTHORITY:	6.7 C.	FIELD BO	FIELD BOOK: 1951
3. The station/pillar was unpiled/not unpiled/constructed on	npiled/not unpile	d/constructed on	19	19, dimensions now being:	now being:	330 340	350	10 / 20	30,
Description of mark D. M. M. M. Should be explicit, e.g., S/Steel Pillar	NS PAPULE Shou	ild be explicit, e.g.,		teel plug, Brass	Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	Station Diagram	North	Not	)
Height of mark	m. above rock/o	concrete;	Mark ism.	m. above G.L.		STATION MAKK	. 4		40
Height of Top Vanes to Top Mark/Pillar plate	Top Mark/Pillar	plate		r of Vanes (vert	Diameter of Vanes (vertical)m.		ROYAL AUSTRALIAN SURVEY CORPS	SURVEY COR	SA
Height of Cairn		Diameter of Cairn	)	Vame Plate four	Name Plate found/not found/placed.	O1E /	BRASS PLHqUE	IN CONC FD	ος
Length of Mastm.		(approximate if not unpiled)	t unpiled)			A WITNES	A WITNESS POST / E353 AT FOLMO	3 nT Fermo	60
4. Aset in conc/rock has been placed/found, bearing	set in conc/rocl	k has been placed/	found, bearing	.°M from Mast	from Mast/Plug/Pillar		PAGI POST ABOUT IMETE HEIGH HT 150 M	THE HEIGH HT	150ml
5. Aset in conc/rock has been placed/found, bearing	set in conc/rocl	k has been placed/	found, bearing	.°M from Mast	from Mast/Plug/Fillar		FROM BRASS PLAGUE		<u> </u>
6. Aset in conc/rock has been placed/found, bearing	set in conc/rocl	k has been placed/	found, bearing	"M from Mast	from Mast/Plug/Pillar	280			<u> </u>
7. Aset in conc/rock has been placed/found, bearing	set in conc/roc	k has been placed/	found, bearing	. M from Mast	from Mast/Plug/Pillar	ozz	+		90)
8. Action required:		***************************************				seo			1 100
STANDPOINT:			STANDPOINT:			\0		6	<u></u>
Mark Direc	Direction Distance	Height Difference	Mark	Direction	Horiz. Height Difference		***		CARE
		above below standpt			above below standpt	SVO	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	0	720 80 90 90 90 90 90 90 90 90 90 90 90 90 90
		above standpt.			above below standpt.	<u></u>	000	ů o	OVC Y
		above standpt.			above below standpt	530	000		DIAMIE 30
		above standpt.			above tandpt below		BING OF ROCKS		
		above standpt.			above standpt.		PAMTED WHITE	•	
		above standpt.		_	above standpt.	356			146
		above standpt.			above standpf.	210 / 200	081 061 /	170 160	150
Frepared by: Alan	13/11/90	Checked:	R	Νο	Noted on U.T.M. Card		Checked		
St 2735-1									

This section to be completed by officer constructing oiller.
Original station mark found/not found. Description of mark:
Description of beacon: