

CENTRAL MAPPING AUTHORITY  
Department of Lands

Trigonometrical Survey of N.S.W.

RECONNAISSANCE and MAINTENANCE REPORT

STATION *Loder* TS *2874*

This Trig. Station has been:-

Note: Cross out word or words which do not apply

1. Completely cleared to permit 360° vision to surrounding Trigs.
2. Cleared by lanes bearing..... from Trig. Mast
3. Trig. Mast & Vanes have been painted white & black respectively.
4. The Trig. was unpiled/not unpiled, dimensions now being:

Description of mark..... should be explicit, e.g. Steel plug, Brass plug, Bolt, G.I. Pipe  
 Height of mark..... m <sup>above</sup> <sub>below</sub> rock/concrete..... m <sup>above</sup> <sub>below</sub> G.L.  
 Height of Top Vanes to Top Mark..... m. Diameter of Vanes (vertical)..... m.  
 Height of Cairn..... m. Diameter of Cairn..... m.

- Length of Mast..... m. (approximate if not unpiled)
5. A..... set in conc/rock has been placed..... m. bearing.....°M from Trig. Mast
  6. A..... set in conc/soil has been placed..... m. bearing.....°M from Trig. Mast
  7. A..... set in conc/soil has been placed..... m. bearing.....°M from Trig. Mast
  8. A..... set in conc/rock has been placed..... m. bearing.....°M from Trig. Mast

9. Connection..... to..... m. bearing.....°M
10. Connection..... to..... m. bearing.....°M
11. Connection..... to..... m. bearing.....°M
12. Connection..... to..... m. bearing.....°M
13. Diff. Ht. .... is..... m. <sup>above</sup> <sub>below</sub>
14. Diff. Ht. .... is..... m. <sup>above</sup> <sub>below</sub>
15. Diff. Ht. .... is..... m. <sup>above</sup> <sub>below</sub>
16. Diff. Ht. .... is..... m. <sup>above</sup> <sub>below</sub>

Prepared by: *M.L. Macdonald*

Noted on U.T.M. Card

Checked: *M.L. Macdonald*

Checked

Co: *DURHAM* Ph: *DARWIN*  
 Map Sheet: *C552000* No: *9/32*  
 Inspected by: *M.L. Macdonald* Date: *18th March '77*  
 Authority: Field Book: *1581*

Beacon Diagram Not to Scale

Date Record of Station

*No Trace of Trig Found. New House on Top of Hill. Inspection Required for Location on FABRIK OF BEING DESTROYED.*

