

5(2/ 332 D. West, Government Printer	STATION MALARH.	TS 2942
Beacon Diagram Not to Scale		
		Current Occupant:
	Address: JB RETRIE ST	Address:
	6 1057	Phone:
	ACCESS 28	
	ss Report of 7 / 7 /10 7/was found mitshlohumitschie	
	Ka. FERTURE. Kan Kanara Commission Commis	FEATURE .
	P.D. TENTERFIELD TRAVEL EAST UP MANNALS ST	CRYEK CRUSSING
	TURN RICHT 'LOCALI ST'	т т
	TUNU LETA DILLI LIMIARA KORD 41-05	tion to be former to be the
		און ארוי ועוארא איטרעי אוויאנער אוויעראין אוויעראען
	7.85 THEE PLENT FORM	DILVE AROVNO SPUR , AND DETHERIN
		RALES - SIDI SLUPE NERE
	10.4 1975 Rodo Dur Lard. Obs. Date Briter Mathicement	CLUDSS GULLY AND DRAVE STARKAT
	The state was	DUCK RUDCE IN FRONT.
	PARE LEFT POWER	נחצא נזראנ ייש ניתרוא
		ب لالظفر ب
	CR-SS ROODS - STRANGHE ANNONS.	WAY RICHT TO P RIPER.
	Ser SINTICIMUTER STRITION ON LEFT.	LEAVE VEHICLE.
		141% no marc.
	Synte ((KUP) 20.15 Haraon Aliber	*
This section to be completed by officer constructing pillar.		
Original station mark found/not found.	HALF CANSENSAM AND NEW FENCE UNE	
Description of mark.		
Original beacon found/not found,		
Description of beacon:		
Holight Ton of Verset 1 Tes 11-11	Date Record of Station	
Height of markm. above rock/concm.m. above G.L.		
Diameter of Vanesm		
Original Beacon has/has not been destroyed by me.	***************************************	
•9		

× × × ----

GEODETICS TATION RECONVAISENCE and MAINTERMACE REPORT STATION RECONVAISENCE and MAINTERMACE REPORT STATION RECONVAISENCE and MAINTERMACE REPORT Dentition: ALL Contract by Joint and With & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch capacity Mark & Vinashnab bein painted with & & Auch Mark & Vinashnab bein painted with & Auch Mark & Mark (Control of the model of the Mark Auch and the Mark Auch and A	GEODETIC STATION RECONVAISSANCE and MAINTERANCE A	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT ription: GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT red by lanes bear painted white & black respectively. Red by lanes bear painted white & black respectively. astaion/either was unpiled/not unpiled/nonstructed on	STATION: MALARA CS. No.: 2742
Description: Description: More: Creas our word or words which do not apply cleared by larest baining	Description: More Coss out word or words which do not apply Cleared by Innes bearing. More Coss out word or words which do not apply Cleared by Innes bearing. More Coss out word or words which do not apply Cleared by Innes bearing. More Coss out word or words which do not apply the second base reprinted in the k black respectively. More Coss out word or words which do not apply the second base reprinted in the k black respectively. More Coss out word or words which do not apply the second base reprinted in the k black respectively. More Coss out word or words which do not apply the second base reprinted in the k black. More Coss out word or words which do not apply the second base reprinted in the k black. More Coss out word or words which do not apply the second base reprinted in the k black. More Coss out word or words which do not apply the second base reprinted in the k black. More Coss out apply the second base reprinted in the k black. More Coss out apply the k black. More Cost out	Bearing	
Contract by American bow been pained with a kind of the kind of th	Cleared by James banning. <i>Zhio</i> , <i>Th</i> , <i>Tic</i>	es bearing	
Mark & Vorais have beam pained white & black respectively. The station (wills, voia surplicified empiricity) concernance of the concernance of the concentration. If the station (wills, voia methy) concentration of the concentrating of the concentration of the concentration of the con	Mart & Vanes have been pained white & black respectively. Mart & Vanes have been pained white & black respectively. The attainnifiliar was unplicifiant was unplicifient was under the series of the mark in the series attraction was unplicifient was unplicifient was unplicifient was unplicifient was unplicifient was unplicifient was unplication was unplication. Diameter of Caint. I. ACO	have been painted white & black respectively. Har was unpiled/met unpiled/eenstructed on	HITCHIN'S DATE: 3
The station (will be variable of the station (will be variable of the station of the station (will be variable of the station of the station (will be variable of the station of the stati	The station entroper seven production care and functions now before. The station registres that solution of mark careford on the care of the care solution of mark careford the seven to careford full are large solution of mark careford to mark careford to mark in careford to mark in careford to mark careford to mark in the mark of the mark in the mark of the mark in the mark of th	Har was unpiled/root unpiled/root truteded on	2 2 2
Description of mark/Galikitik, Guid found be explicit, e.g., S'Steri Pillar Plate, Steel plug, Brass plug, Bull, G.I. Pipe Responsibility of Too Vones to Too Mark is, G.I.S.D. means G.I. Name, G. C.I. Means exektioncreate; Mark is, G.I.S.D. means for the service of	Description of mark/Galifylicity, Gued fould be explicit, org., System Plus, Blus, Bl	mark&R. R. D. Schoold be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I.P. K. D. C.I.O., M. assome recek/concrete; Mark is., O. I.S.O., m. assome G.L. Vanes to Top Mark/Pillar plate. Mark is., O. I.S.O., m. assome G.L. Vanes to Top Mark/Pillar plate. Diameter of Vanes (vertical)O. 3100. nm. Interfer of Cairn.I. ACO., m. Name Plate found/not found/plate nm. (approximate if not unpiled) t	340 350 360 10
Height of mark, D.C.I.O., M. Wark, Tan-Ordensetter, Mark is, O. L.A., M. Diameter of Vares (vertical), D. 340, m. Height of Top Vares to Top Mark/ <u>Filter Adda</u> , A. L.A.C.A., M. Diameter of Vares (vertical), D. 340, m. Height of Top Vares to Top Mark/ <u>Filter Adda</u> , A. L.A.C.A., M. Diameter of Vares (vertical), D. 340, m. Height of Top Vares to Top Mark/ <u>Filter Adda</u> , A. L. Diameter of Vares (vertical), D. 340, m. Length of Nat	Height of mark. B.C.I.G., Missionediconcrete: Mark is, O.150, m. means G.L. Height of Top Vares to Top Mark <u>Functionarias</u> (a. 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	kD. C.I.D., Marke Feek/concrete; Mark isD	Station Diogram North North
Height of Top Vares to Top Mark/Pluse-piese. 3.1.3.C	Height of Top Vares to Top Mark/Patterprise. 3,1,362	Vanes to Top Mark/Piller-plate	
Height of Caim	Height of Celim	n	
Length of Mist	Length of Mist	tum. (approximate if not unpiled) MiL. m. (approximate if not unpiled) MiL. m. set in conc/reek has been placed/found, bearing. 203…"M from Mast/Plug/Pillar	50 () () ()
A. G.1. P.K. set in concreteek has been pieced found, bearing 2.16. "M from MastriPlugPiller M from MastriPlugPiller A. G.1. P.K. set in concreteek has been pieced found, bearing 2.03. "M from MastriPlugPiller M from MastriPlugPiller A. G.1. P.K. set in concreteek has been pieced found, bearing 2.03. "M from MastriPlugPiller M from MastriPlugPiller A. G.1. P.K. set in concreteek has been pieced found, bearing 2.03. "M from MastriPlugPiller M from MastriPlugPiller A. G.1. P.K. set in concreteek has been pieced found, bearing 2.03. "M from MastriPlugPiller P from MastriPlugPiller Action required. m from MastriPlugPiller P from MastriPlugPiller P from MastriPlugPiller Action required. m from MastriPlugPiller P from MastriPlugPiller P from MastriPlugPiller Action required. from from from MastriPlugPiller P from MastriPlugPiller P from MastriPlugPiller Action required. from from from from from from from from	A. Carrière, Mill	Mill. Set in concreek has been placed/found, bearing.2(b./.*M from Mast/ Plug/Pillar	$\hat{>}$
A. J. Life	A. J. L. L. M. L. L. Set in concreted has been placed/found, bearing	ARTNJOCE (ASE STANDPOINT: (C. PPER MAL ARTNJOCE (ASE STANDPOINT: (C. PPER MAL Direction North Haight Diff vence Mark Direction Direction Direction North Direction Direction 0: CO< 00	
A Set in conc/rock has been placed/found, bearing	A Set in conclook has been placed/found, bearing	at in conc/rock has been placed/found, bearing ⁵ M from Mast/Plug/Pillar d:	-23 So.
A	A Set Set Set Set Set Action required:	d: ^a ArrNJDCE (ASE Arrow placed/found, bearing,	
Action required: Anther precision Plotter Height Difference Mark Direction Plotter Height Difference Action 233 595 0.190 Annual Direct Cisc 52 4H 4to 200 Action Remote Remote TS 11H 12 4to 200 Action Remote Remote TS 121 25 30 ACT 0.739 Base and Direct Cisc 52 4H 4to 3709 ACS4 Mark Mark Mark Mark Mark Mark Mark Mark	Action required: Action required: Anth Direction Hortz Anth Direction Hortz Mark Colv2s Sizi 14 Mark Mark Mark Mark Mark Mark<	d: ARTRIDCE (ASE STANDPOINT: C2PPER MAIL Direction Distance Height Difference Mark Direction Distance Height C CC CD Distance Annahr (S AJ11A13A (S C CC CC) b) S 35 3 9 5 5 0 / 90 mean standart (S AJ11A13A (S C CC CC) b) S 332 44 20 3 707 0 259 mean standart (S R) 2005 (R) 247 20 C0) P) S 47 25 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	A / JA
ANDPOINT: CARTALIDE GASE STANDPOINT: C PPER MAIL Mark Direction Heint Heint Heint Heint Mark Direction Heint Heint Heint Heint Heint Mark Direction Heint Heint Direction Heint Heint Heint Mark Direction Heint State Bight Difference Mark Direction Heint Heint Rie 61 30 33 3705 0.190 Hone Hone Hone Hone Rie 61 30 33 44 LQ 3707 0.557 Heint Hone Hone Rie Malu 332 44 LQ 3707 0.577 Heine Hone Hone Rie Malu 332 44 LQ 3707 0.577 Heine Hone Hone Rie Malu 332 44 LQ 3707 0.577 Heine Hone Hone Hone Rie Malu 332 44 LQ 3707 0.577 Heine Hone Hone ER Malu 3337 44 <	AMDPOINT: CARRINGE ASTAUDPOINT: CARRINGE ASTAUPPOINT: CARRINGE ASTAUPPOINT: CARRINGE ASTAUPPOINT: CARRINGE AND Mark Direction Hortz Hortz <td>ARTAJDGE CASE STANDPOINT: Co. PPER NAIL Direction Horiz Horiz Horiz Horiz Horiz Direction Distance Horiz Mark Direction Distance Horiz D COC CO 2000 Stance Mark Direction Distance Height D COC CO CO CO CO CO Distance Height D COC CO CO CO CO CO Distance Height D COC CO CO CO CO CO Distance Height B S S CO CO CO CO CO Distance Height B S S CO CO CO CO CO Distance Height B S S S S S S S S S S S</td> <td></td>	ARTAJDGE CASE STANDPOINT: Co. PPER NAIL Direction Horiz Horiz Horiz Horiz Horiz Direction Distance Horiz Mark Direction Distance Horiz D COC CO 2000 Stance Mark Direction Distance Height D COC CO CO CO CO CO Distance Height D COC CO CO CO CO CO Distance Height D COC CO CO CO CO CO Distance Height B S S CO CO CO CO CO Distance Height B S S CO CO CO CO CO Distance Height B S S S S S S S S S S S	
Mark Direction Horitz Horit Horitz Horit </td <td>Mark Direction Horitz Distance Horitz Height Difference Mark Direction Direction Horitz Distance Horitz Height Difference Mark Direction Dire</td> <td>Direction Horiz Distance Halph Difference Mark Direction Direction</td> <td></td>	Mark Direction Horitz Distance Horitz Height Difference Mark Direction Direction Horitz Distance Horitz Height Difference Mark Direction Dire	Direction Horiz Distance Halph Difference Mark Direction Direction	
Mile A CS D C CO D mone standprint C A 1, M12A C S C CO D mone standprint C CoNNER Male	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	C C <td>Con and a second</td>	Con and a second
Ref 61 50 53 59 0.190 three sample CLC x SOME CS 114 12 400 sample Assente CS 114 12 40 above sample 0.6x SOME CS 114 12 40 ER Mal 332 44 20 570 0.154 below sample 0.6x SOME CS 114 12 40 ER Mal 332 44 20 370 0.154 below sample Above samone Above sample Above samone <td>Res B1 S5 S1 S1 C/C/I Biose sample Biose</td> <td>61 30 35 3905 0190 three strungt C1 717E 105 34 30 5327 0 069 114 12 40 332 44 20 3707 0139 three strungti DLOX SOME C5 114 12 40 337 44 20 3707 0139 three strungti CARERIDOCE (ASE 152 44 40 3709 0154 12337 44 20 3707 0139 three strungti CARERIDOCE (ASE 152 44 40 3709 0154 three strungti CARERIDOCE (ASE 152 44 40 3709 0154</td> <td>Star 1</td>	Res B1 S5 S1 S1 C/C/I Biose sample Biose	61 30 35 3905 0190 three strungt C1 717E 105 34 30 5327 0 069 114 12 40 332 44 20 3707 0139 three strungti DLOX SOME C5 114 12 40 337 44 20 3707 0139 three strungti CARERIDOCE (ASE 152 44 40 3709 0154 12337 44 20 3707 0139 three strungti CARERIDOCE (ASE 152 44 40 3709 0154 three strungti CARERIDOCE (ASE 152 44 40 3709 0154	Star 1
ASENTE CS 14 12 4D mono sample DLEAS SOME C'S 114 12 40 menon sample fill mono sample fill mono sample fill mono sample fill according fill mono sample fill CARE ROLE C'S 114 10 3709 0.54 menon sample fill CARE ROLE C'S 47 21 CD menon sample fill CAPCM PETIL C'S 217 217 217 217 217 217 217 217 217 217	KSEATE CS IH IZ 4D Palone standpri JLGX SGYTE CS IH IL 4O Palone standpri Palone standpri CARE IS H H IC Palone standpri Palone standpri CARE ROCK Resona standpri CARE ROCK Resona standpri Palone valone	114 12 40 how sumari DLOX SOME CS 114 12 40 332 44 20 3707 0.259 how sumari CARTINOCE CASE 152 44 40 3709 0254 how sumari CARDINOCE CASE 152 44 40 3709 0254	
EA Mail 332 44 26 3707 0.359 Balow atoms a	E.R. Matu 332 44 26 370.7 0.359 unive above above and the standart CATE RUCCE (Asc. 15.2 44 40 370.9 0.54 babove above above above above and the standart CATE RUCCE (Asc. 15.2 44 40 370.9 0.54 babove a	332 44 26 3 707 0.259 Burne Samatri CARRINGCE (ASE 152 44 46 3 709 0254 Burne Samatri CARDOM PE 18 (5 (2) 347 22 00 Burne Samatri CARDOM PE 18 (5 (2) 347 22 00 Burne Samatri CARDOM PE 18 (5 (2) 347 22 00	
CEM RE TR (S LP) 347 25 30 above standard, ab	CCM PETR CS (1 ²⁾ 347 25 25 atom standari, anow standari, atom standa	halow strandor CAPDCM PEIA CS (P) 347 21 CD	andpr.
Propared by: C. S. C. Structured: A Annual Annual A Annua	Betweetend Betweetend Betweetend Prepared by: 210 200 190 100 100 100 Prepared by: 210 200 190 100 100 100		
Prepared by: 210 200 190 190 190 190 190 190 190 190 190 1	Prepared by: A A A A Oliverked: A Noted on U.I.M. Card a checked in 170 160 170 160 170 160		
Prepared by: A. A. Ohecked: M. Checked: M. Card on U.T.M. Card	Prepared by: J. M. Card		210 / 200 / 190 / 180 / 100 / 160
5133-1	2333-1	1. 20 Checked: 20 1. 1. 1. 1. 1. Noted on U.T.M. Car	
		8: 2333-1	

And and the second second

.

Beacon Diagram Not to Scale Owner's Address	NOIL	INCHINA L.S. D 21TL
		Current Occupant:UNCCCCCODIED
		Address: ALLESS AURONCH ALEX PETRICS
	Phone: 34.1057 4.572 Phone: 34.1057 Phone: 34.1057	itaoperty Phone: 36 (429
	ACCESS	CIM+)
	able, Lin OC	are Dures I. Sam I. S. Warring
	TON REAL SIGN SCIENCES ST THINKS ST TO TON	TURN LEFT THREACH BUNDER AND LYNN
	LEFT SICH TYLLILIMISCH HO HI SS UR Of Brichen Rado	LROSS CREEK
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	RICHT FORK 4-2 CS CR	Loss Creek
	WORD AND NEW BROCK HILL ON LEFT 42:55 78	THICOCH SLIP KALS AND
		DRIVE AROUND SPUR AND
H 25 TAKE		BETWEEN ROCKS - SUDE SLOPE
24.5 TAKE	29-5 TAKE AIGHT FORK	STRATCHI CUER RIDGE IN PRAVIL
		TURN RIGHT AND HEAD UP
		TURN RIGHT AND DRIVE UP
	EN L'SQUDE	DE ER KIDGE STEEP
28.10		TURN LEFT NT JOP OF MOLE AND DRUE NS FAR AS POSSIBLE
	PASS FORD ON LEFT. UP CAUSEVARY AND NEW FENCE LINE 1	D CENTRE OF DF SPUR
55 55 55 55		LEAVE VENILLE AND FOLLOW LEARED TRACK LP SIZERS AND TARGUCH
Date	Record of Station	N HOUR WHIK NO LOAD
<u>.</u>	WHEN NIMES AT 40° OF LAT RUGGE CROSS CLD FENCE AND PATEN	LESS CLD FENCE NND FOLLOW
Height of mark M. Wikm. Heiden Heiden K. 1.240 m. Below. G. L. Diameter of Vanes. <u>0.9120.</u> m. Heidnt of Cairn. <i>1. C45.</i> m.	213 BLATED TARILY LO LEFT 1'2 112 WALL WINU LOND.	א לאחי באבי
estroyed by		
