This Trig. Station has been:-	RECONNAISSANCE and MAINTENANCE REPORT	STATION TS 2994. MAI	MARTIN
	Note: Cross out word or words which do not apply	Co. CUMBERLAND Ph. 1	Ph: MARDOTA
	2	Map Sheet: COWAN 1. 25000	N- VI - 05 3C - IV - IV
i. Completely elegred to permit 360° vision to surrounding Irigs.	<u>( = </u>	Inspected by: F STAPLETON	Date: 1-6-56
2. Cleared by lanes bearing	from Trig. Mast	Authority LANDS DEPT.	Field Book:
3. Trig. Mast & Vanes have been painted white & black respectively.		Beacon Diagram	Not to Scale
4. The Trig. was unpiled/net unpiled, dimensions now being:			
Description of mark	e explicit, e.g. Steel plug, Brass plug, Bolt, Concrete Pillar		
Height of markm above rock/concrete	m above G.L.		
Height of Top Vanes to Top Mark/Top pilitar plote	n Dismeter of Vanes (vertical) m.		
Height of Cairn	m.	2 - 2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Length of Mast		PM Court box 1	PM Cover box No 1974 placed.
5. A	aring	over Trig. plug	وماد
6. Aset in conc/soil has been placed/fdm. bearing-	aring		
7. Aset in conc/soil has been placed/fdm. bearing	aring		
8. Am, set in conc/rock has been placed/fdm, bearing	aringh from Trig. Mast/pillar		
9. Connectionto m. bearing	W.		
10. Connectionto; m. bearing9M	We		
11, Connectionto	We.	Date of Garies	10,1-13
12. Connection			
13. Diff. Hr. is. m. above below			:
14, Diff, Ht, is. m. doove below			
15. Diff. Ht. is below below			
is			
Prepared by: 10 VINCENT Checked:			

