Department of Lands	RECONNAISSANCE and MAINTENANCE REPORT	STATION NUGRIGYN TS 3547
This Trig. Station has been:-	Note: Cross out word or words which do not apply	Co: WELLINGTON PH: NUBRIGY N
1. Completely cleared to permit 360° vision to surrounding Trigs.	ounding Trigs.	hep Sheet: CUNNIOCK 1:50 000 No: 86 32 - S. Inspected by: 1 AIEDWINK Date: 1 / A / 77
 Cleared by lanes bearing 	from Trig. Mast	Authority CMA Field Book:
3. Trig. Mast & Vanes have been painted white & black respectively.	olack respectively.	Beacon Diagram Not to Scale
4. The Trig. was unpiled/not unpiled, dimensions now being:	now being: 0.000 und Station Marte found, not found	
Description of mark	should be explicit, e.g. Steel plug, Brass plug, Bolt, G.I. Pipe	
Height of mark deve	rock/concrete m above G.L.	
Height of Top Vanes to Top Markm.	Diameter of Vanes (vertical)m.	
Height of Cairn	Diameter of Cairnm.	
Length of Mastm. (approximate if not unpiled)	e if not unpiled)	in the second
5. Aset in conc/rock has been placed	A	2 2 2 2 2 2
6. Aset in conc/soil has been placed	Aset in conc/soil has been placedm. bearing	verd Vulue
7. Aset in conc/soil has been placed	7. Aset in conc/soil has been placedm. bearing	
8. Aset in conc/rock has been placed	Aset in conc/rock has been placedm. bearing	2 m
9. Connectionto :m.		
10. Connectiontoto	5earing	
11. Connectiontoto	seoring	Data Data Casico
12. Connection	bearing	
13. Diff. Htisis.	devve helbav	
14. Diff. Ht	dbove belowe	
15. Diff. Htisis.	above balove	
16. Diff. Ht. is		
	Molag	


