

CENTRAL MAPPING AUTHORITY

GEODETIC SURVEY OF NSW
 GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: **DPILTAH G.S. (NW/CL/10)** No.: **3778**


MAP SHEETS SCALE 1:250 000 ANA BRANLCH. SCALE 1:100 000

INSPECTED BY: **G DICKSON** DATE: **25.7.91**

AUTHORITY: **L.I.L.** FIELD BOOK: **2105**

Description:
 1. Cleared by lanes bearing..... Note: Cross out word or words which do not apply from Trig. Mast
 2. Mast & Vanes have been painted white & black respectively.
 3. The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being:
 Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark..... m. ^{above}/_{below} rock/concrete; Mark is..... m. ^{above}/_{below} G.L.
 Height of Top Vanes to Top Mark/Pillar plate..... m. Diameter of Vanes (vertical)..... m.
 Height of Cairn..... m. Diameter of Cairn..... m. Name Plats found/not found/placed.
 Length of Mast..... m. (approximate if not unpiled)

4. A..... set in conc/rock has been placed/found, bearing..... °M from Mast/Plug/Pillar
 5. A..... set in conc/rock has been placed/found, bearing..... °M from Mast/Plug/Pillar
 6. A..... set in conc/rock has been placed/found, bearing..... °M from Mast/Plug/Pillar
 7. A..... set in conc/rock has been placed/found, bearing..... °M from Mast/Plug/Pillar
 8. Action required:.....



STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt.				above standpt.
			below standpt.				below standpt.
			above standpt.				above standpt.
			below standpt.				below standpt.
			above standpt.				above standpt.
			below standpt.				below standpt.
			above standpt.				above standpt.
			below standpt.				below standpt.
			above standpt.				above standpt.
			below standpt.				below standpt.

Prepared by: *[Signature]* Checked: *[Signature]* Noted on U.T.M. Card

LAND INFORMATION CENTRE

GEODETTIC SURVEY OF A.S.M.

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: **POPILTAH** No.: **3778**

MAP SHEET SCALE 1:250 000

INSPECTED BY: **L. HITCHINS**

DATE: **20.8.91**

AUTHORITY: **L.I.C.**

FIELD BOOK: **630**


Description: *Note: Cross out word or words which do not apply*

- Cleared by lanes bearing..... from Trig. Mast
- Mast & Vanes have been painted white & black respectively.
- The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being: Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
- Height of mark..... m. above rock/concrete; Mark is..... m. above G.L.
- Height of Top Vanes to Top Mark/Pillar plate m. Diameter of Vanes (vertical)..... m.
- Height of Cairn..... m. Diameter of Cairn..... m. Name Plate found/not found/placed.
- Length of Mast..... m. (approximate if not unpiled)
- A. **Copper tube 1**..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A. **Copper tube 2**..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A. **Copper tube 3**..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

8. Action required:.....

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference	STANDPOINT: NM/C10 Copper tube in Conc	
								above standpt.	below standpt.
EURILLA	0 00 00		above standpt.	EURILLA	0 00 00		above standpt.	STANDPOINT: RM 2 Copper tube in Conc	
RM 3 Copper tube	46 34 20	6 402	above standpt.	RM 3 Copper tube	145 34 00	13 248	0 351		
RM 1 Copper tube	278 42 20	9 451	above standpt.	Popilth Copper tube	169 28 55	15 591	0 204		
RM 2 Copper tube	349 30 10	15 591	above standpt.	RM 1 Copper tube	205 03 00	15 344	0 200		
			below standpt.						
			above standpt.						
			below standpt.						
			above standpt.						
			below standpt.						

Prepared by: *[Signature]* Checked: *[Signature]* 1.10.91 Noted on U.T.M. Card



GS 24

STATION POPILTAH G.S. (NW/L/10) TS 3778

Owner's Name: MR. PETER CRETTON DEN.
 Address: Popiltah, H.S.
 Silver City HWY
 Popiltah (C/S) 271 240

Current Occupant:
 Address:
 Phone:

ACCESS:

Access Report of 25.7.1991 was found suitable/unsuitable.


RMS

- 0 00
- 25 70
- 25 90
- 28 70
- 33 60
- 34 70
- 35 10
- 37 15
- 37 60
- 41 55
- 49 15
- 55 30
- 56 40

FEATURE

- Coonkuk Roadhouse. Travel South.
- Turn left. Sign 'Popiltah 6 Miles.'
- Grid
- Grid.
- Turn left at signpost 'Popiltah.'
- Grid.
- H.S. turnoff on L.H.S.
- Grid.
- Turn left off road just before grid. Follow fence.
- Top of sand dune Turn left along top of dune. travelling south to Trig.
- Popiltah G.S.

(The 25 min from Coonkuk Roadhouse.)



SI 2735-2 D. West. Government Printer

Beacon Diagram

This section to be completed by officer constructing pillar.

Original station mark found/not found.

Description of mark:

Original beacon found/not found.

Description of beacon:

Height Top of Vanes to Top Mark.....m.

Height of mark.....m. above G.L. below

Diameter of Vanesm. Height of Cairnm.

Original Beacon has/has not been destroyed by me.

Date	Record of Station