



TS3959 | Print Date: 31/05/2022 16:24 | No Of Pages: 4 | Property of DFSI – Spatial Services



<u>.</u>	CENTRAL MAPPING AUTHORITY	PING AUTHORN	 			GEC	GEODETIC SURVEY OF N.S.W.	EY OF N.S.W.								
			GE	ODETIC	STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	SSANCE an	d MAINTEN	ANCE RE	PORT	STATION:		ROUND			No.: 3959
	Description:				No	Note: Cross out word or words which do not apply	word or w	ords which de	o not apply		MAP SHE SCALE 1.	ET :250 000 V	MAP SHEET SCALE 1:250 000 WAGG A WAGG A	AGG A	HOLBROOK	h lao aoo Braok
	1. Cleared by lanes bearing	es bearing					\setminus	mast from Trig. Mast	ig. Mast		INSPECT	ED BY:	INSPECTED BY: J. S. Han	£	DATE: 29 Nov 1988	Nov 1988
	2. Mast & Vanes have been painted white & black respectively.	tave been paint	ted white	& black	respectively	`	\setminus				AUTHORITY:		CMA		FIELD BOOK: -	
	3. The station/pillar was unpiled/not unpiled/constructed on	lar was unpiled.	/not unp	iled/cons	tructed on	\setminus			now being		330	340	350	360 10	1 20 1	30/
e 12	Description of markshould be explicit e.g., S/Steel Piller Plate Steel plug, Brass plug Bolt, G.I. Pipe	mark	,tha	ould be e	xplicit.e.g.	, S/Steel Pilla	r Plate Stee	el piug, Brass	plug_Bolt,	. G.I. Pipe	Stati	Station Diagram		North	Not to Scele	Scala
	Height of markm. above rock/concrete;	.m.	above below roc	k/concret		Mark is		T.D and	(Possib	le ro	ckipits	formin	
	Height of Top Vanes to Top Markenillar	Vanes to Top M	Aarterfilla	r plate		L A	Diameter	Diameter of Vanes (vertical)m.	tical)			Janale	four	I. I No	station	2
	Height of Cairn		È	Ś	meter of Cu	Diameter of Cairn	\	Name Plate found/not found/placed.	nd/not fou	ind/placed.	ye	المل	ھ_ ح	0.35.00	mad or hear formed.	50
	Length of Maer		4	Approxi	approximate if not unpiled)	() () () () () () () () () () () () () (: /	2	i i			
	4	Y	'n conc/m	set has h	1 poorte an	set in constract the frame frame frame of frame Mart (1011) and	0	A from Mar	+/D1112/2011-	;	ίε /					50 \
		2			een nisced/	est in constront has been blaced/found bearing		vi trom Mae	+/plus/pill-	-	062					<u>9</u> ¢
			\backslash		ceri hiacen				- Ann - A	5	/ 01					1
	6, A		in conc/r	ock has b	een placed/	found, bearin	۱۵۰۰۰۰۰۰-B۱	VI from Mas	t/Plug/Pill.	ar	58					80
0.000	7. A	set	in conc/re	ock has b.	een placed/	found, bearin	l。	Vi from Mas	t/Plug/Pill	ar	042	x		+		90
	8. Action required:	ł									092					10
	STANDPOINT:	8				STANDPOINT:	OINT:	3			0					<u>) / (</u>
	Mark	Direction	Horiz. Distance		Height Difference	Mark	×	Direction	Horiz. Distance	Height Difference	s B					jio /
					above standpt. below					above standpt	140					720
					above standpt. below					above below standpt.	dpt					
					above standpt.					below standpt	Idpt, So					130
					above standpt.					above standpt. below	dpr.					
					above standpt.					above standpt, below						
					above standpt.					above standpt. below	idpt. 22					46
		•			above standpt.					above below	idet. 210	/ 200	190	180 1	170 160	150
0202	Prepared by:	affect 2.2	68-1		Checked:			N	Noted on U.T.M. Card	M. Card			Checked			
	St 2733-1						8									



.....