

CENTRAL MAPPING AUTHORITY

Department of Lands

Trigonometrical Survey of N.S.W.

RECONNAISSANCE and MAINTENANCE REPORT

STATION TUNMANNING

TS 4466

This Trig. Station has been:-

Note: Cross out word or words which do not apply

Co: MURRAY

Photogram

Map Sheet:

No:

Inspected by: G.R. HISSEY

Date: May '77

Authority: SOIL CONSERVATION SERVICE

Field Book: 40

Beacon Diagram Not to Scale

1. Completely cleared to permit 360° vision to surrounding Trigs.

2. Cleared by ~~lines~~ bearing ~~from Trig. Mast~~

3. Trig. Mast & Vanes have been painted white & black respectively.

4. The Trig. was unpiled/~~not supported~~, dimensions now being:

Description of mark: Brass plug in rock. should be explicit, e.g. Steel plug, Brass plug, Bolt, G.I. Pipe

Height of mark: m above below rock/concrete G.L.

Height of Top Vanes to Top Mark: 3.21 m. Diameter of Vanes (vertical): 0.01 m.

Height of Cairn: m. Diameter of Cairn: m.

Length of Mast: 3.21 m. (approximate if not unpiled)

5. A. set in conc/rock has been placed m. bearing M from Trig. Mast

6. A. set in conc/soil has been placed m. bearing M from Trig. Mast

7. A. set in conc/soil has been placed m. bearing M from Trig. Mast

8. A. set in conc/rock has been placed m. bearing M from Trig. Mast

9. Connection to m. bearing M

10. Connection to m. bearing M

11. Connection to m. bearing M

12. Connection to m. bearing M

13. Diff. Ht. is m. above below

14. Diff. Ht. is m. above below

15. Diff. Ht. is m. above below

16. Diff. Ht. is m. above below

Prepared by:

Checked:

Noted on U.T.M. Card

Checked

Date

Record of Station

