	1.770	Central Happing Authority
Department of Lands	75.4779	
-/-	Trigonometrical Survey of N.S.W.	TRIC STATION
RECONNAISSANCE and MAINTEN.	ANCE REPORT on WILLUNGA	IRIG. STATION
Parish BROKEN BAY County CUMBERLAND Map Sheet BROKEN BAY No. 417		
- Inspected by M. RENNIE Date of Inspection 2041, December 1912		
Note: Cross out word or words which do not apply		
1. Completely cleared to permit 360° vision to surrounding Trigs.		
`		from Trig Mast
2. Cleuled by 1-2-5 dodning		
3. The Trig. was unpiled/not unpiled. dimensions now being:		
Original Trig. Plug was <del>fou</del>		and the first diameter
Length of Mast	leet (approximate if not unpiled)	Mast (Roundfeet diameter (Squarefeet
Height of Trig, Plug	feet (above rock/concrete)	
Height of Top Vanes to To	p Trig Plug feet	Diameter of Vanes (vertical)lest
Height of Cairn 2 M	<del>feet-</del>	Diameter of Cairm 2 th feet
(If other type Trig. beacon is erected - Diagram is required below in Remarks)		
4. Trig. Mast & Vanes have been painted white & black respectively.		
An S.S.M. set in conc/rock has been placedfeet bearingM to Trig. Mass/Plug		
6. A G.I. Pipe set in conc/sell has been placed 6 M feet bearing 71 M to Trig. Most/Forg		
7. Connection S.S.M. to G.I.Pipefeet bearingM		
REMARKS:- (To include diagram of marks placed)		
Vanes + Hast gone		
Trigs Visible: ar	den 185°M	a said
Top	sham 10°M	
\V\:	aratah ((airn Only)	
0.00 33 Con West Head Rd. 7.8 miles from West Head		
0.05 Track on left. Sign (Unauthorised Knows Parking) Trail locked		
0.55 Blazed tree on right. Leave Rover Head Sould up thostopy in along ridge to T.S. on rocky outcrop - 15 min walk.		
"Hernative access - Follow foot trail No 5 which permits FWD access		
to T.S.		
GIPIPE IN CONC. F.	D. APPROX2METRES HIGH	
APPROX 6MET	RES and 251°M FROM TS. (TYPE OF OBJECTIONS PLANE)	
C. GODDIEG.	TEIG IS ON A ROCKS DUTE	OD STORE TO SOUR YOUR
	I FIGUROUS AND THE	20-3-73.