		GEC	DDETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	MAINTENA	NCE REP	ORT	STATION: 5	SMA	0894		No.: 507
Description:			No	Note: Cross out word or words which do not apply	rds which do r	γidde tor		MAP SHEET SCALE 1:250 000		BesA		
 Cleared by lane 	es bcaring			Cleared by lanes bearingfrom Trig. Mast	from Trig	. Mast		INSPECTED BY:	G.	KEEP	DATE:	27 5 80
Mast & Vanes	have been painte	8-etidw-be	2. Mast & Vanes have been painted white & black respectively.	ı				AUTHORITY:			FIELD	FIELD BOOK:
3. The station/pil	lar was unpiled/i	not unpil.	led/constructed on	The station/pillar was unpiled/not unpiled/constructed on19 dimensions now being:	dimensions n	ow being:	•	330	340	350 360	10 / 20'	/óe / 9
Description of	Description of markshould	shot	uld be explicit, e.g.,	be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	plug, Brass pl	ug, Bolt,	3.1. Pipe	Station Diagram	E	North		Not to Scale
Height of mark	Height of markm. above rock/concrete;	ahove rock,		Mark is m. above G.L.	% G.Ł. ™			7				
Height of Top	Vanes to Top M.	lark/Pillar	Height of Top Vanes to Top Mark/Pillar plate		Diameter of Vanes (vertical)m.	:al)	'n	7 9				
Height of Cair	Height of Cairn	É	Diameter of Ca	Diameter of Cairnm. Mar	Name Plate found/not found/placed.	//not four	d/placed.	18 /				
Length of Mas	Length of Mastm.		(approximate if not unpiled)	unpiled)				008				
4. A.	set in	η conc/roc	ck has been placed/i	AA. from Mast/Plug/Pillar A	from Mast/	Plug/Pillar		/01				
A.	set in	1 conc/roc	ck has been placed/1	Aset in conc/rock has been placed/found, bearing"M from Mast/Plug/Pillar	1 from Mast/	Plug/Pillar		ęź /				
6. A.	Aset in conc/rock !	η conc/roc	ck has been placed/1	nas been placed/found, bearing" M from Mast/Plug/Pillar	from Mast/	Plug/Pillar		oęz				
7. A.	set in	τ σοπο/rος	ck has been placed/1	Aset in conc/rock has been placed/found, bearing"M from Mast/Plug/Pillar	1 from Mast/	Plug/Pillar		o/z		+		
Action require	8. Action required: Braconncedsr.cep	Reds. C	eplacing	Asting				seo				
STANDPOINT:			,	STANDPOINT:			•	0				
Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference	şe				
			above standpt.				above standpt.	240				
			above standpt.				above helow standpt.					
			above standpt.				above below standpt.	DEZ				
			above standpt.			3	above standpt, below					
			above below standpt.				above below standpt					
	10		above standpt. below				above standpt.)zz(
processor.			above standpt.				above standpt. below	1 2,16 /	/ 00z	190 180	170 160	091 0

2733-2 D. West, Government Printer		STATION SMA 0894 TS 507
Beacon Diggram Not to Scale	Swner's	Owner's Name:
	Address:	Address:Address:
	Phone:	Phone:
		ACCESS
	Access F	Access Report of//19was found suitable/unsuitable.
	Timber	Timber quadrapod was destroyed, but suney
	mark 13	mark is in good condition. Not suitable for
	geodetic	geodetic station because it is on a law hill.
This section to be completed by officer constructing piller,		
Original station mark found/not found.		
Description of mark:		
Original beacon found/not found.		
Description of beacon:	Date	Record of Station
,		
k/concm. below G.L.		
ght of Cairnm.		
Original Beacon has/has not been destroyed by me.		