	39	GEODETIC STATION REC	RECONNAISSANCE and MAINTENANCE REPORT	NAINTENAN	CE REPORT	ST	STATION: J/L	SILVERWOOD (QLD)>		No.: 5/29
Description:		Note	Note: Cross out word or words which do not apply	ords which do no	t anniv	ž	P SHEETS	MAP SHEETS 1 / APRILLA SUL	SCALE 1:100 000	000 00
1. Cleared by lar	Cleared by lanes bearing	1		from Trig. Mast	Mast		INSFECTED BY.	MMARPIC		76/2/07
2. Mast & Vanes	Mast & Vanes have been painted white & black respectively.	& black respectively.				AL		Notive of		5
3. The station/pi	The station/pillar was unpiled/not unpiled/constructed on	viled/constructed on		dimensions now being:	v being:	k	1	V 250 1 200		100
Description o	Description of markshould be explicit, e.g., S/St	ould be explicit, e.g., S	ee	el plug, Brass plui	J, Bolt, G.I. Pipe		tion Dia			Not to Scale
Height of mar	Height of mark		Mark is And above O.L.	ove B'L		zé		GLON		
Height of Top	Height of Top Vanes to Top Mark/Pillar plate			of Manual Lunding	1	Ζ	TRIG F	FOUND UNPILED	64	
Height of Cair	Height of Cairn	Diameter of Cairo		Diameter Dr. Valitical)	nt found /nlace	ole	TRIG P	PLUE FOUND	1	0
Length of Ma	Length of Mastm.	app				<u>/ 9</u> 9	* CCE: S	(NA STEED PAN IN CONCLED (83 M)	20×0×0	8.44
4, A	A	ock has been blaced/fc	und bearing	M from Mast/Pli	ug/Pillar	ίε / I	TWO OTT	TWO OTHER MARKS FD. WERE	FD. WE	20
5. A.	A	ock has been placed/fc	und, bearing	M from Mast/Plug/Pillar	ug/Pillar	06ž /	1° V DR	DRIVE HOLE + WINGS IN BOCK	Nors IN'.	200
6. A.	set in coherte	set in coheresck has been placed/found, bearing	ound, bearing	M from Mast/Plug/Pillar	ug/Pillar	580	APPROX	Approx SK + SW of PLUG.	PLUG.	
7. A	U v	set in onc/rock has been placed/found, bearing	ound, bearing	M from Mast/Pl	ug/Pillar	042	No cres	NO CLEARING REDUIRED	UIRED	
8. Action required: STANDPOINT:			STANDPOINT:			<u> </u>	*	KNOTE*		ŧ
🗸 Mark	Direction Distance	Height Difference	Mark	Direction Dis	Horiz. Height Difference	tference 260	Nor Co	CONTRACT MANAGER	NAGER	ŧ
		auove standpt. below			độ Ciết	above standpt, N				ţ
		above standpt. below			te Ped	above below standpt	are ro	DEFOXE GOING TO TRIG	21	5
		above standpt. below) da A	above standpt 2	AS TH	AS THERE HAS BEEN	BEEN	
		above standpt. below			de te	shove standpt.	12251	12254L SHOOTPRS ON	NO SX	
		atiove below standpt			ber Def	1	Ruse	RUDEDTU (HE CAPOLES A	A ZAIDOO	_
		above standpt. below			ato: Deli	above standpt. N		S	SHOTGUN	
Pron are have					above below	above standpt	210 / 200	081 061	170 160	150
i lahalan ni.		X 8 8 2 Checked:		Noted	Noted on U. T.M. Card			Checked		
	·			A -144444						
<i>ک</i> ر.	1									

TS5129 | Print Date: 31/05/2022 16:44 | No Of Pages: 3 | Property of DFSI – Spatial Services ----

GS 24

: Beacon Dragram	1. (1.)
	Owner's Name - 10 (1996) - 10 - 7. 11 (Altronder K) . Current Occurant M. E. Elec Sur I van acces
	City City City City City City City City
	Proc. (0/6)6/1/32
	ACCES
	LIST FIRST TOTAL & CONTRACT MANAGER
	KM DIRECTION
	() () () () () () () () () () () () () (
	U.S. 1 URN KIGHT INTO WOOD ST (HWYS (43)+ (5)
	1. B ALLENTS TURN LEFT TO STANTARRE ALONG HWY (S)
	0
	15.47 TAKE I H CONNERT IN CONTRACT, THIM
	TIME PLAN PLAN OF SHE WHY HI END OF LANE AND POLEDN TRUCK WEST I
This section to be completed by officer constructing pillar.	3.1
Original station mark found/not found.	//
Paratice of a second	
Description of Mark:	POLLON TRACK
Original beacon found/not found.	20.56 PRES VARDE AND SHED ON LHS.
Description of heacon:	
	PENCOLNE AND FULLON TAPS UP HILL TO GATE 21. 46 THEOREN PRONGATE + POLLON FOLNT TRACK STRAIGHT ALEND
Height Top of Vanes to Top Markm.	l'
Height of markm. above rock/concm. above G.L.	Mail 79 10KN LEFT UP AND RALKA PARTO FALKT TRACK
Diamater of Vanes m Hoidet of Calico	LEVED I ATA CHIXA KEMANAS (PLOS IN URCLE DE OLD CARA)
Original Beacon has/has not been destroyed by me.	

TS5129 | Print Date: 31/05/2022 16:44 | No Of Pages: 3 | Property of DFSI – Spatial Services

•

×

5

SILVERWOOD (QLD) TS. 5129

KM

File No 55/11/1412

3

SILVERWOOD GEODETIC STATION

ACCESS AS AT 26/3/1988

NOTE: CONTACT MANAGER FIRST

DIRECTION

0.0 Warwick Town Hall (in centre of shopping centre) head south along Palmerin Street.0.13 Pass PO at intersection with lights.

0.57 Turn right into Wood St (Hwys 42 + 15)

1.73 At lights turn left to Stanthorpe along Hwy 15

- 4.88 Pass Rosenthal Rd and gun club sign on left
- 8.23 Turn left off Hwy into Rosenthal Rd. Sign: Connolly Dam, Risdon Stud
- 8.50 Turn right sign Connolly Dam Rd, Risdon Stud 5, Rifle Range, Oaklands

11.62 Grid

- 14.50 Take dirt road straight ahead into "Risdon Stud & Homestead" pass sealed road on left to Connolly Dam
- 15.47 Take LH grid + gate
- 15.73 Turn right through gateway at end of lane and follow track west passing sheds on right
- 16.02 Turn right after shed, before house (house on left)
- 16.06 Through double iron gate + turn left up hill. Follow track

17.52 Through double wooden gate and take left fork up hill

- 17.96 " " iron gate
- 18.91 " wooden gate (white)
- 19.61 Follow track around to left
- 20.30 Pass tracks on RHS
- 20.96 Pass yards & shed on LHS
- 21.13 Through white wooden gate turn left off track and head approx 122°m to fenceline and follow this uphill to gate.
- 21.46 Through iron gate & follow faint track straight ahead
- 21.57 Turn right onto track
- 21.79 Turn left uphill onto faint track
- 22.13 Trig cairn remains (plug in circle of old cairn)

<u>MANAGER</u>: Mr Greg Sullivan (as at 26/3/88) "Risdon Stud" (076) 611732

MARRISEN

NSW DEPT OF LANDS.