



LAND INFORM	LAND INFORMATION CENTRE		GEODETIC SURVEY OF N.S.W.	IEY OF N.S.W.	L				
		GEODETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	A MAINTENANCE RI	PORT	STATION: CULGO	STATION: CULGODICA TRANET NIME 60	11160 No.: 5310	0
	1		Note: Cross out word or w	word or words which do not apply		MAP SHEET SCALE 1:250 000	NARRABRI		[]
	Cleared by lanes bearing			from Trig. Mast		INSPECTED BY:	MIMORRISON	DATE: 11-16/9/92	25
	have been painted v	Mast & Vanes have been painted white & black respectively.			I	AUTHORITY:	217	FIELD BOOK:	
 The station/pill 	llar was unpiled/not	The station/pillar was unpiled/not unpiled/constructed on		19, dimensions now being:	1 <u>.</u>	330 340	350 360 10	10 20 36	1
Description of I	mark	Description of markshould be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	, S/Steel Pillar Plate, Ste	el plug, Brass plug, Boli	, G.I. Pipe	Station Diagram	North	Not to Scale	<u> </u>
Height of mark	Height of markm. _{below} rock/concrete;	e rock/concrete;	Mark isG.L.	ove G.L.			BRASS RAQUE INCONCH	Encouter - 5	40
Height of Top	Vanes to Top Mark	Height of Top Vanes to Top Mark/Pillar platem.		Diameter of Vanes (vertical)m.			STATION NO 60	TRIANE UNTON /	\backslash
Height of Cairr	Height of Cairnm.	m. Diameter of Cairn	"m	Name Plate found/not found/placed.	and/placed.				50
Length of Mast	Length of Mastm.	.m. (approximate if not unpiled)	t unpiled)		<u>002</u>			0F 0E	<u> </u>
4. A	set in cc	set in conc/rock has been placed/found, bearin	/found, bearing°M	M from Mast/Plug/Pillar					27
5. A.	set in cc	set in conc/rock has been placed/found, bearin	ђ	°M from Mast/Plug/Pillar			In Care - 3	9.60	γ ρ \
6. A.	set in cc		found, bearing	^o M from Mast/Plug/Pillar	580 580		12 130 120 120		80
7. A	set in cc	set in conc/rock has been placed/found, bearing $^{\rm c}{\rm M}$	'found, bearing ^c	M from Mast/Plug/Pillar	sio a	1— 1 —	1989 - 177 - 1881	- Cutube	90
8. Action required	d. STATION .	Action required: STATION WAS OCUPAED BY GPS (1651992 2 DAYS)	19795 (165199	2 donys)	seo _	Cuthe		+ - -	19
STANDPOINT:			STANDPOINT:		 	}	- San I	, F	o./
Mark	Direction Dis	Horiz. Distance Height Difference	Mark	Direction Distance	Height Difference	, ,	י زי	ulube interc	<u>1'0 /</u>
		above standpt below standpt			below standpt	53/0-0			129
		above standpt. beiow			above staridpt	CULGENCA TRANET NMC60	NET NMC60		Ζ
		above standpt below			below standpt	618, 20 in Square MAR	ine Me		130
		above standpt. below			sbove standpt				
		above standpt.			above standpt.				, —
		above standpt.			above standpt.	NEW .	NEW ACCESS - SEE	SEEOVER	140
		below standpt.			above below standpt	210 / 200	1 081 061	170 160 150	~
Frepared by:	1	Cinecked:		Noted on U.T.M. Card	.M. Card		Checked		
St 2733-1	1		•					· · · ·	J

