Description: 1. Cleared by Is 2. Mast & Vane 3. The station of Description of													
Descriț 1. Clearev 2. Mast 8 3. The st		GE(	ODETIC STATION	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	and MAINTEN.	ANCE RE	PORT	STATION	BRENKNER	STATION: BREAK NECK LOOKOUT C.S. (P)	6.5.(0)	No.:SJ68	20
1. Clearer 2. Mast 8 3. The stu Descri	tion:		No.	ite: Cross out word or v	vords which do	not apply		MAP SHE SCALE 1:	MAP SHEETS SCALE 1:250 000 NEWCASTEE	VCASTLE	SCAL	SCALE 1:100 000	
2. Mast 8 3. The stu Descrit	1. Cleared by lanes bearing (52,76, 105, 45	4 105	1 /35 - 4 /38		from Tri	ig. Mast		INSFECTED BY:	ED BY: P. Rain	115 Viv	DATE:	: 7.5.86	
3. The state	2. Mast & Vanes have been painted white & black respectively کا Mast & Vanes have been painted white & المعتقد المعالين المعالي	ited white	& black respectively					AUTHORITY:	ITY: C.M.A.	A.	FIEL	FIELD BOOK: /456	10
Descri	<b>tie</b> m/pillar was u <del>mpile</del> t	d/m <del>atempt</del> i	hed/commetted on.	3. The station/pillar was umpired/networthed/constructed on?	, dimensions	now being		330	ope	350 360	- di	20 / 30	
	ntion of mark 3/s Rund	Cleane sho	uld be explicit, e.g.,	Description of mark المنظر المنظر المنظر should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	eel plug, Brass	plug, Bolt,	G.I. Pipe	Statio	Station Diagram	North		Not to Scala	4
Height	Height of mark. 33m. above react concrete;	above need	ರ್dconcrete;	Mark is./33.0m. above G.L.	above G.L.								٩
Height	Height of Top Vanes to Top <b>Hur</b> k/Pillar	<b>Maa</b> rk/Pillar	r plate		Diameter of Vanes (vertical)m.	tical). 0.50	رج			Samp & the day of the second	Mact 4	VANES	1
Height	Height of Cairnm.	ű		Diameter of Cairnn.	مسمر. Name Plate <b>from</b> d/ <b>mee</b> frommed/placed.	found.	ad/placed.	, i	PLACE MEN	T OF NEW	- 194111		60
Lengt	Length of Mastm.		(appi		TAKEE	THEE LOOKOUT	÷	/ %					14
4. A	2.1. P. Pe set	in conc/m	tek has been pitered/	found, bearing/fo.	°M from Menner	t <del>/Pil</del> is	3r	έ/					1.94
5. A.G	ex Narie set	in conc/re	teen p <del>laced</del> ∕	5. A. Copper. Millie	"M from Mean	u/ <del>Pho</del> s/Pills	×	oęź /					/ qt
6. A	set	in conc/ro	ck has been placed/	<ol> <li>A</li></ol>	°M from Mast	t/Plug/Pill;	ır	580					80
7. A	set	in conc/ro	ck has been placed/	7. A	°M from Masi	t/Plug/Pill	ar	04z		+			90
8. Action	8. Action required: Parce New NAME	Vew A	IAME RATE	· PATE (NAME CMALEED)	ر مو			560				÷.	190
STANDPOINT:	:1NT:			STANDPOINT:				0					1
Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference	5					șto /
			above standpt below				below standpt	540					720
			above standpt. below				above below standpt.	7					
			above standp1. below				below standpt.	530					130
			above standpt. below				above standpt.						
	-		above standpt. below				above standpt.						
			above standpt. below				above standpt. below	55					46
			above standpt. below				above standpt. below	210	/ 200 /	190 180	1 0/1	160 150	$\square$
Prep.	Prepared by: P. Ports 7	7-5-66	Checked:		ν¢	Noted on U. T.M. Card	M. Card by			Checked 6	O. Mon	6/2/3	N

616

.

Cate	bate Date Record of Station Record of Station	scription of beacon:	Name: Acce Report of 121, 19, 19, 18, was found suitable/unsuitable Er has Orkine marker bares Raws Sun Beenker bares on RH Centrare Lookous Bar on Acentrare Lookous Bar on Arkeus C. (D) Access.	Not to State Not to State 0 55854 0 724 0 724 0 725 0 725
Delow		Date Date		aelow tt of Gairn
	cription of baseon:			iginal beacon found/not found.
	ginal beacon found/not found. sciption of beacon:	ginal beacon found/not found.		cription of mark:
	cription of mark:	cription of mark:		ginal station mark found/not found.
	ginal station mark found/not found. cription of mark:	ginal station mark found/not found. cription of mark:		s section to be completed by officer constructing pillar.
	s section to be completed by officer constructing piller. ginal station mark found/not found. cription of mark:	s section to be completed by officer constructing pillar. ginal station mark found/not found. cription of mark:		
	s section to be completed by officer constructing piller.	s section to be completed by officer constructing pillar.		
	section to be completed by officer constructing piller.	section to be completed by officer constructing piller.	ALL WEATHER 2.WD. ACCESS.	
ALE VIENTIRE ZHO. Necess.	ALE VIENTILER	ALE VENTILER	DREAKNECK G. (P)	
II.75 DEERKER G.S.O) ML VIENTHER Z.W.D. Access.	52, 11	SZ	TAKE BEERKWERK LOOKOUT BAD ON LEFT. TAKE BRENKWERK LOOKOUT BAD ON RIGHT	
10.62 TAKE DEERKIECK LOR COUT BAD ON 11.75 DEERKIECK CORCOUT BAD ON 11.75 DEERKIECK G.C.(7) ML VIENTHER Z.WD. ACLESS	20.02 27 28 28 28 28 28 28 28 28 28 28	28 % 28 %	THEN KIGHT JUN BRENKNECK BARST FOND. PASSING THONEE FORENT REND ON R.H.S.	
17 The Result Jon Court Jon Reenview Brearview Breas 7-60 Assis Trouse Great Carlo an Ch 11.26 Thre Greatiew Lowcor Carlo an 11.75 Dreatiew C.S.(D) ML VENTHER ZWD, Access.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<ul> <li>2 5 5 5</li> <li>2 7 5 5</li> <li>2 7 5 5</li> <li>2 8 7 5</li></ul>	et less Office notice South Montes	
ADDO PARTEET BAS OFFICE TAVEL SOUTH HONGA 177 Then Resut Jun BRENKNELK FOREST Rando 7.46 Passing Trunkee Forest Rand ON R.I.S. 10.02 TAKE DEENKVECK LOOKOUT BAD ON RIGHT 11.75 DEENKVECK CO.(1) MLL NENTHER 2.WD. PLOESS. ML NENTHER 2.WD. PLOESS.	ADDO PARTEET BAS OFFICE TAVEL SOUTH HONGA 177 Then Rear Jin BREARVIER FOREST Rando ON R.H.S. 7.40 PASSING THURE FOREST Rando ON R.H.S. 10.62 THRE BREARVIECK LOOKOUT BAD ON RIGHT 11.75 BREARVIECK Q.S.(U) 11.75 BREARVIECK Q.S.(U) MLL WEATHER 2.W.D. ALLESS. ML WEATHER 2.W.D. ALLESS.	and an anticent as office nature Sourh Handa 177 The Raw Jin Brenkvier Forest Rans on R.H.S. 746 Asside Trivoure Forest Rans on R.H.S. 10.62 THRE Brenkvierk Lookour Ban on Right 11.75 Brenkvierk Land, McLess. Mr. Wentherk 2.W.D. Access.	Access Report of?./?./19./E.was found suitable/unsuitable. /extrace	-
MA Access Report of [2], [] (19, few stound suitable, larrage and further his office maker Sour Hands 1,77 Then heart Sin Office maker been hear 1,77 Then heart Sin Office maker been on KH.S. 1,605 THE BEENKNECK LOOKOUT BAD ON LEFT 1,75 DEENKNECK LOOKOUT BAD ON Right 1,75 DEENKNECK COOKOUT BAD ON Right Mat WEATHER 2 WD. HOLES.	A Access Report of [2], [] [] [] [] was found suitable, for factors as office maker Sourh Hondo 177 Then Row Towne Forent Rand on RH.S. 7.46 Assing Thursee Forent Rand on RH.S. 10.62 THE Ocentrated Control Rand on Rest 11.75 Deenvieted C.(D) Mr. VENTHER Z.W.D. Ruess.	A Access Report of	8	
Access Report of "21, \$ / 19 ("Wwas found suitable" Insuitable. Access Report of "21, \$ / 19 ("Wwas found suitable" Insuitable. Access fas Office zarde South fas on RHS. 17, The Scentweek Control Ran on RHS. 16.62 TAKE Scentweek Control Ran on RHS. 16.62 TAKE Scentweek Control Ran on RHS. 16.52 TAKE Scentweek Control Ran on Right. 16.52 TAKE Scentweek Control Ran on Right.	Access Report of 21, 2, 19 (2) was found suitable/unsuitable. Access Report of 21, 2, 19 (2) was found suitable/unsuitable. Access Report of 2, 2, 19 (2) was found suitable/unsuitable. Access Reserved Seen Reserved Seen Reso an Res. 1, 26 Take Seen week Lookout Ran an Leri. 1, 26 Take Seen week Lookout Ran an Res. 1, 75 Seen wie een 2, 0, 10 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	Access Report of "21, "", 19 ("E was found suitable, unsuitable. <u>Access Report of "Active Sound Suitable, unsuitable.</u> <u>Access Report of Sound Suitable, unsuitable.</u> <u>Access Report Sound Suitable.</u> <u>Access Report Sound Sound Sound Sound Sound Sound Sound Sound Report Sound Sou</u>		
Phone: Access Report of (21, 2, 19) Rewas found suitable/unsuitable. <u>Access Report of (21, 2, 19) Rewas found suitable/unsuitable.</u> <u>Access Report of Accest Resonand Resonand Resonand</u> <u>Access Resonand Resonand Resonand Resonand</u> <u>Access Resonand Resonand Resonand Resonand</u> <u>Access Resonand Resonand Resonand</u> <u>Access Resonand Resonand</u> <u>Access R</u>	Phone: Access Report of 121, 19,12, was found suitable/unsuitable. <u>Access Report of 121, 19,12</u> , was found suitable/unsuitable. <u>Access Resort Six Orkice Reserveck Socrat Road</u> 770 Reside Truovee Forent Rado on RHS. 7.40 Reside Truovee Forent Rado on Right. 11.75 Dreakveck Lookout Rado on Right. 11.75 Dreakveck Lookout Rado on Right. Met WEATHER 2, WD, Ruess.	Phone: Access Report of "21, "2, 19, "Ewas found suitable/unsuitable. Access Report of "2, "2, 19, "Ewas found suitable/unsuitable. Access Resonance for an access for a acces		
Marcess Report of 121, 19 12 was found suitable. Phone: Access Report of 121, 19 12 was found suitable. Access Report of 131, 19 12 was found suitable. Access Report of 13, 19 12 was found suitable. Access Report of 19 12 was found suitab	Phone: Access Report of [2], [], 19 [Ewas found suitable. Phone: Access Report of [2], [], 19 [Ewas found suitable. Access Report of [2], 19 [Ewas found suitable. Access Report of [2], 20 [2], 19 [Ewas found suitable. Access Report of [2], 19 [Ewas found suitable. Access Report of [2], 10 [2]	Phone: Access Report of		
Owner's Name:     Access Name:       Address:     Access Report of (21, 1/19) Ewas found suitable/unsuitable.       Phone:     Access Report of (21, 1/19) Ewas found suitable/unsuitable.       Access Report of (21, 2/19) Ewas found suitable/unsuitable.     Access Report of (21, 2/19) Ewas found suitable/unsuitable.       Access Report of (21, 2/19) Ewas found suitable/unsuitable.     Access Report of (21, 2/19) Ewas found suitable.       Access Report of (21, 2/19) Ewas found suitable.     Access Report of (21, 2/19) Ewas found suitable.       Access Report of (21, 2/19) Ewas found suitable.     Access Report of (21, 2/19) Ewas found suitable.       Access Report of (21, 2/10) Event Report Report Report Report of (21, 2/10)     Access Report Report Report Of (21, 2/10)       Access Report Report Concorr Report On On Right     Access Report Report Report Report Of (21, 2/10)       Access Report Report Current Report Re	Owner's Name:     Access       Address:     Access       Phone:     Access	Owner's Name:     Access       Address:     Access       Phone:     Control (accord)       Phone:     Contro (accord)       Phone:     C		

8