

7.4-98

CENTRAL MAPPING AUTHORITY  
 Department of Lands  
 Trigonometrical Survey of N.S.W.  
 RECONNAISSANCE and MAINTENANCE REPORT

STATION HUNTER TS 5639

Co: Hunter  
 Map Sheet: ST. ALBANS  
 Inspected by: T. Morrison  
 Authority: C. M. A.  
 No: 9031  
 Date: 6.2.75  
 Field Book: 1432  
 Not to Scale

This Trig. Station has been: Note: Cross out word or words which do not apply


1. Completely cleared to permit 360° vision to surrounding Trig.
2. Cleared by Janes bearing 99-132°M; 213-5°M from Trig. Mast
3. Trig. Mast & Vanes have been painted white & black respectively. ✓
4. The Trig. was unpiled/not unpiled, dimensions now being:

Description of mark: Conc. Pile. should be explicit, e.g. Steel plug, Brass plug, Bolt, G.I. Pipe  
 Height of mark: 1.3 m above rock/concrete base above G.L.  
 Height of Top Vanes to Top Mark: 1.47 m Diameter of Vanes (vertical): 0.75 m.  
 Height of Cairn: m. Diameter of Cairn: m.

- Length of Mast: 1.56 m. (approximate if not unpiled)
5. A Trig. Plug set in conc/rock has been placed: 2.525 m. bearing 144°M from Trig. Mast
  6. A G.I. Pipe set in conc/soil has been placed: 2.530 m. bearing 115°M from Trig. Mast
  7. A set in conc/soil has been placed: m. bearing °M from Trig. Mast
  8. A set in conc/rock has been placed: m. bearing °M from Trig. Mast

9. Connection: Plug to G.I. Pipe: 1.240 m. bearing 40°M
10. Connection: to: m. bearing °M
11. Connection: to: m. bearing 94°M
12. Connection: to: m. bearing °M SENIOR TRIGONOMETRICAL SURVEYOR
13. Diff. Ht. Trig. Plug is: 1.265 m. below Pile. Plate
14. Diff. Ht. G.I. Pipe is: 1.239 m. above below
15. Diff. Ht. is: m. above below
16. Diff. Ht. is: m. above below

Prepared by: A. Hunter Checked: S. W. Noted on U.T.M. Card



Date: Record of Station

Checked



CENTRAL MAPPING AUTHORITY

GEODETIC SURVEY OF NSW

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT


STATION: **HUNTER** No.: **5639**

MAP SHEET SCALE 1:250 000 **SYDNEY**

INSPECTED BY: **G. DICKSON** DATE: **28th Nov. 78**

AUTHORITY: **C.M.A.** FIELD BOOK: **169**

Description: *Note: Cross out word or words which do not apply*  
 1. Cleared by lances bearing..... **SLIGHT CLEARING FOR 160 HORIZON**..... from Trig, Mast  
 2. Mast & Vanes have been painted white & black respectively.  
 3. The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being:  
 Description of mark **S/S PILLAR PLATE** should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe  
 Height of mark.....m. above rock/concrete; Mark is.....m. above G.I. below  
 Height of Top Vanes to Top Mark/Pillar plate **1.44**.....m. Diameter of Vanes (vertical) **4.75**.....m.  
 Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/~~not found~~/placed.  
 Length of Mast.....m. (approximate if not unpiled)  
 4. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar  
 5. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar  
 6. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar  
 7. A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar  
 8. Action required:.....



STANDPOINT:						
Mark	Direction	Horiz. Distance	Height Difference	Direction	Horiz. Distance	Height Difference
			above standpt.			above standpt.
			below			below
			above standpt.			above standpt.
			below			below
			above standpt.			above standpt.
			below			below
			above standpt.			above standpt.
			below			below
			above standpt.			above standpt.
			below			below
			above standpt.			above standpt.
			below			below

Prepared by: ..... Checked: ..... Noted on U.T.M. Card

STATION <b>HUNTER. TS 5639</b>	Owner's Name: ..... Address: ..... Phone: ..... Current Occupant: ..... Address: ..... Phone: ..... ACCESS Access Report of <b>28.8.1978</b> was found suitable/unsuitable. <b>KILOMETERS</b> 0.0 0.45 0.9 1.35 3.0 5.75 6.00 7.75 8.45 9.5 10.05 10.15 FEATURE BRIDGE OVER COLD RIVER LOWER PORTLAND. CROSS BRIDGE. INTERSECTION - STRAIGHT AHEAD ROAD TO LEFT 'WARRUMARRU RIDGE RL'. COLD HEIGHTS PARK. SEALED ROAD ENDS. TURN LEFT. SOUTHS JUNIORS TOURIST HOTEL. GATE + COURSE. FORK - VEER LEFT. PROPERTY ON RIGHT 'MARDOO VALLEY STUD'. FORK - TURN LEFT, SIGN 'MUNYARRA' TO RIGHT. STRAIGHT AHEAD - TRACK TO LEFT. FORK - TURN LEFT - BLAZED TREE CENTRE OF FORK. FOLLOW TRACK - OCCASIONAL BLAZES. ROCKY SECTION A.H.D. ONLY. TRUC.
Beacon Diagram Not to Scale 	This section to be completed by officer constructing pillar. Original station mark found/not found. Description of mark: ..... Original beacon found/not found. Description of beacon: ..... Height Top of Vanes to Top Mark .....m. Height of mark .....m. above G.L. below G.L. Diameter of Vanes .....m. Height of Cairn .....m. Original Beacon has/not been destroyed by me.
Date	Record of Station

Sr 2739-2 D. Weet. Government Printer

CENTRAL MAPPING AUTHORITY

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

Note: Cross out word or words which do not apply

1. Cleared by vanes bearing..... from Trig. Mast
2. Mast & Vanes have been painted white & black respectively.
3. ~~The station/pillar was unspiked/not unspiked/constructed on~~.....<sup>19</sup>....., dimensions now being:
  - Description of mark.....~~should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe~~
  - Height of mark <sup>above</sup> ~~below~~ .....m. Mark is <sup>above</sup> ~~below~~ .....m. G.L.
  - Height of Top Vanes to ~~Top Mark/Pillar plate~~ .....<sup>1.43</sup>.....m. Diameter of Vanes (vertical) .....<sup>0.75</sup>.....m.
  - ~~Height of Cairn~~.....m. Diameter of Cairn.....m. Name Plate found/not found/placed:
  - Length of Mast .....<sup>1.51</sup>.....m. (approximate if not unspiled)
4. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
5. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
6. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
7. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
8. Action required:.....

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below
			above standpt. below				above standpt. below

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference
			above standpt. below
			above standpt. below
			above standpt. below
			above standpt. below
			above standpt. below
			above standpt. below
			above standpt. below

Prepared by:

Checked:

Noted on U.T.M. Card

Checked *[Signature]*

STATION: *HUNTER (P)* No.: *5639*

MAP SHEET SCALE 1:250 000

INSPECTED BY: *K. J. PATT* DATE: *8/12/82*


AUTHORITY: *J.M.R.* FIELD BOOK:

Station Diagram

Not to Scale

St 2733-2 D. West, Government Printer

STATION **5639 HUNTER (P)**



Owner's Name: .....  
 Address: .....  
 Phone: .....

Current Occupant: .....  
 Address: .....  
 Phone: .....

**ACCESS**

Access Report of 8/12/1982 was found suitable/unsuitable.

- 00 At Wisemans Ferry Police Station. Head south to lower Portland
- 0.31 Webbs Creek Ferry on right.
- 14.98 Cliftonville Ski Lodge. Road to Maroota on left.
- 23.07 Turn Right to Portland Ferry. Sign Wisemans Ferry 22-Windsor 27
- 23.14 Ferry Gate.
- 23.45 Junction. Road to Wilberforce. Turn right over Colo River Bridge.
- 23.55 Centre Colo River Bridge.
- 23.89 Road to Colo Heights on left.
- 26.59 Souths Juniors Tourist Motel "Una Voce" Centre Mah Building.
- 29.28 Gate "Mardoo Valley Stud".
- 29.54 House, Take left fork up hill.
- 31.41 Turn left up hill. Sign: Wisemans Ferry-Private Property-  
No Through Road.
- 31.61 Power Stauchion No. 91. Keep Stauchion on your left.
- 32.14 Track on left.
- 33.18 Turn left.
- 33.87 Pillar.

This section to be completed by officer constructing pillar.

Original station mark found/not found.

Description of mark: .....

Original beacon found/not found.

Description of beacon: .....

Height Top of Vanes to Top Mark.....m.

Height of mark.....m. above rock/conc.....m. below G.L.

Diameter of Vanes.....m. Height of Cairn.....m.

Original Beacon has/has not been destroyed by me.

Date	Record of Station