

CENTRAL MAPPING AUTHORITY

GEODETIC SURVEY OF N.S.W.

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: *TOBIN (P)* No: *5670*

MAP SHEET SCALE 1:250 000

INSPECTED BY: *CMA* DATE: *19/6/81*

AUTHORITY: *G. JONES* FIELD BOOK: *19/5*


Description:
 Cleared by lanes bearing..... *SEE Q. ACCOM.* from Trig. Mast

- Mast & Vanes have been painted white & black respectively.
- The station/pillar was unpiled/not unpiled/constructed on..... *19*....., dimensions now being: Description of mark *S/S P.I. PLATE* should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
- Height of mark.....m. above/below rock/concrete; Mark is.....m. above/below G.L.
- Height of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
- Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/not found/placed.
- Length of Mast.....m. (approximate if not unpiled)
- A..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

8. Action required.....

STANDPOINT:		STANDPOINT:		STANDPOINT:		STANDPOINT:	
Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below

Prepared by: *GL* / *17/81* Checked: *17/81* Notes on U.T.M. Card



Station Diagram

Not to Scale

North

320 310 300 290 280 270 260 250 240 230 220

330 340 350 360 370 380 390

40 50 60 70 80 90 100 110 120 130 140

150 160 170 180 190 200 210 220

Checked

SR 2733-1

SI 2733-2 D. West, Government Printer

<p>STATION TOBIN (P) TS 5670</p>	<p>Owner's Name: DOYLES RIVER STATE FOREST Address: WAUCHOPE FORESTRY COMMISSION Phone: Current Occupant: Address: Phone:</p> <p style="text-align: center;">ACCESS</p> <p>Access Report of 26/11/1977 was found suitable for.....</p> <p>FROM DOYLES RIVER FORESTRY CAMP ON OXLEY HIGHWAY. 90 km to WALCHA, 77 km to WAUCHOPE.</p> <p>0-0 TAKE DOYLES RIVER FOREST ROAD. 1-8 TURN RIGHT. SIGN, "FIRE TOWER ROAD." 2-8 TURN LEFT. 3-0 OLD BUS CHASSIS ON LEFT. 3-45 FIRST TRACK ON RIGHT TO OXLEY GS. 3-9 FIRE TOWER. 4-1 TOBIN GS.</p>
<p>Beacon Diagram</p>	<p>Not to Scale</p> <p style="text-align: center;">CONCRETE PILLAR WITH 4 VANES FOUND IN GOOD CONDITION</p>
<p>This section to be completed by officer constructing pillar.</p>	<p>Original station mark found/not found.</p> <p>Description of mark:</p> <p>Original beacon found/not found.</p> <p>Description of beacon:</p> <p>Height Top of Vanes to Top Markm. above G.L. below G.L.</p> <p>Height of markm. above rock/conc.m. below</p> <p>Diameter of Vanesm. Height of Cairnm.</p> <p>Original Beacon has/had not been destroyed by me.</p>
<p>Date</p>	<p>Record of Station</p>