

CENTRAL MAPPING AUTHORITY

GEODETIC SURVEY OF M.S.M


GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

STATION: INNES No.: 6070

MAPSHEET SCALE 1:250 000 HASTINGS

INSPECTED BY: C. Parkes DATE: 30-9-81

AUTHORITY: C.M.A FIELD BOOK: 1293



Description: 560P Note: Cross out word or words which do not apply

1. Cleared by lanes bearing..... from T. fig. Mast

2. Mast & Vanes have been painted white & black respectively. ✓ PILLAR painted

3. The station/pillar was unpiled/not unpiled/constructed on.....19....., dimensions now being:
 Description of mark..... should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark.....^{above} rock/concrete; Mark is.....^{above} G.L.,
 Height of Top Vanes to Top Mark/Pillar plate.....m. Diameter of Vanes (vertical).....m.
 Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/not found/pilead.
 Length of Mast.....m. (approximate if not unpiled)

4. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

5. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

6. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

7. A.....set in conc/rock has been placed/found, bearing.....°M from Mast/Plug/Pillar

8. Action required:.....

STANDPOINT:			
Mark	Direction	Horiz. Distance	Height Difference
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.
			above standpt.
			below standpt.

Prepared by: AS Noted on U.T.M. Card

Checked: AS

Checked: AS

81:2233-1