

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

- Note: Cross out word or words which do not apply
- | Description: | |
|---|---------------------------------|
| 1. Cleared by lanes bearing..... | See Str Diagram from Trig. Mast |
| 2. Mast & Vanes have been painted white & black respectively. | |

3. The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being:

PSM 52402 should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe

Height of mark.....Q:Q...m. ^{above} rock/concrete; ^{below} Mark is.....Q:Q...m. ^{above} G.L. ^{below}

Height of Top Vanes to Top Mark/Pillar plate ~~No. Beacon~~ **No. Beacon** m.

Height of Cairn.....NIL.....m. Diameter of Cairn.....NIL.....m.
Name Plate found/~~not found~~/~~placed~~.

Length of Mast **N/L** (approximate if not unplied)

- | | | | |
|----|-------------------|---|---------------------------------|
| 4. | A. Reference Bolt | set in conc/rock has been placed/found, bearing,.....°M | from Mast/Plug/Pillar at 6.4 m |
| 5. | A. Mortar Post | set in conc/rock has been placed/found, bearing,.....°M | from Mast/Plug/Pillar at 1.45 m |
| 6. | A..... | set in conc/rock has been placed/found, bearing,.....°M | from Mast/Plug/Pillar |
| 7. | A..... | set in conc/rock has been placed/found, bearing,.....°M | from Mast/Plug/Pillar |

8. Action required:.

[illegible]

Prepared by:

05-8-8

Checked: _____

K. L. Acker

Noted on I T M Card

STATION: QGS 523	No.: 6098	
MAP SHEET SCALE 1:250 000	Warwick	(Greville 1:50,000)
INSPECTED BY: A. S. Nertsen	DATE: 4-8-80	
AUTHORITY: CMA	FIELD BOOK: 1848	

Station Diagram

QUEENSLAND

STATION

QGS 523

TS 6098

Owner's Name: Between border fences

Address: of NSW & QLD

Phone:

Current Occupant:

Address:

Phone:

ACCESS

Access Report of 4.8.1980 was found suitable/unsuitable.

From KYOGLE PO travel north towards WOODENBURY for 19.9 km then turn R & follow "BRISBANE via LIONS ROAD" signs to Richmond Gap Border Gate another 24.7 km further.

At Gate turn R up fence (wire gate) and drive for another 0.6 km.

1/2 hr steep walk to QGS 523 following bridle track

Note: it is possible to walk from here to GIPPS.
Go further along border fence until it turns sharp left. Turn right along old track into forest. 1/2 hr easy walk following track till just before it drops steeply

Date

Record of Station

Height Top of Vane to Top Mark.....m.

Height of mark.....m. above G.L. below

Diameter of Vane.....m. Height of Cairn.....m.

Beacon Diagram

Not to Scale

This section to be completed by officer constructing pillar.

Original station mark found/not found.

Description of mark:

Original beacon found/not found.

Description of beacon:

Original Beacon has/not been destroyed by me.