

GEODETIC SURVEY OF N.S.W.

CENTRAL MAPPING AUTHORITY

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

Note: Cross out word or words which do not apply

- Cleared by lanes bearing..... from Trig. Mast
- Mast & Vanes have been painted white & black respectively.
- The station/~~pillar~~ was ~~unpiled/not unpiled/concreted-on~~.....~~10~~.....~~dimensions now being:~~
 Description of mark.....should be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark.....m. ^{above}/_{below} rock/concrete; Mark is.....m. ^{above}/_{below} G.L.
 Height of Top Vanes to Top Mark/Pillar platem. Diameter of Vanes (vertical).....~~7.6~~.....m.
 Height of Cairn.....m. Diameter of Cairn.....m. Name Plate ~~found/not found/placed~~.
 Length of Mast ~~2.2~~.....m. (approximate if not unpiled)
- A.....~~S.S.M~~.....set in conc/~~rock~~ has been ~~placed~~/~~found~~, bearing.....~~222~~.....°M from Mast/~~Plug/Pillar~~ ~~3.3~~.....m
- A.....~~G.I. PIPE~~.....set in conc/~~rock~~ has been ~~placed~~/~~found~~, bearing.....~~307~~.....°M from Mast/~~Plug/Pillar~~ ~~5.4~~.....m
- A.....set in conc/rock has been placed/~~found~~, bearing.....°M from Mast/~~Plug/Pillar~~
- A.....set in conc/rock has been placed/~~found~~, bearing.....°M from Mast/~~Plug/Pillar~~
- Action required: ~~Clearing of Connections~~.....~~(2 days to clear 360°)~~.....

STANDPOINT: To be clearing to following trig: STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
WARDS POINT	EDM		above standpt.				above standpt.
KREMNDS	EDM		above standpt.				above standpt.
TALLAWUDJAH	EDM		above standpt.				above standpt.
GEDGES KAOB	EDM		above standpt.				above standpt.
			above standpt.				above standpt.
			below				below
			above standpt.				above standpt.
			below				below

Prepared by: *96*

Checked: *WJ 26/9/23*

Noted on U.T.M. Card

Sr 2733-1

STATION: KOUKAN DOWIE GS No.: *156432*
 MAP SHEET SCALE 1:250 000 GRAFTON
 INSPECTED BY: G JONES DATE: 16-8-79
 AUTHORITY: CMA FIELD BOOK: —

Station Diagram
 North
 No clear lanes however only light timber.
 +
 Other end of ridge 250m However horizon still visible.

Checked

TS 6432

<p>STATION Ka-Kondowit Reef - Top Pillar</p>	<p>Owner's Name: A.I. Pitkin Address: Ka-Kondowit Reef Phone: N/A</p> <p>Current Occupant: Address: Phone:</p>	<p>ACCESS</p> <p>Access Report of 10/8/1979 was found suitable.</p>
<p>Beacon Diagram</p>	<p>This section to be completed by officer constructing pillar.</p> <p>Original station mark found/..... Description of mark: Range Original beacon found/..... Description of beacon: Pole, calipers & discs Height Top of Vane to Top Mark: 3.667 m. Height of mark: 0.13 m. above / 1.00 m. below Diameter of Vane: 1.60 m. Height of Cairn: 1.100 m. Original Beacon has/..... been destroyed by me.</p>	
		<p>Date: 16th November, 1979</p> <p>Record of Station: ORIGINAL MARK & VANE NOT DISMANTLED UNTIL 16th November, 1979. Pitkin</p>

St 2735-2 D. West, Government Printer