										Ċ	l		201
	8		GEOD	ODETIC STATION	DETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	E and MAINT	ENANCE RE	PORT	STATION:	50	0412 116	No.: 26	201
	Description:			Nc	Note: Cross out word or words which do not apply	r words which	do not appl		MAP SHEET SCALE 1:250 000		GRAFION		
÷	Cleared by lanes	bearing			Cleared by lanes bearing from Trig. Mast	from	Trig. Mast		INSPECTED BY	in M.	INSPECTED BY: N. L. MORRISON	DATE: 22/1/80	180
N	Mast & Vanes have been painted white &	ve been paint.	ed white	& black respectively.					AUTHORITY:	U	C. M. A.	FIELD BOOK: 1799	1790
ri	The station/pillar	r was unpiled,	'not unpi	ed/constructed on:	The station/pillar was unpiled/not unpiled/constructed op19	, dimensic	ins now being) ji	340	350 360 10	1 20 1	30
	Description of ma	ark	shc	uld be expligit, e.g.	Description of markshould be explight, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	Steel plug, Bra	ass plug, Bolt	, G.I. Pipe	Station Diagram	gram	North	Not to Scale	
	Height of markm. below rock/concrete;	Ľ.	^{above} roch	dconcrete;	Mark is Below G.L.	ı. ^{above} G.L.				2	TRIC EN 11 Good	10 - 11 - 12 - 12 - 12 - 12 - 12 - 12 -	
	Height of Top Vanes to Top Mark/Pillar p	anes to Top M	lark/Pilla	r platem.		Diameter of Vanes (vertical)m.	vertical)	m.			SSM in case for	570 2.23m	2.20
	Height of Cairn			Diameter of C	Diameter of Cairnm.	Name Plate f	Name Plate found/not found/placed.	ind/placed.	LE LE	sodi	J	8	5
	Length of Mast			(approximate if not unpiled)	t unpiled		_		002	xes	Anon 3 days to clear 360°	Kar 360 0	
4	A	iyas	n conc/rc	ick has been placed	A	^o M from X	hast/Plug/Pill	ar		5 ¥ 5	thek suckering		
ы	A	set i	n conc/ro	ock has been placed	A	°M frym M	fast/Plug/Pill	ar	6ž /		2		
.0	A	set i	n conc/rc	ck has been placed/	A	[°] M from M	fast/Plug/Pill	ar	580				
	Α	set li	n conc/rc	ck has been placed/	7. Aó// from Mast/Plug/Pillar	h from M	fast/Plug/Pill	ar	2000		+		
	8. Action required:			****			J		Co Seo	t	B Kee Kee	man feel	
S	STANDPOINT:				STANDPOINT:				, <i>K</i>	len l	Gill bu the	around	
	Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Dístance	Height Difference		they	would like	the	
				above standpt below				above below standpt,	0+2	ager	to be contar	Leve as per	592
				above standpt.				above below standpt.	dound	9 50.	/	1 mada	
				above standpt				above below standpt.	>				
				above standpt. below			-	above standpt. below					
				above standpt. below				above standpt, below					2
				above standpt. below				above standpt. below	550				
				above standpt. below				above standpt.	/ 2/10 /	200 /	1 081 1901	70 160	160
			4 1				and a state of the	Same and Shares and		50 N/22			

STATION OGAL VIE TS 6555	Owner's Name. M.R. G. ROS. B.Y. Current Outrace. M. C. C. R. S. S. AUC Address: 4 ULL KES. ALC Address: GRAFFAJ. Rev. 2470 Address: 4 ULL KES. 3144 Address: GRAFFAJ. Rev. 2470 Matters: 4 ULL KES. 3144 Address: GRAFFAJ. Rev. 2470 Matters: 4 ULL KES. 3144 Address: GRAFFAJ. Rev. 2470 Matters: 8446 6 0.01/9 812 Rev. 2570 Plant. 0.01 0.066 66 35/8 Access Report of 3.13/196/wast found suitable/wastadt. 21-1-1480	NE" BEFORE GOING TO TRIG SEE MR MAN ROEAN AT YUGHBARSTATION AS ACCESS GOES ACROSS YVEILEAR PEPERTY.	BREATTON BREATTON TUCKI LEFT SIGN' LONGVILE HAW TUCKI LEFT SIGN' LONGVILE HAW CROSS CLADANGE RUDER (MAR DHI RULBAR STATITUM ON LEFT SIGN' LONGVILE HAW CROSS CLADANGE RUDER (MAR DHISARE SMAL DAM + CATTE SACES FRUILL FAINT TERE CROSS CLADANGE RADE LEFT OREDIE NOT DAM + CATTE SACES FRUILL FAINT TERE WITH RUCK AUSOLOGIE LEE LEFT OREDIE NOT DAM + CATTE SACES FRUILL FAINT TERE MARST THROUGH FEALOR FALLE VITT ROUTE NOT AND SACILIES THROUGH FEALOF FOLLOW TRAK DUTTREACH NUMBERS GOLLIES JUST GUT OF DES CREEK HENDUF ROUCH SURLY STURY TO TOP OF F SPUR THENTE IN A WESTRALLY INCLUE AS FRAGERIALE BUT VETTE OWILK TO TOP OF F SPUR THENTE IN A WESTRALLY DISECTION IN THIS ZAULIE AN UNIT TO TOP OF F SPUR THENTE IN A WESTRALLY DISECTION IN THIS ZAULIE AND VETTE OWILK	HOTE: 22/1/ 80 FRAM S. S.M.M. DN TRICK IS WATURED AND BASTANT ITIS NUMMUL	Record of Station
st 2733–2 D. West, Government Printer				This section to be completed by officer constructing pillar. Original station mark found/not found. Description of mark:	Description of beacon:

CENTRAL M	CENTRAL MAPPING AUTHORITY	N.S.W.		
	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	VINTENANCE REPORT	STATION: OCALVIE PILLING	No.: 15 6555
Description:	it word or w	which do not apply	MAP SHEET SCALE 1:250 000 CAME TAU	
		from Trig, Mast	INSPECTED BY: L. אישיער	DATE: 151 July to
z. Maast & Vane	Mast & Vanes have been painted white & black respectively.		AUTHORITY: P. M. D.	FIELD BOOK: VSI
3. The station/p	The station/pillar was unpiled/net unpiled/constructed on.34thCauk19.8.0 dimensions now being:	ensions now being:		1 10 / 20 / 30
Descriptian c	Description of mark.ມີແມ່ງທີ່ມີການ ທີ່ມີຄະດີຄົມສາດແມ່ງ be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	3, Brass plug, Bolt, G.I. Pipe	tion Diagram	ot to Sci
Height of ma	Height of mark!	L L		
Height of To	400m.	Diameter of Vanes (vertical)?\$\$0m.		
Height of Cai		Name Plate ferred/net ferred/placed.	015	
Length of Ma	(a pproximet e if not unpiled)		7 04	
A. Bens	4. А	am Maet/Pillar	οε /	
A S S	5. A	Xm Mart/Phillar	062	
A CALP	6. AC.A.M.Wset in conc/reack has been placed found, bearing	from Maet/Hund/Pillar	Buts lacue	0 T O
A	c has been placed/found, bearing	om Mast/Plug/Pillar	Site .	. 1. Turudu.
Action requin	8. Action required:		1/2 - ZZ - 74 - 18	The survey
STANDPOINT:		ERN35 REACT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Mark	Direction Horiz. Height Difference Mark Direction	ction Horiz. Height Difference	A CINE	RA HA
BARYNLEN P	o ou do below standou Bagaunicail P D DO	00	340	M
CARNER NEW ?	44 28 357 Below standpt.	00 2:224 488	1	w 1
KALOE ?	GENHAM Newl 49	<u> </u>	ÈĘ	2/2/
G 1 R.P.C	1.842 below standpt. (219.95	40 3.145 0.011		100
A.S.C. BLASS RAGUE 135 13	10 2333 1854 bolow standpt. PILLANE PULTE 335	2.3.32	356	,
	ebove standpt. below	above standpt.	210 / 200 / 190 / 180	170 160 150
Prepared by:	Checked: 2. 4. 9/7/4	Noted on U.T.M. Card	Checked	
\$1 2733–1				

a	a process of the second se	
	St 2733–2 D. West, Government Printer	STATION OGHLVIE BILDE 15 6555
		Pq
		Phone:
		Access Report of 4.1.7.1980 was found suitable/uns Fuesting Browning Do Human Townersh Tabler Trand LEFT Siley "Lious suitur 14."
		2455 LAUDSS LANDAUCE HUNCH JALANER" Said GRAID / S455 Taral LEFT Just Bergze Gulundt Main Fairows Frinct Trunch un Chera Streef Juivier /
5		675 OPEN FENCE / 7-20 STEEP AND LOSE MAY DEEP LINUCH / 7-25 OLD FENLE / 8-70 (EEDDEL STATUL) /
	The second secon	ALOTE R. Dewordte Tenck winds Build By Mr To Twis Sannad Fait 2:75 Kilometers. It is very Build
a)	This section to be completed by officer constructing piller. Original station mark found/neatened. Description of mark:	ALLS STORP IN SECTIONS DRIVE WITTE LARGE .
	Original beacon found/net found.	
	Description of beacon:	Date Record of Station
	Height of markQR.em. above above below below G.L. Diameter of Vanes	
	Original Beacon hash nan at been destroyed by me.	