CNICOVE	OFFIGORETA ONIGONAL LAGENDO			W S M 30 V3V8 US OLT30030	AFV OF M. S. W.		MON	KINOMIN	AS: BA]	BALAIBLUAN				
		GEOD	ODETIC STATION	ETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	nd MAINTEN	ANCE RE	PORT	STATION:	1	18: 37	(cee men)		No.: 6745	50
Description:				Note: Cross out word or words which do not apply	ords which do	not apply		MAP SHEET SCALE 1:250 000	υ00	SINGLETON	FTON			
ad sen	Cleared by lanes bearing Kneek down	Joseph of the state of the stat	foun all tarroun	Lurge dad I tree trucks trom Trig. Mast	from Tri	g. Mast		NOPECTED BY:		c Zahra		DATE:	16/1/01	
shave	been painte	d white	Mast & Vanes have been painted white & black respectively.	5				AUTHORITY:		CMB, W	454 229	FIELD BC	FIELD BOOK: 1890	
oillar w	as unpiled/r	not unpil	The station/pillar was unpiled/not unpiled/constructed on	1	19, dimensions now being:	now being		330	340	350 360	2	20/	,óe /	
of mark		ohs	uld be explicit, e.g.,	Description of markshould be explicit, e.g., S/Steg/Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe	el plug, Brass I	plug, Bolt,	G.I. Pipe	Station Diagram	iagram	M North	£	Not	Not to Scale	
ırk	Height of markm. m. below rock/concrete;	bove elow rock	/concrete;	Mark is m. below G.L.	iove G.L.			, 						Q
op Vane	Height of Top Vanes to Top Mark/Pillar p	ark/Pilla	late N	m. Diameter	Diameter of Vanes (vertical)m.	ical)	Ę	/ 9						7
airn	Height of Cairnm.	Ε	Diameter of Ca	Diameter of Cairnm. Na	Name Plate found/not found/placed.	nd/not fou	ind/placed.	ıέ				/ / / N		50
Aast		// E	Length of Mastm. (approximate if not unpiled)	: unpiled)				000					/	/ 60
	Aset in congrock	constro		has been placed/found, bearing"M from Mast/Plug/Pillar	M from Mast	/Plug/Pill	in 1	: / 0		A.			,,	5 /
	Aset ipconc/rock	conc/ro		has been placed/found, bearing"M	M from Mast/Piug/Pillar	/Píug/Pill	ie.	62 /			!		-	} p /
	AArionc/rock	conc/ra		has been placed/found, bearing	M from Mast/Plug/Pillar	/Pfug/Pill	*	280	2830it	200	· ·			80
	7. Aset in conc/rock	conc/ro		has been placed/found, bearing"M	M from Mast/Plug/Pillar	/Piug/Pill	.	04z	Park.	7	314	[4]		90
ired: .6	8. Action required: God fuel Collar Place	See !	Los C	marks) clear trees on intermediate ridge on line to	internedias	200	co line to	260	Twin dead Brank (leaning se)	A		s. /	•	100
STANDPOINT: Site 'A'	,×			STANDPOINT:	100 mm			1		400			, o, d	1
	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference	5 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 /	ท งใ	65		A ₁	17.34 S	310 /
0	0000		above standpt	Henderson	151 18 06		above below standpt.	N 58	,= = -	, ,				120
.5	9 04 33		above standpt.		203 36 46		above standpt.	7	Q Q Q	St. 0 - 75				\angle
74 4	Denman North 40 47 24		above standpt.	Myralugh	228 43 38		above standpt.	oêz	31-					130
7	12 45 (above standpt.	Hyal (approx)	300		above standpt,	/	-7	08.0- T				/
7	79 24 22		above below standpt.	Rosscole	341 26 07		above standpt,	ò	Sair Sair		,			
approx 143 55	13 55		above standpt.	Twin dead trunk Large dead tree	152		above standpt.)ZZ			O'COT COT KAN	FRAN TILY	£	46
7	144 41 00		above standpt.				above standpt.	7 5/2	200	190	180 170	160	150	7
Prepared by:	C. Zahra	_	Checked:		No	Noted on U.T.M. Card	M. Card			Checked				
		!												

-5	STATION DATE OF TO
Not to Scale	6. Walloce
	Address: 53 "unau, 34 ilera we how Address: "formy he'ld
	minimum of the first of the minimum of th
	Phone: (049) 61 55 24 Exchange
	ACCESS LOCKED GATE - See Access owner
	km. Access Report of/19was found suitable/unautable,
	15:1 Over gird, and of bitumen
	19.6 T. Springhold" on right. Collect keys for weeked gate (at 22.4)
	22.4 Money Locked gate
The state of the s	
	26.4 Take Right fort
	27.1 Gross smell out to the two Part
This section to be completed by officer constructing pillar.	28 - 45 New State About & parake, veer Alghe, unknee at 6049 down to gate 29.3 . Thous gate, then down to early
77	29.4 Gross gally, wer Right & anknee at ale 130.17 to me of graver hill R 65 eiter
Original station mark round/not round.	30.8 65 1/46 %
Description of mark:	
Original beacon found/not found.	
Description of beacon:	Date Dancel of Castica
Height Top of Vanes to Top Markm.	
above	Permissions for pillaring access observed from access owner (16/7/19)
CK/CORC	and pen the owner (Cyphone 1714)
Diameter of Vanesm. Height of Cairnm.	for chaing on the site A - Gundbrip) actions of from
Original Beacon has/has not been destroyed by me.	

	CENTRAL MAPPING AUTHORITY	GEODETIC SURVEY OF M.S.W.	
	GEODI	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	STATION: Balaibluga Cons., obs. Allas No.: 6748
	Description:	_	MAP SHEET SCALE 1:250 000 Single (60. N. S. W. (229)
	1. Cleared by tomes bearing. In permit. 3km Mison	Soon Disson White Italy of Soon From Trig Hart Aller.	INSPECTED BY: D. J. KAIG.
7	2. Mast & Vanes have been painted white & black respectively,	olack respectively,	3
က်	The station/pillar was umpiled/not unpiled/	3. The station/pillar was upplied/not unpiled/constructed on J.A.". November 19.8(i, dimensions now being:	330 340 350 360 10 20 30
	Description of mark 51 St. Clar line should	Description of mark £51 [51]. [[] [1] [1] [1] Bolt, G.I. Pipe	Station Diagram North North
	Height of mark	oncrete; Mark isl.:#9.6m. above G.L.	Bun
	Height of Top Vanes to Top Wark/Pillar platei.: 4600m.	atei	inan 24 3
	Height of Cairn	Diameter of Cairnm. Name Plate faunding found) placed.	(P) (P) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A
	Length of Mast	province in social popularies)	000
4.	A. Co post Mail. set in conc/reach	has been placed/fause, bearing. 2.4.3 M from MassiPlug/Pillar	9
ເດີ	A. G. L. P. P. Seset in conc/rack	5. AGhset in conc/reek has been placed/found, bearing!	LANGE DAG
6	6. Aset in conc/rock	has been placed/found, bearing"M from Mast/Plug/Pillar	San Calan Ca
7.	7. Aset in conc/rock l	has been placed/found, bearing°M from Mast/Plug/Pillar	(2) Balarbluan
ထ	8. Action required:		260 (TUM DIEST TOM) 243M (Cont. Obs. Pilar.)
S	STANDPOINT: Concrete Obs Pillage	STANDPOINT: GAPPER NAIL	Comes 3 152
	Horiz. Dístance	Height Difference Mark Direction Distance Height Difference	No / Signal of the state of the
ВA	BALKAN RIT(P) O' OO'OO'	BALKAN RT (P) 0° 00' 00'	120
ئ		4 18 10 0.76b of	(S) 44
ă	1	Dankide R/T (P) 79 24 30.	
او.	3.132	Gualibei (Pillar) 144 37 15	the own
ی	adibei (Pillar) 144 34 45	Bunnan (Pilar) 228 47 35	>
व्य	BUNNAM (DILLOR) 228 45 30	above stander, ane. abs. p.llag. 312 32 35 3 732 1545 same	zţ
		above standpt.	210 200 150 180 170 160 150
İ	Prepared by:	Noted on U.T.M. Care	Checked
2733-1	The second secon	Ch.	

