GEODETIC SURVEY OF M.S.W.	AISSANCE and MAINTENANCE REPORT STATION: RYAWS HILL	Note: Cross out word or words which do not apply SCALE 1.250 000 Jekit Derie	AUTHORITY: C.M.A.	tion Diagram North Not to Soa	met	m. Name riate round/not round/placed.	D Here	as been placed/found, bearing	New Sile States	32 0	Mark Direction Distance Height Difference	240		300 National	above above tellow standpt.		and	
CENTRAL MAPPING AUTHORITY GEODETIC SU	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	Description: 1. Cleared by lanes bearingfrom Trig. Mast	2. Mast & Vanes have been painted white & black respectively. 3. The station/pitler was unpited/not unpited/onetructed on2.2.2719.8.2., dimensions now being:	Description of mark	r platem. Diamet	regit of Mast	4. Aset in conc/rock has been placed/found, bearing	Aset in conc/rock has been placed/found, bearing	7. A	STANDPOINT:	Direction Horiz. Height Difference Mark	above standpr.	above standprt below, standprt	above standpt.	above standpt.	above below	above standpt.	Delow

5¢ 2733–2 D. West, Government Printer	STATION RYAMS HILL . TS 6928
Beacon Diagram Not to Scale	l
	Owner's Name: F. A. A. A. A. A. A. Current Occupant:
	Address:
	1. CON # CONT. 100 CONT. 1
	Phone:
	ACCESS
	Access Report of A.H. J./1982 was found suitable/unsuitable,
	00 locumun test office Head west along Denilgoin St.
	0.2 Torn right
	D-3 Straight a herd towards Finfers
	The second of th
	74 Turn right into The Rocks Road
	12.5 Torn 14.4
This section to be completed by officer constructing pillar,	
Original station mark found/not found.	335 Turn right through gate Cashel
Description of mark:	348 Go through gap in feace on right follow track up hill
Original beacon found/not found.	35.25 through gate and left up hill
Description of beacon:	
	Date Record of Station
Height Top of Vanes to Top Markm.	
Height of markm. pelow rock/concm. pelow G.L.	
Diameter of Vanesmm.	41)14444444411411414444444444444444444
Original Beacon has/has not been destroyed by me.	
	- The state of the

	STATION: KYANS His C.S. (2) No.: 2928	MAP SHEET SCALE 1:250 000 /ER 11 D ERIS	INSPECTED BY: Par	AUTHORITY: CMA. FIELD BOOK: 1668	330 340 350 360 10 20 39	Station Diagram North Not to Scale AMITE RESOURCES COMMISSION	3) Repris Towler /	31	in die	Busin	100 (Os Muss Part C.(Q)		Bushall Maria	To see the see of the	130 /	7.70	Coffee Mrie is	2300 E			46)zz	210 200 190 180 170 160 150	Checked
GEODETIC SURVEY OF N.S.W.	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	Description:	After the selfer, selfer to Care from Trig. Mast	ack respectively.	3. The succession pillar was unpiled/mat unpiled/constructed on	be explicit, e.g., S/Steel Pillar Plate, Skeel plug, Brass plug, Bolt, G.I. Pipe	norete; Mark Ist		proximate if not unpiled)	4. A. Call of the set in concloses has been placed formed, bearing 273. "M from the straing 1911 ar	6. A.	7. A		STANDPOINT: GIPPE	Height Difference Mark Direction Distance Height Difference	above standpt Condition Alma Co 0 00 00 Selow standpt	below standpu Coffee NAV 16 39 00 5.182 0.081	Buc ANGINAA CABIBI OR DE	RADIO TOWER 196 M 00 11.260 0.203	744 below standpt. 804 800 But 2 50 below standpt.	above standor. Conc Che hunt 329 set 10 2.988 1549 begins standor.	т.	The May 21/4/12Noted on U.T.M. Card
CENTRAL MAPPING AUTHORITY	GEODE	Description:	1. Cleared by lanes bearing.	2. Mast & Vanes have been painted white & black respectively. *	3. The station/pillar was unpiled/cont unpiled/c	Description of mark. A Muse Marshould be expl	Height of Too Vanes to Too Wass/Pillar plate /// 5 m.	Height of Cairnm.	Length of Mastm. (approximate if not unpiled)	4. A Soil Mar set in conclusion in		7. A set in conc/rock h	8. Action required:	Obs Privar		Bochanoomana Co 0 10 co	Copper NAN 51 27 00 3.842 7631	BucanGinya 66 31 08 10	6.1 PE 149 23 40 2.96 7549 Below Standpel.	Chasic TOWER 187 01 2018.481 -17	Sect 63(A) 264 32 46		Prepared by: 1.1875 164 Stanles Algerked:

St 2733–2 D. West, Government Printer	STATION RYANS HILL C.S.O) TS 6928
Beacon Diagram II Book Not to Scale	Current Occupant
	/ :
1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 6x 4 6 ERC 1 CAN Phone: GONANA 76-2215 Prone: 83-1244
	ACCESS
	Access Report of 3.34. (1984 was found suitable/unsuitable.
	B.OO PEST OFFICE YOUMMAL HEAD WEST FOWMEDS FINEAY
	0.00 Trans Richts /
1	
	has how on line
	143 IMM NAME THE KOUSS KEND I
, ms/sm	TUEN COUNT MERCOSE
	THEN LEM ON
	Cross wheware
	TWEN RIGHT INTO
	THEN BEST GALK BARBOON ROAD
	TURN KNOWY INTO CASHEL THROUGH DOUGH
This section to be completed by officer constructing pillar.	1388 NEER KIGHT THROUGH GATEMAY ONINER HOUSE TO LEFT HE KYAN
Original station mark found/not found.	1,
	34.49 Ryans His Cs.0)
Description of Halks management and the second seco	
Original beacon found/not found.	
Description of beacon:	Date Record of Station
Height Top of Vanes to Top Mark	
Height of markm. above rock/concm. below G.L.	
Diameter of Vanesm	
Original Beacon has/has not been destroyed by me.	
	Company of the Compan

Original Beacon has/has not been destroyed by me.	Drameter of Vanes	Height of markm. above rock/conc above G.L.	Height Top of Vanes to Top Mark	Original beacon found/not found. Description of beacon:	Description of mark:	This section to be completed by officer constructing ciliar.								St 2733—2 C. West, Government Printer Beacon Diagram Not to Scale
			Date Record of Station	26.2 RYANS HILL PLEAR	·	24.4 TURN LEAST INTO CASHER (THROUGH GATE)	TURN	٧.	OAROC TO WO L	O.O DIRECTION	s Report of/19was found suitable/unsu	ACCERS	BACK BARCOGA ROAD BOTHEREAN) ADDITESS: ADDITESS:	TS 6928 STATION RYANS HILL (P)