

GEODETIC SURVEY OF N.S.W.

CENTRAL MAPPING AUTHORITY

GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

- Note: Cross out word or words which do not apply
- Cleared by lanes bearing..... from Trig. Mast
 - Mast & Vanes have been painted white & black respectively.
 - The station/pillar was unpiled/not unpiled/constructed on..... 19....., dimensions now being:
 Description of mark..... should be explicit, e.g. S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark.....m, above below rock/concrete; Mark is.....m, above below G.L.
 Height of Top Vanes to Top Mark/Pillar platem. Diameter of Vanes (vertical).....m.
 Height of Cairn.....m. Diameter of Cairn.....m. Name plate found/not found/placed.
 Length of Mast.....m. (approximate if not unpiled)
 - A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 - A.....set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
 - Action required: Find Cairn

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt

Prepared by: D. Gayer

Checked: 1/7 Noted on U.T.M. Card

SI 2733-1

STATION: **GOSFERS T.S.** No: **7056**

MAP SHEET SCALE 1:250 000 **SYDNEY 4**

INSPECTED BY: **G. JONES** DATE: **20-5-83**


AUTHORITY: **CMA** FIELD BOOK: **04880**

CENTRAL MAPPING AUTHORITY
 GEODETIC SURVEY OF NSW: Batch Id: 13916
 GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description: *360° N*
 1. Cleared by lanes bearing..... *360° N*..... Note: Cross out word or words which do not apply
 2. Mast & Vanes have been painted white & black respectively. ✓
 3. The station/pillar was unpiled/~~not painted/observed~~ on *26th July 1984*, dimensions now being:
 Description of mark: *7.5. Pillars. Brass* could be explicit, e.g., S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
 Height of mark..... *1.36*.....m. above rock/concrete; Mark is *1530*.....m. above G.L.
 Height of Top Vanes to Top Mark/Pillar plate..... *1465*.....m. Diameter of Vanes (vertical)..... *0.750*.....m.
 Height of Cairn.....m. Diameter of Cairn.....m. Name Plate found/~~not found~~/placed.
 Length of Mast.....m. (approximate if not unpiled)
 4. A *G.I. Pipe (conc. base)* in conc/~~rock~~ has been ~~placed~~/found, bearing..... *17*.....°M from ~~Mark~~/~~rock~~/Pillar
 5. A *Copper Nail*.....set in conc/~~rock~~ has been placed/~~not found~~, bearing..... *280*.....°M from ~~Mark~~/~~rock~~/Pillar
 6. A.....set in conc/~~rock~~ has been placed/~~not found~~, bearing.....°M from Mast/Plug/Pillar
 7. A.....set in conc/~~rock~~ has been placed/~~not found~~, bearing.....°M from Mast/Plug/Pillar
 8. Action required:.....

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
<i>TRYPAN GSG</i>	<i>0 00 00</i>			<i>TRYPAN GSG</i>	<i>0 00 00</i>		
<i>Copper Nail</i>	<i>359 29 40</i>	<i>4.589</i>	<i>2.129</i>	<i>Copper Nail</i>	<i>02 43 30</i>	<i>6.331</i>	<i>0.859</i>
<i>G.I. PIPE</i>	<i>01 08 40</i>	<i>1.765</i>	<i>1.269</i>	<i>Conc Obs Pillar</i>	<i>12 30</i>	<i>1.765</i>	<i>1.269</i>
<i>CONCRETE MAST GSG</i>	<i>369 55 00</i>			<i>CONCRETE MAST GSG</i>	<i>089 55 20</i>		

STANDPOINT: *Conc Obs Pillar*
 STATION: *G.I. PIPE*
 Prepared by: *P. Batts* 12.84
 Checked: *P. Batts* Noted on U.T.M. Card



STATION: *GOSPELS G.S. (P)* No.: *7056*
 MAP SHEET SCALE 1:250 000
 INSPECTED BY: *P. Batts* DATE: *26.1.84*
 AUTHORITY: *C.M.A.* FIELD BOOK: *MWU*

7056M G.S. (P) 28.5m
 4.589m
 280°M
 6.331m
 284°M
 17.65m
 17°M
 G.I. PIPE
 Conc. Obs Pillar
 Conc. Obs Pillar
 11 Conc. (H)
 ORIGINAL RISE
 25.55m
 285°M
 285°M
 285°M

SI 2735-2 D. West, Government Printer

STATION


Coastal 5501 TS 7056

Owner's Name: *WILSONI*
 Address: *14710/148 FERRIS*
 Phone:

Current Occupant: *Access & Land Owner*
 Address: *Mt. C. 6.00M KIRK*
 Phone: *08-92005*
CLANNA 796210

ACCESS

Access Report of *26.1.1984* was found suitable/unsuitable.



This section to be completed by officer constructing pillar.

Original station mark found/~~not found~~.

Description of mark: *C.I.P.A.*

Original beacon ~~found~~/not found.

Description of beacon:

Height Top of Vanes to Top Mark:m.

Height of mark:m. above below G.L.
 rock/conc.m. below

Diameter of Vanesm. Height of Cairnm.

Original Beacon has/has not been destroyed by me.

Date	Record of Station