

GEODETTIC SURVEY OF ALSIA

CENTRAL MAPPING AUTHORITY

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

1. Cleared by Janes bearing *140°* from Trig, Mast
Note: Cross out word or words which do not apply
2. Mast & Vanes have been painted white & black respectively. ✓
3. The ~~station~~/pillar was ~~replaced~~/constructed on *14th November 1988*, dimensions now being:
Description of mark: *top plate* should be explicit, e.g. S/Steel Pillar Plate, Steel plug, Brass plug, Bolt, G.I. Pipe
Height of mark: *3.55* m. ^{above} ~~below~~ *mark* is *0.750* m. above G.L.
Height of Top Vanes to Top ~~mark~~/Pillar plate *1.450* m. Diameter of Vanes (vertical) *0.750* m.
Height of Cairn *0.750* m. Diameter of Cairn *0.750* m. Name Plate ~~found~~/not ~~found~~/placed.
Length of Mast *0.750* m. (approximate if not unpled)
4. A *0.750* m. set in conc/rock has been placed/found, bearing *140°* M from Mast/Plug/Pillar
5. A *0.750* m. set in conc/rock has been placed/found, bearing *140°* M from Mast/Plug/Pillar
6. A *0.750* m. set in conc/rock has been placed/found, bearing *140°* M from Mast/Plug/Pillar
7. A *0.750* m. set in conc/rock has been placed/found, bearing *140°* M from Mast/Plug/Pillar
8. Action required: *CONVERTION BY S.D.M.*

STANDPOINT:

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt

Prepared by: *P. Batts*

Checked: *P.*

Noted on U.T.M. Card *5*

Checked

STATION: *BLETCHEMINGTON (P)* No.: *7296*
 MAP SHEETS: *BATTINGS* SCALE 1:250 000
 INSPECTED BY: *P. Batts* DATE: *23/1/89*
 AUTHORITY: *C.M.A* FIELD BOOK: *1964*

Station Diagram

Not to Scale

