

2012 CEDARS
STATION: **BURNS (P)** No.: **7305**

MAP SHEETS SCALE 1:250 000
SCALE 1:100 000
TRACKING A

INSPECTED BY: **P. PORTS** DATE: **26/3/90**

AUTHORITY: **LAND INFORMATION CENTRE** FIELD BOOK: **C 605**

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description: *Note: Cross out word or words which do not apply*

- Cleared by vanes bearing..... from Trig. Mast
- Mast & Vanes have been painted white & black respectively.
- The station/pillar was unpiled/not unpiled/constructed on.....19....., dimensions now being:
 - above below rock/concrete; Mark is..... m. above G.L.
 - Height of Top Vanes to Top Mark/Pillar plate..... m. Diameter of Vanes (vertical)..... m.
 - Height of Cairn..... m. Diameter of Cairn..... m. Name Plate found/not found/placed.
 - Length of Mast..... m. (approximate if not unpiled)
- A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar
- A..... set in conc/rock has been placed/found, bearing.....° M from Mast/Plug/Pillar

Action required:.....

Mark	Direction	Horiz. Distance	Height Difference	Mark	Direction	Horiz. Distance	Height Difference
TRINITY MILE (P)	0 00 00		above standpt	TRINITY MILE (P)	0 00 00		above standpt
COPPER MARK	78 19 30	3.857	below standpt	CONCRETE PEG	179 08 30	4.826	above standpt
G.I. PIPE (P)	115 26 10	1.837	below standpt	TRIG PEG	228 21 30	5.013	above standpt
CONCRETE PILLAR	135 37 10	5.461	above standpt	G.I. PIPE (P)	236 59 10	2.699	above standpt
TRIG PEG	180 00 00	2.409	above standpt	G.I. PIPE (P)	256 10 30	3.857	above standpt
			below standpt				below standpt
			above standpt				above standpt
			below standpt				below standpt

STANDPOINT: **G.I. PIPE (P)** STANDPOINT: **COPPER MARK** **2**

Prepared by: **P. PORTS**

Checked: **P. PORTS**

Noted on U.I.M. Card



