15 11 1220	TIBOOBURRA	FIELD BOOK: 1969	10 20 30 Not in Seale Ferree 80M &	6m Wide	GI Nail plat at plumbud & centre of ANO212 &	OGI Shar P. Lead Q. Co)30)46 3 0) 2	1/10 / 160 / 150
PAGE 1 OF 2 PAGES	LINKA	AUTHORITY: LIC	320 340 350 360 <td>Border - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -</td> <td>50 170</td> <td></td> <td>255 Red in Soil Had for - 80 - 21</td> <td>State of the second sec</td> <td>/ 210 / 200 / 190 190 Checked</td>	Border - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	50 170		255 Red in Soil Had for - 80 - 21	State of the second sec	/ 210 / 200 / 190 190 Checked
GEODETIC STATION SECONDAL SCARES OF NSW BALEN IGOI	Nate: Crass out word or words which do not apply from Tria. Mart		Action 19 dubnensions now being: Reel Pillar Plate, Super Dug, Brass plug, Bolt, G.I. Pipe Act is	net of Cain	ockebas Deer Defined bearing	ck(Tas been placed/found, bearing	ed Centre Mile Reststandpoint: 5/5 Red in Sil fil S Height Difference Nark Direction Horiz, Height Difference wow sender Three Sisters All O OD OD DO Horiz Height Difference wow sender Three Sisters All O OD OD DO Horiz Height Contents wow sender S Red in Sil Al 25358 56 9.523 0.500000000000000000000000000000000000	The same Norden Ferce Past to 48 27.2 Birdy same the s	19.4.91 Warter & Doly 20.4.91 Nord on U.T.M. Carl
CENTRAL MAPPING AUTHORITY	8	2. Mast & Vanes have been painted white & black respectively.	 The station/pillar was unpiled/not unpiled/constructed on Description of markshould be explicit, e.g., St Height of mark	Height of Top Vanes to Top Mark/Pillar Height of Cairn	4. A	6. Aset in concirc 7. Aset in concirc 8. Action required:	STANDPOINT: GINail Pled at Plum Mark Direction Distance Prominent Hill d HE 2157.505	61 59 20 4 ort 59 18 0 18 232 44	10. Prepared by Auth

......

Beacon Diagram Not to Scale	
	Owner's Name
	Address
	Phone: Phone
	ADDESS
	Access fleport of 12/11. /18/11 was found suitable/insuitable.
	U-U-U rom liberburs loss Other head North along main street.
	Under a langesta warr (aste by Unverteurs by Thr ren ren -
	1:00 Kost an left sign poster used horse built and the go al rogar anega.
	4.10 Trock race and start of Druri Rational Park.
	Just Dy Pars Trank on Cerry
	12: 10 Cross Elatri Millo Creek.
	all the second of the second o
	mereline Comment of the and and and the part of the second the control of the second the s
	21:13 Cross I wave Inite Creek.
	11.40 Ht road portion sign posted in popula LL, warring and the second sign portion and
	Pero Gate at out of Sind National Part Cartinue.
	51:50 Pass throward aste
This section to be completed by officer construction will ar	51.80 At intersection signposted (Old Sympost) "Tibooberra, Womoak, Womoak, Duroo
	Journs, typen right.
Original station mark found/not found.	54-151 Rass through gate; 54-051 Dual access to homestead on left.
Description of mark:	14 65 Pass through gate 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	18,80 Shop behave white gate in bardar tence. Follow track on NISW side to left (West).
	Diado Trig. Hawked by 2 by Districted parallel to tener.
Description of beacon:	I I I I MANKED DY WORKEN DY I'LL HOUME AL LI AL THE I
	Date Record of Station
Delow development below development below delow	
Diameter of Vanesmm. Height of Cairnm.	
Original Beacon has/has not been destroyed by me.	*******

x <u>co</u>s

....

TS7334 | Print Date: 31/05/2022 18:19 | No Of Pages: 3 | Property of DFSI – Spatial Services

VORNEW	STATION	rds which do not apply SCALE 1:250 000 MILPARINKA SCALE 1:100 000	INSFECTED BY: J. SUTTON	AUTHORITY: LIC FIELD BOOK: [969	dimensions now being:	plug, Brass plug, Bolt, G.I. Pipe	Diameter of Vanes (vertical)mm.		à ¢	/c	from Mast/Plug/Pillar	from Mast/Plug/Pillar	trom Mast/Plug/Pillar	090	<u> </u>	Direction Height Difference 2	14 indexes another	atom standart 20	above		146	
CENTRAL MAPPING AUTHORITY	GEODETIC STATION RECONNAISSANCE and MAINTENANCE REPORT	Description: Note: Cross out word or words which do not apply	1. Cleared by lanes bearing.	2. Mast & Vanes have been painted white & black respectively.	3. The station/pillar was unpiled/not unpiled/constructed on	licit, e.g.,	o Top Mark/Pillar plate Diamet	Ľ.	Length of Mast	4. A	5. A	6. Aset in coportrock has been placed/found, bearing	7. A	8. Action required:	STANDPOINT: SIS Rad in Sil Ad 🗢 STANDPOINT:	Height Difference Mark	Prominent Hill D OD OD below another	173 52 21 6 754	GINail in Mile Post 184 15 24 7.500 0.164 terminate	G1 Star Picket Fd 192 43 43, 28, 715 below samder	515 Red in Soil for 234 01 575 9.514 0.495 Heren standor	

a e o manarco 💳