

GEODETTIC SURVEY OF N.S.W.

GEODETTIC STATION RECONNAISSANCE and MAINTENANCE REPORT

Description:

1. Cleared by lanes bearing.....clear for 60's.....from Trig. Mast

2. Mast & Vanes have been painted white & black respectively.

3. The station/pillar was ~~unpiled/not unpiled~~ ^{was marked} on 19th - 4 - 19th....., dimensions now being:

Description of mark..... should be explicit, e.g., S/Steel Pillar, Bolt, G.I. Pipe (WEST)
GALV CORR 3/4" RICKET PLACED IN LATER OF YELLOW STAMP OF OLD MILE POST 51
TOP OF STATE PIERCE 0-30 AR 51 FOUND.

Height of mark.....m.

Height of Top Vanes to Top Mark/Pillar plate m.

-Height of Cairn.....m.	Diameter of Cairn.....m.	Name Plate found/not found/placed,
-------------------------	--------------------------	------------------------------------

Length of Mast m. (approximate if not unriped)

- | | | | |
|----|---|---|------------------------------|
| 1. | A CALV. IRON STAP NICKEL Set in centerfeek | found, bearing 16° | M from Mast/Plug/Pillar Trig |
| 2. | A CALV. IRON STAP NICKEL Set in centerfeek | found, bearing 190° | M from Mast/Plug/Pillar Trig |
| 3. | A CALV. IRON STAP NICKEL set in centerfeek | found, bearing 355° | M from Mast/Plug/Pillar Trig |
| 4. | A S/S ROD set in centerfeek | found, bearing 165° | M from Mast/Plug/Pillar Trig |
| 5. | A S/S ROD set in well has been placed | bearing 162° | M From Trig |
| 6. | Action required. P.O. plug found, intersected | (106' west face), R. (Mm. Sec.), d. 47992 | (East face) Not seen |
| 7. | A CALV. IRON TELLGRAPH POLE was found | bearing 253° | M from Trig. |
- STANDPOINT:

Point	Horizontal Distance	Direction	Horizontal Distance	Height Difference	Stand- Distance	Direction	Horizontal Distance	Height Difference
1	38.7 M		9.70	standpt. below	8	10° M	1.01	above below standpt.
2	62.7 M		3.88	above below	9	10° M	15.75	above below standpt.
3	165.7 M		7.45	above below	10	96° M	3.67	above below standpt.
4	190.7 M		1.46	above below	11	144° M	2.63	above below standpt.
5	253.7 M		6.53	above below	12	62° M	4.56	above below standpt.
6	255.7 M		12.87	above below	13	302° M	2.19	above below standpt.
7	162.7 M		2.11	above below	14	77° M	6.38	above below standpt.

Noted on U.T.M. Card

Checked:

C. 23643

Prepared by:

5,0,1497

[illegible]

STATION		MILLER ST S.S. IN-ST TS 7337	
Owner's Name	Current Occupant:	Address	Address BY INFORMATION 19 APRIL 1991
Address	Address	Phone	Phone
Access Report of 19.4.1991 was found suitable/unsuitable.		Direction D.C. REVERSED DATE NSW/QLD BEARER TAKE ROAD TO BOURKE 26 PASS AS TO NAVIGATING ON RIGHT 22.1 TURN LEFT ONTO TRACK JUST APPROX OLD GUILD NATURAL ROCK ON LEFT "HUNGALING" 25.15 TURN ON ENTER BEARER TRACK HANGID 26.05 THROUGH GATE FOLLOW TRACK (LEFT) S.I.C. TURN RIGHT UP TRACK JUST ROADS BRIDGE GATE AND FOLLOW OLD PHONE LINE (APPROX 800 FT) S.E. TRACK (UNPAVED PHONE LINE) JUST AFTER GREEN CROSSING 36.3 MILE POST 59 CAN RIGHT JUST BEFORE GATE	
Beacon Diagram		Record of Station	
Not to Scale		Date	Record of Station
This section to be completed by officer constructing pillar.			
Original station mark found/not found.			
Description of mark:			
Original beacon found/not found.			
Description of beacon:			
Height Top of Vane to Top Mark.....m.			
Height of mark.....m. above rock/conc below G.L.			
Diameter of Vanes.....m.		Height of Cairn.....m.	
Original Beacon has/not been destroyed by me.			