uncil	Address Sarety Same Sales Marromine Shar Quarity.	000000	New Section.  Access Report of/116was found suitable/unsuitable.		The state of the s	SITUATED ON CORNER OF LEWICIN	AND HARRIS SIGETS, IKANEIE	IS REPOWRED TO GAIN ACCEDED FREST	RESERVOIR and is obtainable From	MK. WATTIE WALTON TOOL SUPERINTENDENT, IRONGIE MEMORIAL SWIMMING CENTRE. PROME: (068) 887536.	MR. Walton Lives in House Adtoining Summing Centre	Street, Tangie	>				Record of Station		
Not to Scale Owner's Name: No	Address:	Phone: (UAX)	Access Report of			018100	AND HAR	LADDER	OF WATER	9, 9,		IN LY OA					Date		n.
		42	MS:			* *				Bolten To Steel Plat Boams		constructing oillar.		***************************************	C.C. TANK			ncm. above G.L.	Height of Cairnm.
Beacon Diagram O . 100m	MST-O	*		7.00 O				- 36x		MARTÍON BEACON & BA		This section to be completed by office: constructing pillar.	Original station mark found/not found.	Description of mark:	Original beacon found/not found.	Description of beacon:	Height Tap of Vanes to Top Mark	l'eight of markm.m.m. beiow rock/concm.m. beiow	Diameter of Vanes

Description:  Note: Cross out words which do not apply  Cleared by lanes bearing	STATIO MAP SH SCALE INSPEC AUTHO
Description:  Cleared by Janes bearing	G.I. Pipe  Scale 1:250 000 NAFFOMINE S1 (55 - \$  INSPECTED BY: D. Kain. DATE: 10. 6.1999  AUTHORITY: L. T. C. FIELD BOOK:  Station Diagram North North Not to Scale  Advisced  Scale 1:250 000 NAFFOMINE S1 (55 - \$  AUTHORITY: L. T. C. FIELD BOOK:  North
Mast & Vanes have been painted white & black respectively.  The station/pillar was unpiled/not unpiled/constructed on	G.I. Pipe S. Station Diagram North North Not to Scale
The station/pillar was unpiled/not unpiled/constructed on	G.I. Pipe Scale North No
Description of markshould be explicit, e.g., S/Steel Pillar Plate, S Height of mark	Olt, G.I. Pipe North North North North North North Political Pipe North
Height of mark       m.       above rock/concrete;       Mark is       m.         Height of Top Vanes to Top Mark/Pillar plate       Diameter       Diameter         Height of Cairn       m.       Diameter of Cairn       m.         Length of Mast       m.       (approximate if not unpiled)         A       A       A         A       Set in conc/rock has been placed/found, bearing         A       A         A       Set in conc/rock has been placed/found, bearing	OIE PORT OF THE PO
Height of Top Vanes to Top Mark/Pillar plate	Ole Procedulation
Height of Cairn	, in E
Length of Mast	_
Aset in conc/rock has been placed/found, bearing Aset in conc/rock has been placed/found, bearing Aset in conc/rock has been placed/found, bearing	OI SILON VISITED TO
Aset in conc/rock has been placed/found, bearing	é / e
Aset in conc/rock has been placed/found, bearing	sst/Plug/Piller Fa Vaned and Safety
Aset in conc/rock has been placed/found, bearing	7 780 7
	from Mast/Piug/Pillar
8. Action required:	See OVER FOR MEASUREMENTS.
STANDPOINT:	
Mark Direction Distance Height Difference Mark Direction Dis	Hoiz. Height Difference Co
above standpt.	over standard standar
above standpt.	
above stando:	above sandpr. S
above standpt.	
above standpt.	
above standpt.	Delow standpt.
añove standpt.	above above 210 200 190 180 170 160 150
Frepared by: J. Kain. Giecked:	Checked

Ot 2733–2 D. West, Sovernment Printer		OL TO MOTEVES	Tet of order of Trous of Morares
Beacon Diagram 🐪 Not to Scale		N/- N/- OIL:	October 13 13 13 13 13 13 13 13 13 13 13 13 13
	Owner's	חיכור	Current Occupant VIR. KASS BIGNE
0.15 K	Address	Address:	Address: Senior Engineer
	Phone		NATIONING SHIRE COUNCIL
			10016
NEW WINE	Access	Access Report of	
		STATION IS SITUATED ON GRAPE OF TRANS	The property of
		HARRIS Streets, TRANCIE.	
<b>3</b>	744	TO THE POST OF STATE	1
388055	7		ACCEDA 10 HRST
1.34kk	(8)	NOT NOTELL NEWS YOUR	and is obtainable
G.lac	ጋ ፩:	by Contacting Mir. Bob Boucher, Narromine Council.	Namonine Council
H	WORKS	& Derot, Temoin Street, The	angie.
Station Beach, is polyton to See	Phone	Phone No: 068 887337-EARLY MORNING OF Late	eaine or Late
Of Speci NANTE RESOLVAL.	affer	afternoon Preferably otherwise an Answering Service	A AMSWERING Service
This section to be completed by officer constructing cillar.	18 - 15 20 - 15	fortable.	Ģ
Original station mark found/not found.	Moter	Motes States is Situated an Very fore of Neservein	Y EDGE OF NESETVEN
Description of mark:		So it would be advisable	14 beareaux 15 T
Original beacon found/not found.		be removed to have two people at site.	wo people at site.
Description of beacon:			
	Date	Record of Station	Station
Height of mark			
Diameter of Vanes			
Original Beacon has/has not been destroyed by me.			