	Higorometrical survey of N.S.W.	
Department of Lands	RECONNAISSANCE and MAINTENANCE REPORT	STATION SAKE HILL
This Trig. Station has been:-	Note: Crass out word or words which do not apply	Ph:
 Completely cleared to permit 360° vision to surrounding Trigs. 	urounding Trigs.	Map Sheet: MUSWE11 BROOK No. 90.53 N Inspected by: P CHEN
2. Cleared by lanes bearing	from Trig. Mast	Field Book: 15
3. Trig Mast & Vanos have been painted white & black respectively.	-black-espectively.	Beacon Diagram Not to Scale
4. The Trig, was unpiled/nat unpiled, dimensions now being: Description of mark. $BLME$	s now being: County Section Prank Young, mot Journ	515
Height of markm abolow	rock/concrete	
Height of Top Vanes to Top Mark, 2.1	Diameter of Cairn	201 -> <- 100
٥	(approximate if not unpiled)	3
5. Aset in conc/rock has been place	been placedm. bearing	
6. Aset in conc/soil has been plac	been placedm. bearing	→ - -
7. Aset in conc/soil has been place	set in conc/soil has been placedm. bearing	
8. Aset in controved has been place	been placedm. bearing	
9. Connectionto:	m. bearing	
10. Connectionto	Me	
11. Connectionto	M. bearing m. bearing.	Date Record of Station
12. Connection	m. bearing	
13. Diff. Ht 18 helow	above Below	
14. Diff. Ht.	webs.	
15. Diff. Htm. above	about a series of the series o	
16. Diff. Ht. is. m. above	openow Denomination of the second	
Drawned hu. P (Att.) Charled	Noted on U.T.M. Card	Checked

STATION PARE HILL/	Owners Name. MR. MARIE JERIEF, CASEY Current Occupant	Address. XIIIB 464.	"IMRYUALE KAYUGA	25-4	15 T. MIRA". THE ROAD TO SANDY HOLLON' ON RIGHT. 20 T. INTER". TOWN RIGHT THE ROAD TO KAYIGH" & CROSS POLICY VICTORIAN. 6. Z. T. MIRA". ON STAILED. 6. Z. PAS ROAD ON RIGHT. GO MIRAD.	X	12.8 END OF FENCE, THEN LEFT & MAKE YOUR ONLY ALONG RIDGE TO TOP OF	134 AT 706.					
T	Not to Scale	78	3	DGE	e de la constante de la consta		***	i	Ulfection		Direction	i	
	08 - Walter -	10-12 10		. <u>~</u>	1	160		Standpoint:	COHOL		Station		
	34			UDGE	The fire	J.	octions:-	Dispersion			Direction		
	Station Diagram	MAGNorth Made of Party P		Action of the second of the se	FLATTAP RIGHT.	the state of the s	List of Observed Directions:	Standpoint:			Station		

15	Cove	; N		Field Book:	Not to Scale													iii	 7					
	Ph: MANLY		Date:	Fiel			COSE (P)	No No	!	017E						3.40			Record of Station	3				
739 STATION BARE	Co: CUMBERLAND	Map Sheet:	Inspected by:	Authority	Beacon Diagram		TS6324 BELROSE (P)	ON RESERVOIR		OccuPIES	1-1-1								Date REDOUTED DEST					
Integrali Jurvey of N.S.W. RECONNAISSANCE and MAINTENANCE REPORT 7	This Trig. Station has been:-	1. Completely cleared to permit 360° vision to surrounding Trice	· · · · · · · · · · · · · · · · · · ·	2. Cleared by lanes bearingfrom Trig. Mast	3. Trig. Mast & Vanes have been painted white & black respectively.	4. The Trig. was unpiled/not unpiled, dimensions now being:	Description of mark	Height of markm above rock/concretem above G.L.	Height of Top Vanes to Top Mark/Top pillar plate	Height of Cairnm. Diameter of Cairnm.	Length of Mast	5. Aset in conc/rock has been placed/fdm. bearing	6. Aset in conc/soil has been placed fdm. bearing	7. Aset in conc/soil has been placed/fdm. bearing	8. Aset in conc/rock has been placed/fdm. bearing	9. Connectiontom. bearing	10. Connectiontoto	11. Connectiontota	.12. Connectionto	13. Diff. Ht is	14, Diff, H1, ism. ism. above	15. Diff, H1. is. m. above	16. Diff. Ht. is. m. above	Prepared by: . Checked: