
	RECONNAISSANCE and MAINTENANCE REPORT &12	12 STATION BEECLOFT PILLAR. TS 812	5 812
This Trig. Station has been:-	Nate: Crass aut word ar word's which do nat apply	Co: COOK PH: COX. Mar Street WALLED MARKELE No: ANS	306
1. Completely cleared to permit 360° vision to s	vision to surrounding Trigs.		Date: 16 17 75
2. Cleared by lanes bearing	from Trig. Mast	Authority DEPT OF LANCK Field Book: C&	ook: 681 37
3. Trig. Mast & Vanes have been painted white & black respectively.	& black respectively.	Beacon Diagram 0.06	Not to Scale
4. The Trig. was unpiled/ not unpiled , dimensions now being:	ns now being:		
Description of markRODETOPPuLAR	Description of mark RROETCORuLAR should be explicit, e.g. Steel plug, Brass plug, Boh, Concrete Pillar	0.75	
Height of mark	e noch ∕concrete		
Height of Top Vanes to Top Mark/ Top pillar	Height of Top Vanes to Top Mark/ Top pillar plate	9	
Height of Cairnm. Diamet	Diameter of Cairnm.	0.5%	
)	(a pproximate if not unpile d)		
5. ASSMset in conc/rock has been placed/fd 1.300m, bearing1	ad/id. 1.309m, bearing	 	
6. A Collical Solver's set in conc/soil has been placed/fd 2:627.m. bearing145.			
7. Aset in conc/soil has been plac			
8. A	.ed/fdm. bearing	24.00	
9. ConnectionSSMtoCall Met. :	m. bearing/ OO 9M		
10. Connectionto	:		
11. Connection to	:	Date . Record of Station	
12. Connection to ::	; m. bearing		
13. Diff. Ht			
Shire	m. helow Richard Right		
15. Diff. Ht	m. dbove		
16. Diff. Ht.	m, above		



.....

c			onstructing oiller.														
	Date			4.3 Pa		(Pr		3.45 Tu	. –	0.00 Lit	812 Beecroft 2/99	Access Rep		Phone:	 Address:	Owner's Na	
Cleared by lanes bearing, <u>T.e., 7227</u> , <u>C.C.</u> A. <u>()</u> <u>S.S.M</u> set in conc/rock has been placed (found.) A <u>(2)</u> . <u>Correct. SPINE</u> set in conc/rock has been placed found.) <i>Loose F.Rom.</i> Rock ((Loots Like Ster Sine)	lecord of Station	INSPECTED BY: C FORD DATE: FEB 1999		Park venicie, i rig. to right off large tocks (2min walk)	Sign Newnes State Forest take right track	(Prospect Electricity 224-228)	Turn left and follow power line track	Tum right along private coal Haulage RD	take watgan KD. Turn right along gravel RD (nower sign 224-232)	Lithgow / Mudgee RD at Lidsdale	oft 2/99	Access Report of/12Wes found suitable/unsuitable.	ACCESS	Phone:Phone:	Address	Owner's Name:	STATION BEECROFT (P) 812

÷

the star was