
<u>Department of Lands</u>	RECONNAISSANCE and MAINTENANCE REPORT	STATION BILLP	BILLABUNG 919
This Trig. Station has been:-	Note: Cross out word or words which do not apply	Co: GOULBURN	Ph: COOKAKDINIA
		Map Sheet: HOLBROOK	No: 3326 - N
1. Completely cleared to permit 360° vision to surrounding Trigs.	te surrounding Trigs.	Inspected by: &.C.HRNNR	Date: 3/3/76
2. Cleared by lanes bearing	from Trig. Mast	Authority C.M.A.	Field Book:
3. Trig. Mast & Vanes have been painted white & black respectively.	hite & black respectively.	Beacon Diagram	Not to Scale
04. Not Trig. was unpiled/not unpiled, dimensions now being:	nsions now being:		
Description of mark		•	
Height of markm above	5		
Height of Top Vanes to Top Mark	Diamete		
Height of CairnD	Diameter of Cairnm.		
Length of Mast	(generation if not unpiled)		
5. Aset in conc/rock has been placed	ploceedsm. bearing		
6. Aset in conc/soil has been	set in conc/soil has been placed		
7. Aset in conc/soil has been placed	placed		
8. A	placedm. beating.co		
9. Connection to	: m. bearing		
10. Connectiontot.	: m. bearing9M		
11. Connectionto	; m. bearing	Date	Record of Station
12. Connectionto	: m. bearing		
13. Diff. Ht.	ism. dove below		
14. Diff. Htis	isП. diove below		
IS. Diff. Ht.	ism. above		
16. Diff. Htis	merove habove		
		Charbad	



Departmen	<u>Department of Lands</u>	RECONNAISSANCE and MAINTENANCE REPORT	STATION	BILLABUNG"	616
This Tri	This Tria. Station has been:-	Note: Cross out ward or words which do not apply	Co: Goulburn	Ph: Cookardinia	
			Map Sheet: Holbrook	ak.	No: 8326-N
	1. Completely cleared to permit 360° vision to	vision to surrounding Trigs.	Inspected by: G.H	G. Hanna	Date: 11/10/76
5.	Cleared by lanes bearing	from Trig. Mast	Authority		Field Book:
	Trig. Mast & Vanes have been painted white & black respectively.	s & black respectively.	Beacon Diagram		Not to Scale
4.	The Trig. was unpiled/not unpiled, dimensions now being:	ons now being:			
_	Description of mark	should be explicit, e.g. Steel plyg, Brass plug, Bolt, G.I. Pipe			
	Height of mark	above rock/concrete			
-	Height of Top Vanes to Top Markm.	m. Diampter of Agnes (vertical)m.			
-	Height of Cairn Diame	Diameter of Cairn		5 ₁₂	
-	Length of Mast	(approximate if nat unpiled)			
5.	Aset in conc/rock has been placed	ced			
6.	Aset in conc/soil has been placed.	ced			
7. 1	Aset in conc/soil has been placed	ced			
8	8. Aset in conc/rock has been placed.	cedm. bearing			
9.	9. Connection	e			
10. 1	Connection-to-	m. bearingM			
н.	Connection Tor	m. bearing	Date	Record of Station	5
12. 0	Connection to. to.	: m. bearing			
13. 1	Diff, Ht	- M., dbove below			
14.	14. Diff. Htm.	. M., dove below			
15.	15. Diff. Ht	. M. dbove Adove			
16.	16. Diff. Htis.	m. dove helow			
Duanarad hur	Cha.			Charbad	

.

